

9

MARATHON INC.

MICRO-BICIDE No. 42

ACCEPTED
35928-1
SEP 22 1976
UNDER THE FEDERAL PESTICIDE FUNGICIDE AND DISINFECTANT ACT FOR ECONOMIC PESTICIDE REGISTRATION ED USE OF AG

Active ingredient	
Poly[oxyethylene (dimethyliminio) ethylene (dimethyliminio)ethylene dichloride]	20.0 percent
Inert ingredient	80.0 percent
Weight per gallon	8.69 pounds
Weight of active ingredient per gallon	1.74 pound

APPLICATION

Micro-Bicide No. 42 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 6.4 to 9.37 fluid ounces of Micro-Bicide No. 42 per 1000 gallons of water.

Repeat initial dosage until control is evident. Subsequent slug additions of 1 oz. to 9.37 fluid ounces of Micro-Bicide No. 42 per 1000 gallons of water should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. In case of contact, flush with plenty of water for at least 15 minutes. If eye irritation persists, get medical attention at once. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

BEST DOCUMENT AVAILABLE

EPA Reg. No. 35928-1
EPA Est. No. 35928-IN-01

NET CONTENTS _____ Gal(s).

Mfg. by Marathon, Inc. - Indianapolis, Indiana 46224

Lab Control No.

4/6