



DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for Spring start up, superchlorinate with 1 1/2 pint (5 ozs.) of HIGH-PO-CHLOR sodium hypochlorite for each 1000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance:

A) Adjust pool water pH to 7.2 to 7.6 and maintain.

B) Add manually or by a feeder device HIGH-PO-CHLOR sodium hypochlorite at a rate to maintain an available Chlorine residual of 0.6 to 1.0 ppm. One fourth (1/4) pint (5 ozs.) of High-Po-Chlor sodium hypochlorite for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using rinse all surfaces thoroughly with 200 ppm of High-Po-Chlor. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after Chlorine treatment. Do not soak overnight. Use one part High-Po-Chlor to 650 parts of water for a 200 ppm solution.

THIS PRODUCT IS TOXIC TO FISH.
Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

DATE PACKAGED:

HIGH-PO-CHLOR

BLEACHES - CLEANS - DISINFECTS
and DEODORIZES

NET CONTENTS
FIVE GALLONS

Active Ingredients Sodium Hypochlorite 12.5%
Inert Ingredients 87.5%

BEST DOCUMENT AVAILABLE

WARNING: KEEP OUT OF REACH OF CHILDREN

(See Right Panel for First Aid and Additional Precautions)

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

TOWN & COUNTRY POOLS

YPSILANTI, MICHIGAN 48197

WARNING:
Keep Out of Reach of Children

Harmful if Swallowed.

Strong Oxidant.

May produce chemical burns.

Do not get on skin or in eyes.

FIRST AID:

Causes eye damage. May cause severe skin irritation or chemical burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothes. Wear goggles, or face shield and rubber gloves when handling concentrated product. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

In case of contact, flush skin with plenty of soap and water; if in eyes flush with water for at least 15 minutes. Get medical attention.

If swallowed drink a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Get medical attention.

NOTE: HIGH-PO-CHLOR degrades with age. If used later than ten (10) days after packaging, use a Test Kit to insure that the solution will produce the amount of available Chlorine desired.

EPA Reg. No. 35931-1