

PLEASE NOTE

This image contains more than one label approved for this product on this date.

APR 25 2001

William M. Mahlburg
Nufarm Limited
500 Lower Lake Road
St. Joseph, MO 64504

Dear Mr. Mahlburg:

Subject: Label Amendment Extending 2,4-D Use in Reduced or No-Tillage Soybeans
(Pre-plant Only)
Nufarm 2,4-D LV06
EPA Reg. No. 35935-6
Your Application Dated January 18, 2001

The Agency is conditionally approving an amendment to the registration of the above-referenced product under the authority of section 3(c)(7)(B) of the Federal Insecticide, Fungicide Act (FIFRA). This amendment allows use of the subject product on reduced or no-tillage soybeans (pre-plant only) with a maximum permissible level for residues of the herbicide in or on soybeans of 0.1 ppm. This amendment will expire automatically on December 31, 2001. In addition, during the period that this amendment is effective, it will be subject to the conditions listed below:

- 1) This acceptance is based on your certification that the submitted labeling on preplant soybean use is an exact copy of the labeling accepted by the Agency on March 15, 1996. Please note that the acceptance of this labeling pertains to the previously approved preplant soybean use only and does not signify the acceptance of any other labeling revisions. No other label revisions are being reviewed or considered with this action. You should also note that if you fail to satisfy the conditions imposed in this certification, EPA may issue a notice to cancel this amendment under FIFRA section 6(e).
- 2) This conditional registration will expire automatically on December 31, 2001. Sale or distribution of the subject product bearing labeling for this use on reduced or no-tillage soybeans (pre-plant only) after December 31, 2001 will be illegal. The tolerance authorizing residues of the subject product will also expire on December 31, 2001. After that date, sale or distribution of food in interstate commerce containing any residue of the subject product will be a violation of the Federal Food, Drug, and Cosmetic Act
- 3) Finally, if and when a permanent tolerance is established, EPA will entertain an application to amend the registration of the subject product without any special limitations on the

M. Coake

4-25-01

duration of the amendment.

A stamped copy of the labeling is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR NUFARM 2,4-D LV-6 BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Nufarm 2,4-D LV-6 and this supplement.



2,4-D LV-6

EPA Reg. No. 35935-6

ACCEPTED
with COMMENTS
in EPA Letter Dated
APR 25 2001
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
35935-6

SOYBEANS (Preplant Burndown Only)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the Nufarm 2,4-D LV-6 label booklet must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Preplant Burndown in Soybeans: This product may be used for the foliar burndown control of susceptible annual and perennial broadleaf weeds and certain broadleaf cover crops prior to reduced till or no-till planting of soybeans. Make only preplant applications to emerged weeds prior to the planting of the soybeans.

Product may be tank mixed with liquid fertilizers or crop oils and surfactants to increase effectiveness on certain weeds. Be certain to confirm compatibility of such products with this herbicide prior to tank mixing. Follow instructions and precautions on all labels of products to be tank mixed.

Make the application by either air or ground using a total spray volume sufficient for uniform coverage. Use 2 or more gallons total spray volume by air or 10 or more total gallons by ground.

Make application at rate and timing listed in table below:

Amount of Product Per Acre, Broadcast	Application Time Prior to Planting Soybeans
2/3 pint	At least 7 days
1-1/3 pints	At least 15 days

Use Precautions: Do not use on sandy soils with less than 1% organic matter. Plant soybean seeds as deep as possible, but not less than 1 inch. Use of a rib-type presser wheel is not recommended. Adjust planter to ensure adequate coverage of planted seed.

Use Restrictions: Do not make more than one application per season. In the event of loss of crop, do not replant with crops other than those cleared for use with 2,4-D. Do not allow livestock to graze or feed hay, forage or fodder from treated fields. Do not feed or allow livestock to graze treated cover crops.

Notice: Use of this product as indicated could cause severe crop injury including stand loss and/or reduced yield. Do not use product as described unless you are prepared to accept such injury.

NOTICE

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" in the label booklet. If terms are not acceptable, return unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by the Buyer or any other User constitutes acceptance of the terms under the "WARRANTY LIMITATIONS AND DISCLAIMER".

Manufactured By
Nufarm, Inc.
St. Joseph, MO 64504

EXP01/01

NEXT

LABEL

APR 25 2001

William M. Mahlburg
Nufarm Limited
500 Lower Lake Road
St. Joseph, MO 64504

Dear Mr. Mahlburg:

SUBJECT: Renewal of Time-Limited Tolerance; Corn Preplant Application
Nufarm 2,4-D LV-6
EPA Registration No. 35935-6
Your Submission Dated January 18, 2001

The supplemental labeling referred to above and submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. At your next label printing, or within 18 months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

M. Coakle
4-25-01

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR NUFARM 2,4-D LV-6 BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Nufarm 2,4-D LV-6 and this supplement



2,4-D LV-6

EPA Reg. No. 35935-6

ACCEPTED with COMMENTS by EPA Letter Dated APR 25 2001
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 35935-6

CORN APPLICATIONS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the Nufarm 2,4-D LV-6 label booklet must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Corn: See table for recommended use rates.

Preplant: To control emerged broadleaf weed seedlings or existing cover crops prior to planting corn, apply 7 to 14 days before planting. Do not use on light, sandy soil, or where soil moisture is inadequate for normal weed growth. Use high rate for control of less susceptible weeds or cover crops such as alfalfa.

Preemergence: Apply this herbicide to emerged weeds from 3 to 5 days after planting but before corn emerges. Do not use on light, sandy soil. Use the higher rates on heavy soils. Plant corn as deep as practical. Product will not control weeds which have not emerged. Do not make a preemergence application if a preplant application of this product was made.

Postemergence: Best results are usually obtained when weeds are small and corn is 4 to 18 inches tall. When corn is over 8 inches tall, use drop nozzles to keep spray off corn foliage as much as

possible. Do not apply from tasseling to dough stage. If corn is growing rapidly and temperature and soil moisture are high, use 1/3 pint per acre to reduce possibility of crop damage. Delay cultivation for 8 to 10 days to prevent stalk breakage due to temporary brittleness caused by 2,4-D. Application rates of up to 2/3 pint per acre may be used to control some hard to control weeds. However, the possibility of injury to the corn is increased. Since the tolerance to 2,4-D of individual hybrids varies, consult your seed supplier, local Extension Service, Agricultural Experiment Station, or University Weed Specialist for information.

Pre-harvest: After the hard dough or denting stage, apply 2/3 to 1-1/3 pints of product per acre by air or ground equipment to suppress perennial weeds, decrease weed seed production, and control tall weeds such as bindweed, cocklebur, dogbane, jimsonweed, ragweed, sunflower, velvetleaf, and vines that interfere with harvesting. Do not forage or feed corn fodder to livestock for 7 days following application.

Post-harvest: Wild Garlic: Following the harvest of corn, wild garlic often produces new fall growth. This should be sprayed with 1-1/3 to 2 quarts of product per acre. This is a useful practice as one part of a wild garlic control program. Do not forage for 7 days following application.

RECOMMENDED RATES OF PRODUCT PER ACRE*

CROP (See Detailed Instructions Above)	RATE (Average Conditions)	RATE (Dry Conditions As In Western States)**
Corn:		
Preplant	2/3 to 1-1/3 pints	
Preemergence	2/3 to 1-1/3 quarts	
Postemergence	1/3 pint	1/3 to 1/2 pint
Pre-harvest	2/3 to 1-1/3 pints	

*If band treatment is used, base the dosage rate on the actual area sprayed.

**Arizona, Idaho, Montana, Nevada, Oregon, Utah, Washington, Wyoming.



NOTICE

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" in the label booklet. If terms are not acceptable, return unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by the Buyer or any other User constitutes acceptance of the terms under the "WARRANTY LIMITATIONS AND DISCLAIMER".

**Manufactured By
Nufarm, Inc.
St. Joseph, MO 64504**

EXP01/01

