35935-6

10/24/2005



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OCT 2 4 2005

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Theodore D. Head Nufarm Limited c/o Nufarm Americas Inc. 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60521

Dear Mr. Head:

Subject: Supplemental Labeling - Maximum Use Rates Nufarm 2,4-D LV-6 EPA Registration No. 35935-6 Your Submission Dated September 15, 2005

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Modify the Maximum Use Rates box to add a statement similar to the following:

The rates on this supplemental labeling supersede the application rates on container label and/or label booklet on Non-Crop Sites.

b, In the Wild-Garlic and Wild Onion Control section add "pints" after "2-2/3".

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

According to our computer records the address of record of this Company's Agent is in St. Joseph, Mo. . If this is in out of date, please update our records.

A stamped copy of the labeling is enclosed for your records. If you have any questions concerning this letter please contact Mr. James Stone at 703-305-7391.

:

Sincerely yours,

oanne J. Miller

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

ţ

(

SUPPLEMENTAL LABELING

OCT 2 4 2005 Under the Federal Insecticide, Sungicide, and Rodenticide Act s amended, for the pesticide registered under EPA Reg. No. Herbicide EPA Reg. No. 35935-6	• • • • • • • • • • • • • • • • • • •
	• • • •
OCT 2 4 2005	*****
with COMMENTS In EPA Letter Dated: 2,4-D LV6 :	•••••
"Label" as used in this supplemental labeling refers to the label booklet for this product and this su	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the label booklet for this product must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

(•

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. For Turf use, do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

Fallowland: On established perennial species such as Canada thistle and field bindweed, apply up to 2 -2/3 pints of product per acre. For annual broadleaf weeds, apply 1-1/3 to 2-2/3 pints per acre. Do not plant any crop for 3 months after treatment or until chemical has disappeared from soil.

Wild Garlic and Wild Onion Control: Apply 2-2/3 of product per acre making three applications, fall-spring-fall or spring-fall spring, starting in the late fall or early spring. Do not graze dairy animals nor cut forage for hay within 7 days of application.

General Weed Control: Airfields, Roadsides, Vacant Lots, Fence Rows, Industrial Sites and Similar Areas: Use 1-1/3 to 2-2/3 pints of product per acre. Usually 2-2/3 pints per acre will give adequate control. Do not use on herbaceous ground covers or creeping grass such as bent. Legumes will usually be damaged or killed. Deeprooted perennials may require repeat applications. Do not use on freshly seeded turf until grass is well established. Delay reseeding for 30 days.

Woody Plant Control: To control woody plants susceptible to 2,4-D such as alder, buckbrush, elderberry, sumac and willow on noncrop areas, use 1-1/3 to 2 quarts of product per acre in adequate water to wet all parts of the plants thoroughly, including stem and foliage, to the point of runoff. This may require up to 400 gallons of water per acre where the brush is very dense and over 6 to 8 feet high. Applications are more effective when made on actively growing plants. Treatment should not be made during time of severe drought or in early fall when leaves lose their green color. Hard to control species may require retreatment next season.

This product will either kill, control or suppress the weeds listed in the label booklet for this product. Some of these species may require repeat spot applications even under ideal conditions of application.

* Maximum Seasonal Application Rate Rate to non-crop and forestry sites is 4 pounds 2,4-D Acid equivelant per acre per application site.

NOTICE

4/4

2

Before buying or using this product read WARRANTY LIMITATIONS AND DISCLAIMER" in the label booklet. If terms are not acceptable, return unopened package at once to Seller for full return of purchase price paid. Otherwise, use by the Buyer or any other User constitutes acceptance of the terms under the "WARRANTY LIMITATIONS AND DISCLAIMER".

Manufactured By Nufarm Inc. Burr Ridge, IL 60521

09/05