

35935-94

12-12-2011

1/10



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

35935-94

12-12-11

Term of Issuance: Unconditional

Name of Pesticide Product:

TVC- Super Concentrate

Name and Address of Registrant (include ZIP Code):

Nufarm Limited  
P.O. Box 13439  
RTP, NC 27709

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration /registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis  
Product Manager 25  
Herbicide Branch, Registration Division (7505P)

Date:

2  
10

2. Submit one copy of the final printed label for the record before you release the product for shipment.
3. Add the Correct EPA Reg. # and EPA Est. # to the label.
4. Submit the results of the storage stability and corrosion characteristics studies within 18 months from the date of this notice.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358 or [kraft.erik@epa.gov](mailto:kraft.erik@epa.gov).

3  
10

# TVC - Super Concentrate

**ACTIVE INGREDIENTS:**

Glyphosate, isopropylamine salt* .....	43.68%
Imazapyr, isopropylamine salt** .....	0.78%
<b>OTHER INGREDIENTS:</b> .....	<b>55.54%</b>
<b>TOTAL:</b> .....	<b>100.00%</b>

**ACID EQUIVALENT:**

* Glyphosate .....	3.158 lbs/gal
** Imazapyr .....	0.062 lbs/gal

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER – PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
 (If you do not understand the label, find someone to explain it to you in detail.)

**SEE [BOOKLET] [BACK] [SIDE] [PANEL] FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
 For Medical Emergencies Only, Call (877) 325-1840

**ACCEPTED**  
 12-12-11  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 35935-94

EPA REG. NO. 35935-OU  
 EPA EST. NO.

NET CONTENTS:

035935-000OU.20111201.EPA.NUP-10060

MANUFACTURED FOR  
 NUFARM LIMITED  
 P.O. BOX 13439  
 RTP, NC 27709





4  
10

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER – PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

Some materials that are chemical-resistant to this product are natural rubber  $\geq$  14 mils. If you want more options, follow the instructions for category A on an EPA chemical-resistance selection chart.

**Mixers, loaders, applicators, and other handlers must wear:**

- Long-sleeve shirt and long pants,
- Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

<b>USER SAFETY RECOMMENDATIONS</b>	
<b>Users should:</b>	
<ul style="list-style-type: none"> <li>• Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.</li> <li>• Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.</li> <li>• Remove PPE immediately after handling this product.</li> <li>• Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</li> </ul>	

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
<b>HOT LINE NUMBER</b>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.</p>	

**ENVIRONMENTAL HAZARDS**

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 microns or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

**WHERE TO USE**

Use on non-crops areas: [Industrial sites], [Petroleum tank farms], [Lumberyards], [Manufacturing Sites], [Storage Areas], [Airports], [Roadsides], [Curbs], [Sidewalks], [Driveways], [Parking areas], [Brick walks], [Gravel paths], [Patios], [Vacant lots], [Paved areas (including crack and crevice)], [Warehouse areas], [Urban areas], [Recreational areas], [Play areas], [Tennis courts], [Fencerows], [Along fences of paddocks, corrals, feedlots, and livestock holding areas], [Hedgerows], [Dry Ditchbanks], [Around domestic dwellings], [Around farm buildings and barns], [Agricultural uncultivated areas], [Shelter beds], [Farm yards], [Farm premises], [Outdoor buildings, structures and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses], [and] [For establishment and maintenance of wildlife openings]

Apply [to locations] only where no vegetation growth is desired for up to [1] [one] year.

5  
19

### WHEN TO USE

Apply [to bare ground] [or] [when weeds are present]. If weeds are taller than [6] [six] [inches] ["], mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

### RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for [1] [one] year.
- Avoiding product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems or desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- In soils with heavy clay, weed control may exceed [1] [one] year.
- Do not use on desirable [lawns] [turf].
- Do not apply when wind speeds are greater than 10 [mph] [miles per hours].
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

### HOW TO APPLY

#### Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

#### Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

#### Weeds Controlled lists

#### GRASS/NUTSEDGE WEED SPECIES CONTROLLED

<b>Bahiagrass</b> <i>Paspalum notatum</i>	<b>Cogongrass</b> <i>Imperata cylindrical</i>	<b>Muhly, wirestem</b> <i>Muhlenbergia frondosa</i>	<b>Quackgrass</b> <i>Agropyron repens</i>
<b>Bentgrass</b> <i>Agrostis spp.</i>	<b>Dallisgrass</b> <i>Paspalum dilatatum</i>	<b>Napier grass</b> <i>Pennisetum purpureum</i>	<b>Reed, giant</b> <i>Arundo donax</i>
<b>Bermudagrass</b> <i>Cynodon dactylon</i>	<b>Fescues</b> <i>Festuca spp.</i>	<b>Nutsedge; purple, yellow</b> <i>Cyperus rotundus</i> <i>Cyperus esculentus</i>	<b>Ryegrass, perennial</b> <i>Lolium perenne</i>
<b>Bluegrass, Kentucky</b>	<b>Fescue, tall</b>	<b>Orchardgrass</b>	<b>Timothy</b>

6  
17

<i>Poa</i> spp.	<i>Festuca arundinacea</i>	<i>Dactylis glomerata</i>	<i>Phleum pratense</i>
<b>Brome</b> <i>Bromus</i> spp.	<b>Guineagrass</b> <i>Panicum maximum</i>	<b>Pampas grass</b> <i>Cortaderia</i> spp.	<b>Torpedograss*</b> <i>Panicum repens</i>
<b>Brome grass, smooth</b> <i>Bromus inermis</i>	<b>Johnsongrass</b> <i>Sorghum halepense</i>	<b>Panicum.</b> <i>Panicum</i> spp.	<b>Vaseygrass</b> <i>Paspalum urvillei</i>
<b>Canarygrass, reed</b> <i>Phalaris arundinacea</i>	<b>Kikuyugrass</b> <i>Pennisetum clandestinum</i>	<b>Para grass</b> <i>Brachiaria mutica</i>	<b>Velvetgrass</b> <i>Holcus</i> spp.
<b>Cattail</b> <i>Typha</i> spp.	<b>Knotgrass</b> <i>Paspalum distichum</i>	<b>Phragmites*</b> <i>Phragmites</i> spp.	<b>Wheatgrass, western</b> <i>Agropyron smithii</i>

\*Partial Control]

**BROADLEAF WEED SPECIES CONTROLLED**

<b>Alfalfa</b> <i>Medicago sativa</i>	<b>Fiddleneck</b> <i>Amsinckia</i> spp.	<b>Poison hemlock</b> <i>Conium maculatum</i>
<b>Alligatorweed*</b> <i>Alternanthera philoxeroides</i>	<b>Fleabane</b> <i>Erigeron</i> spp.	<b>Ragweed, common</b> <i>Ambrosia artemisiifolia</i>
<b>Anise (fennel)</b> <i>Foeniculum vulgare</i>	<b>Fleabane, hairy</b> <i>Conyza bonariensis</i>	<b>Ragweed, giant</b> <i>Ambrosia trifida</i>
<b>Artichoke, Jerusalem</b> <i>Helianthus tuberosus</i>	<b>Horsenettle</b> <i>Solanum carolinense</i>	<b>Smartweed, Pennsylvania</b> <i>Polygonum pensylvanicum</i>
<b>Bassia, fivehook</b> <i>Bassia hyssopifolia</i>	<b>Horseradish</b> <i>Armoracia rusticana</i>	<b>Smartweed, swamp</b> <i>Polygonum coccineum</i>
<b>Bindweed, field</b> <i>Convolvulus arvensis</i>	<b>Ice plant</b> <i>Mesembryanthemum crystallinum</i>	<b>Sowthistle, annual</b> <i>Sonchus oleraceus</i>
<b>Blueweed, Texas</b> <i>Helianthus ciliaris</i>	<b>Knapweed</b> <i>Centaurea repens</i>	<b>Spurge, leafy*</b> <i>Euphorbia esula</i>
<b>Bracken fern</b> <i>Pteridium aquilinum</i>	<b>Kochia</b> <i>Kochia scoparia</i>	<b>Starthistle, yellow</b> <i>Centaurea solstitialis</i>
<b>Bursage, woollyleaf</b> <i>Franseria tomentosa</i>	<b>Lantana</b> <i>Lantana camara</i>	<b>Sunflower</b> <i>Helianthus annuus</i>
<b>Clover, red</b> <i>Trifolium pretense</i>	<b>Lespedeza</b> <i>Lespedeza</i> spp.	<b>Thistle, artichoke</b> <i>Cynara cardunculus</i>
<b>Clover, white</b> <i>Trifolium repens</i>	<b>Lettuce, prickly</b> <i>Lactuca scariola</i>	<b>Thistle, Canada</b> <i>Cirsium arvense</i>
<b>Dandelion</b> <i>Taraxacum officinale</i>	<b>Milkweed</b> <i>Asclepias</i> spp.	<b>Thistle, Russian</b> <i>Salsola kali</i>
<b>Dock, curly</b> <i>Rumex crispus</i>	<b>Mullein, common</b> <i>Verbascum thapsus</i>	<b>Velvetleaf</b> <i>Abutilon theophrasti</i>
<b>Dogbane, hemp</b> <i>Apocynum cannabinum</i>	<b>Nightshade, silverleaf</b> <i>Solanum elaeagnifolium</i>	

\*Partial Control]



**TREE, BRUSH AND VINE SPECIES CONTROLLED**

<b>Alder</b> <i>Alnus</i> spp.	<b>Coyote brush</b> <i>Baccharis consanguinea</i>	<b>Maple:</b> <b>Red**</b> <i>Acer rubrum</i>	<b>Russian olive**</b> <i>Elaeagnus angustifolia</i>
<b>Ash</b> <i>Fraxinum</i> spp.	<b>Creeper, Virginia*</b> <i>Parthenocissus quinquefolia</i>	<b>Sugar</b> <i>Acer saccharum</i>	<b>Sage: black, white</b> <i>Salvia</i> spp.
<b>Aspen, quaking</b> <i>Populus tremuloides</i>	<b>Dewberry</b> <i>Rubus trivialis</i>	<b>Vine</b> <i>Acer circinatum</i>	<b>Sagebrush, California</b> <i>Artemisia californica</i>
<b>Balsam apple*</b> <i>Momordica charantia</i>	<b>Dogwood*</b> <i>Cornus</i> spp.	<b>Monkey Flower*</b> <i>Mimulus guttatus</i>	<b>Salmonberry</b> <i>Rubus spectabilis</i>
<b>Bearmat (Bearclover)</b> <i>Chamaebatia foliolosa</i>	<b>Elderberry</b> <i>Sambucus</i> spp.	<b>Oak:</b> <b>Black*</b> <i>Quercus velutina</i>	<b>Salt cedar</b> <i>Tamarix</i> spp.
<b>Beech</b> <i>Fagus grandifolia</i>	<b>Elm*</b> <i>Ulmus</i> spp.	<b>Northern Pin</b> <i>Quercus palustris</i>	<b>Sassafras</b> <i>Sassafras albidum</i>
<b>Birch</b> <i>Betula</i> spp.	<b>Eucalyptus</b> <i>Eucalyptus</i> spp.	<b>Post</b> <i>Quercus stellata</i>	<b>Sourwood</b> <i>Oxydendrum arboreum</i>
<b>Blackberry</b> <i>Rubus</i> spp.	<b>Gorse</b> <i>Ulex europaeus</i>	<b>Red</b> <i>Quercus rubra</i>	<b>Sweet potato, wild*</b> <i>Ipomoea pandurata</i>
<b>Blackgum</b> <i>Nyssa</i> spp.	<b>Hasardia*</b> <i>Haplopappus squamosus</i>	<b>Southern Red</b> <i>Quercus falcate</i>	<b>Sumac:</b> <b>Poison*</b> <i>Rhus vernix</i>
<b>Bracken</b> <i>Peridium</i> spp.	<b>Hawthorn</b> <i>Crataegus</i> spp.	<b>White*</b> <i>Quercus alba</i>	<b>Smooth*</b> <i>Rhus glabra</i>
<b>Broom:</b> <b>French</b> <i>Cytisus monspessulanus</i>	<b>Hazel</b> <i>Corylus</i> spp.	<b>Persimmon*</b> <i>Diospyros</i> spp.	<b>Winged*</b> <i>Rhus copallina</i>
<b>Scotch</b> <i>Cytisus scoparius</i>	<b>Hickory*</b> <i>Carya</i> spp.	<b>Pine</b> <i>Pinus</i> spp.	<b>Sweetgum</b> <i>Liquidambar styraciflua</i>
<b>Buckwheat, California*</b> <i>Eriogonum fasciculatum</i>	<b>Holly, Florida/ Brazilian Peppertree*</b> <i>Schinus terebinthifolius</i>	<b>Poison Ivy</b> <i>Rhus radicans</i>	<b>Swordfern*</b> <i>Polystichum munitum</i>
<b>Cascara*</b> <i>Rhamnus purshiana</i>	<b>Honeysuckle</b> <i>Lonicera</i> spp.	<b>Poison Oak</b> <i>Rhus toxicodendron</i>	<b>Tallowtree, Chinese</b> <i>Sapium sebiferum</i>
<b>Catsclaw*</b> <i>Acacia greggi</i>	<b>Hornbean, American*</b> <i>Carpinus caroliniana</i>	<b>Poplar, yellow*</b> <i>Liriodendron tulipifera</i>	<b>Tan Oak</b> <i>Lithocarpus densiflorus</i>
<b>Ceanothus*</b> <i>Ceanothus</i> spp.	<b>Kudzu</b> <i>Pueraria lobata</i>	<b>Raspberry</b> <i>Rubus</i> spp.	<b>Thimbleberry</b> <i>Rubus parviflorus</i>
<b>Chamise</b> <i>Adenostoma fasciculatum</i>	<b>Locust, black*</b> <i>Robinia pseudoacacia</i>	<b>Redbud, eastern</b> <i>Cercis canadensis</i>	<b>Tobacco, tree*</b> <i>Nicotiana glauca</i>
<b>Cherry:</b> <b>Bitter</b> <i>Prunus emarginata</i>	<b>Madrone</b> <i>Arutus menziesii</i>	<b>Redvine*</b> <i>Brunnichia ovate</i>	<b>Trumpetcreeper*</b> <i>Campsis radicans</i>
<b>Black</b> <i>Prunus serotina</i>	<b>Manzanita</b> <i>Arctostaphylos</i> spp.	<b>Rose, multiflora</b> <i>Rosa multiflora</i>	<b>Waxmyrtle, southern*</b> <i>Myrica cerifera</i>
<b>Pin</b> <i>Prunus pensylvanica</i>			<b>Willow</b> <i>Salix</i> spp.

\*Partial control

\*\*This product is not registered in California for use on Russian olive. ]

8  
10

### STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**PESTICIDE STORAGE:** Store product in original container in a safe place and protect from freezing.

**PESTICIDE DISPOSAL:** Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL:

##### Nonrefillable containers smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

##### Nonrefillable containers larger than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

##### Refillable containers larger than 5 gallons:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV120111)



9  
10

**Optional Product Claims:**

Outdoor Use Only

Water based

Fast acting

[Kills weeds] [&] [and] their germinating seeds

[Kills weeds] [&] [and] [prevents [weeds] [vegetation] [plants] [and] [plant growth] up to [1] [one] year]

[A] [2] [Two] way killer

Prevents new [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year

No [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year

Works [2] [Two] Ways

Kills weeds and grasses, roots [&] [and] all

One application [kills] [controls] [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year

[To] Keep treated ground clear of [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year

[Covers] [Treats] (X) [square feet] [sq. ft.] [ft.<sup>2</sup>]

Not for use [on] [near] [around] desirable [grasses] [vegetation] [plants]

Prevents [weeds] [vegetation] [plants] [and] [plant growth] from [emerging] [growing] for up to [1] [one] year

Rainfast within [1] [one] [hr.] [hour] [60] [min.] [minutes]

[Controls] [Prevents] [[perennial] [annual [broadleaf weeds]] [vines] [and] [grasses] [for up to [1] [one] year]

[Controls] [Prevents] [grasses][broadleaf weeds][brush][&][vine] [for up to [1] [one] year]

Pre-emergent and post-emergent [weeds] [vegetation] [plants] [and] [plant growth] control

Season long control

**Optional Warranty and Liability Statement:**

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

10  
10

**LABEL HISTORY**

<b>File Name</b>	<b>Revision Mark</b>	<b>Comments</b>
035935-000XX.20110531.EPA.NUP-10060	(RV053111)	New Label
035935-000OU.20111201.EPA.NUP-10060	(RV120111)	EPA Corrections per e-mail 12/01/2011