

USE DIRECTIONS FOR SANITIZING

Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations.

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard surfaces.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Disinfectant-Sanitizer in 4 gallons of water.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush.

Dishes, silverware, glasses, cooking utensils and other similar-size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon dilution of Disinfectant-Sanitizer.

No Potable water rinse is required.

Dairy

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. Disinfectant-Sanitizer in 4 gallons of warm water.

Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

At 1 oz./4 gallons, Disinfectant-Sanitizer has a hard water tolerance of 750PPM of hardness calculated as Ca CO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST-AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.



DISINFECTANT-SANITIZER

AOAC Phenol Coefficients
Staphylococcus aureus, ATCC #6538 95.8
Salmonella typhosa, ATCC #6539 71.9

Active Ingredients Alkyl (C14, 60%; C16, 30%; C12, 5%; C18, 5%) 5.0%
Dimethyl Benzyl Ammonium Chlorides
Alkyl (C12, 68%; C16, 30%; Dimethyl Ethylbenzyl Ammonium Chlorides 5.0%
Inert Ingredients 90.0%
100.0%

DANGER:

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 35958-1

Net Contents: 1 Gal.

Manufactured By:

CRITER CHEMCO, INC. 2650 W. 2nd Ave., Denver, Colo. 80219

ACCEPTED

ACCEPTED WITH COMMENTS



DISINFECTANT-SANITIZER

AOAC Phenol Coefficients		Active Ingredients	
Staphylococcus aureus, ATCC #6538	95.8	Alkyl (C12, 60%; C16, 30%; C18, 5%)	5.0%
Salmonella typhosa, ATCC #6539	71.9	Dimethyl Benzyl, Ammonium Chlorides	5.0%
		Alkyl (C12, 68%; C16, 30%; Dimethyl Ethylbenzyl Ammonium Chlorides	5.0%
		Inert Ingredients	<u>90.0%</u>
			100.0%

DANGER:

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 35958-1

Net Contents: 1 Gal.

Manufactured By: **CRITER CHEMCO, INC.** 2650 W. 2nd Ave., Denver, Colo. 80219

USE DIRECTIONS FOR DISINFECTION

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.
For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard surfaces.

Add 4½ ozs. Disinfectant-Sanitizer to 5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level, Disinfectant-Sanitizer is effective against *Pseudomonas aeruginosa*.

Disinfectant in Institutions, Industry, Schools and Homes.

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 3 ozs. of Disinfectant-Sanitizer to 5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 3 ozs./5 gallon use-level, Disinfectant-Sanitizer is effective against *Staphylococcus aureus*, and *Salmonella choleraesuis*.

Fungicidal Activity

At 8 ozs./5 gallons use-level, Disinfectant-Sanitizer is effective against *Trichophyton interdigitale* (athlete's foot fungus) on inanimate hard surfaces.

Disinfection of Barber Tools.

Barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 6 ozs./gallon solution of Disinfectant-Sanitizer.

Disinfection of Poultry Equipment, Animal Quarters and Kennels.

Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 4½ ozs. Disinfectant-Sanitizer to 5 gallons of water with a mop, cloth or brush. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

Rinse empty container thoroughly with water and discard it.

PTED