4 35977-4 PAIT

LOGIC° FIRE ANT BAIT

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be hannful diswallowed. Avoid breathing dust. Avoid contact with clothing, skin

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush skin or eyes with plenty of water. Get medical attention d

ENVIRONMENTAL HAZARDS

STORAGE AND DISPOSAL

Pesticide Disposal. Do not contaminate food or feed by storage or disposal. Store

away from heat. Keep container lightly closed. Do not re-use container. Securely wrap container in several layers of newspaper and discard in trash.

product is loxic to fish and aquatic invertebrates. Drift and runoff from treated "as may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not

directly to water. Do not contaminate water by cleaning of equipment or

or eyes.

guitation persists.

disposal of wastes.

LOGIC* FIRE ANT BAIT

An Insect Growth Regulator for t'. Control of Fire Ants

Active Ingredient fenoxycarb Ethyl (2-14-phenoxyphenoxy) ethyl) carbamate..... 1%

1 lb. contains 0.16 oz. active ingredient


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Left Panel for Additional Precautionary Statements

EPA Reg. No. 35977-4 NET CONTENTS: 10 oz. EPA Est. No. 33560-TN-1

Mago Agrochemicals Inc. P.O. Box 6430 Vero Beach, FL 32961-6436 U.S





It is a violation of Federal law to use this product in a manner inconsistent with its labeling DO NOT USE ON PASTURE RANGELAND OR OTHER GRAZED AREAS. LOGIC* fire ant bart is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. LOGIC® fire ant bail is very easy and convenient to apply (see use directions below). Following application LOGIC⁶ lire ant bail is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks there is considerable ant mortality and a continual decline of the fire ant colony.

METHODS OF APPLICATION

Apply LOGIC* Bail when ants are actively foraging. This is usually when soil temperatures are above 60°F. Avoid application during excessively hot periods of the day or when the grass is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness

FOR USE ON TURF, LAWNS AND NON-AGRICULTURAL LAND SUCH AS: LAWNS, TURF, AIRPORTS, PARKS AND GOLF COURSES.

In cases where reinfestation occurs or when very large mounds remain active. retreatment may be desirable after 3 to 4 months.

Do not apply to pasture, rangeland or other areas which may be grazed by cattle. sheep or other domestic animals. Single Mound Apply 1 to 3 level tablespoons of LOGIC* bar per mound uniformly

distributing material 3 to 4 feet around the base of the mound. Do not contiminate lutchen plentils by use or storage.

Broadcast Application: Apply uniformly with ground equipment clibrated to give the correct dosage. Apply at 1 to 1.5 lb/A.

Warranty and Limitations of Damages

Maag Agrochemicals Inc. warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes referred to in the Oirections for Use, subject to the inherent risks referred to therein. Maag Agrochemicals Inc. makes no other express or implied warranty of fitness of merchantability, and no agent of Maag Agrochemicals Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from breach of this warrar ty shall be limited to direct damages and shall not include consequential, commercial, spucial or indirect damages such as loss of profits or values, etc. sulting from the use or handling of this product.

LG-10/85

P Registered Trademark of Maag Agrochemicals Inc.

100%

LOGIC° FIRE ANT BAIT

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin or eyes.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush skin or eyes with plenty of water. Get medical attention if initiation persists.

ENVIRONMENTAL HAZARDS

product is toxic to lish and aquatic invertebrates. Ordit and runoff from treated as may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not I directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate food or feed by storage or disposal. Store away from heat. Keep container tightly closed. Do not re-use container. Securely wrap container in several layers of newspaper and discard in trash.

LOGIC[®] **FIRE ANT BAIT**

An Insect Growth Regulator for the Control of Fire Ants

Active Ingredient	
fenoxycarb	
Ethyl (2-(4-phenoxyphenoxy) ethyl) carba	amate 19
Inert Ingredients	
	100¢

1 lb. contains 0.16 oz. active ingredient


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Left Panel for Additional Precautionary Statements

EPA Reg. No. 35977-4 NE) CONTENTS: 1 nound EPA Est. No. 33560-TN-1





It is a violation of Federal law to use this product in a manner inconsistent with its labeling UO NOT USE ON PASTURE, RANGELAND OR OTHER GRAZED AREAS. LOGIC* fire ant bait is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. LOGIC* fire ant bait is very easy and convenient to apply (see use directions below). Following application LOGIC* fire ant bart is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks there is considerable ant mortality and a continual decline of the fire ant colony.

METHODS OF APPLICATION

Apply LOGIC* Bail when ants are actively foraging. This is usually when soil tem- ratures are above 60°F. Avoid application during excessively hot periods of the x when the grass is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness

FOR USE ON TURF, LAWNS AND NON-AGRICULTURAL LAND SUCH AS: LAWNS. TURF, AIRPORTS, PARKS AND GOLF COURSES

In cases where reinfestation occurs or when very large mounds remain active. retreatment may be desirable after 3 to 4 months.

Do not apply to pasture, rangeland or other areas which may be glazed by cattle, sheep or other domestic animals.

Single Mound: Apply 1 to 3 level tablespoons of LOGIC® bart per mound uniformly distributing material 3 to 4 feet around the base of the mound. Do not confirminate kilchen utensils by use or storage.

Broadcast Application Apply undormly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 fb/A.

Warranty and Limitations of Damages

Maag Agrochemicals Inc. warrants that this product conforms to the chemical description of the tabel and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to therein. Maag Agrochemicals Inc. makes no other express or implied warranty of filness of merchantability, and no agent of Maag Agrochemicals Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from breach of this warranty shall be limited to direct damages and ship not include consequential, commercial, special or indirect damages such at loss of profits or values, etc., resulting from the use or handling of this product

LG-10/85

PRegistered Trademark of Maag Agrochemicals Inc.

LOGIC° FIRE ANT BAIT

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful it swallowed. Avoid breathing dust. Avoid contact with clothing, skin or eyes.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush skin or eyes with plenty of water. Get medical attention if unitation persists.

ENVIRONMENTAL HAZARDS

product is toxic to fish and aquatic invertebrates. Drift and runoff from treated as may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not y directly to water. Do not contaminate water by cleaning in

STORAGE AND DISPOSAL

Pesticide Disposat: Do not contaminate food or feed by storage or disposat. Store tway from heat. Keep container tightly closed. Do not re-use container. Securely wrap container in several layers of newspaper and discard in trash

LOGIC'

An Insect Growth Regulator for the Control of Fire Ants

Active Ingredient	
fenoxycarb	
Ethyl (2-(4-phenoxyphenoxy) e(hyl) carbamate	1%
Inert Ingredients	99%
•	100%

1 lb. contains 0.16 oz. active ingredient

KEEP OUT OF REACH OF CHILDREN


CAUTION

See Left Panel for Additional Precautionary Statements

EPA Reg. No. 35977-4 NET CONTENTS: 4 pounds

EPA Est. No. 33560-1N-1









It is a violation of Federal law to use this product in a manner inconsistent with its tabeling. DO NOT USE ON PASTURE, RANGELAND OR OTHER GRAZED AREAS LOGIC* fire antibail is an insect growth regulator with a mode of action specific to insects, and therefore has fess influence on non-target organisms. LOGIC* fire and bail is very easy and convenient to apply (see use directions below). Following application. LOGIC* fire antibail is collected by worker antis and distributed throughout the colony. Within 3 to 5 weeks there is considerable and mortality and a continual decline of the fire anticolony.

METHODS OF APPLICATION

Apply LOGIC* Ball when ants are actively foraging. This is usually when soil temperatures are above 60°F. Avoid application during excessively hol periods of the day or when the grass is well. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

FOR USE ON TURF, LAWNS AND NON-AGRICULTURAL LAND SUCH AS. LAWNS, TURF, AIRPORTS, PARKS AND GOLF COURSES.

In cases where reinfestation occurs or when very large mounds remain active, refreatment may be desirable after 3 to 4 months.

Do not apply to pasture, rangeland or other areas which may be grazed by cattle, sheep or other domestic animals.

Single Mound, Apply 1 to 3 level tablexpoons of LOGIC* bail per mound uniformly distributing material 3 to 4 feet around the base of the mound. Do not contaminate lutchen utensits by use or storage.

Broadcast Application. Apply undomly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A.

Warranty and Limitations of Damages

Maag Agrochemicals Inc. warrants that this product conforms to the chemical description of the label and is reasonably lift for the purposes referred to in the Directions for Use, subject to the inherent risks referred to therein. Maag Agrochemicals Inc. makes no other express or implied warranty of litness of merchantability, and no agent of Maag Agrochemicals Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from breach of this warranty shall be limited to direct damages and shall not include consequential, commercial, special or indirect damages such as loss of profits or values, etc. resulting from the use or handling of this product.

LG-10/85

Pagistered Trader 11k of Maag Agrochemicals Inc.

LOGIC[®] FIRE ANT BAIT

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin or eyes.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush skin or eyes with plenty of water. Get medical attention if unlation persists.

ENVIRONMENTAL HAZARDS

oduct is toxic to fish and aquatic invertebrates. Drift and runoff from treated may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Peticide Disposal: Do not contaminate food or feed by storage or disposal. Store away from heat. Dispose of bag in a sanitary landfill or incinerate it allowed by state and local authorities.

LOGIC[®] FIRE ANT BAIT

An Insect Growth Regulator for the Control of Fire Ants

1 lb. contains 0.16 oz. active ingredient

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Left Panel for Additional Precautionary Statements

EPA Reg. No. 35977-4 NET CONTENTS: 25 lbs. EPA Est. No. 33560-TN-1





It is a violation of Federal law to use this product in a manner inconsistent with its labeting DO NOT USE ON PASTURE, RANGELAND OR OTHER GRAZED AREAS, LOG C? fire ant bail is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. LOGIC* fire ant bail is very easy and convenient to apply (see use directions below). Following application LOGIC* fire ari bail is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks there is considerable and mortality and a continual decline of the fire ant colony.

METHODS OF APPLICATION

Apply LOGIC* Balt when ants are actively foraging. This is usually when soil temperatures are above 60°F. Avoid application during excessively hot periods of the day or when the grass is wel. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

FOR USE ON TURF, LAWINS AND NON-AGRICULTURAL LAND SUCH AS: LAWNS, TURF, AIRPORTS, PARKS AND GOLF COURSES.

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

Do not apply to pasture, rangeland or other areas which may be grazed by calife, sheep or other domestic animals.

Single Mound: Apply 1 to 3 level tablespoons of LOGIC* ball per mound uniformly distributing material 3 to 4 feet ground the base of the mound. Do not contaminate kitchen utensits by use or storage.

Broadcast Application: Apply uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A.

Warranty and Limitations of Damages

Maag Agrochemicals Inc. warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to therein. Maag Agrochemicals Inc. makes no other express or implied warranty of filness of merchantability, and no agent of Maag Agrochemicals Inc. is suthorized to do so except in writing with a specific reference to this warranty. Any damages arising from breach of this warranty shall be limited to direct damages and shall not include consequential, commercial, special or indirect damages such as loss of profits or values, etc., resulting from the use or handling of this product.

LG-10/85

Pregistered Trademark of Mang Agrochemicals Inc.

2.