LOGIC Proposed label 6/18/87 Page 1 of 4

rocic®

Fire Ant Bait

An Insect Growth Regulator for the Control of Fire Ants

## KEEP OUT OF REACH OF CHILDREN

# CAUTION

See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment

ACTIVE INGREDIENT: fenoxycarb (Ethyl[2-(4-phenoxyphenoxy)ethyl]carbamate).....1% INERT INGREDIENTS:......99% 100%

1 1b of LOGIC contains 0.16 oz of active ingredient

ACCEPTED

AUG ? 8 1987
Under the street fields.
Principles of the postfolds are postfolds

and amended, with a postfolds

and the street and a fields.

EPA Reg. No. 35977-4

NET CONTENTS: 10 oz (or 25 lbs)

EPA Est. No. 33560-TN-1

Maag Agrochemicals, Inc., P.O. Box 6430, Vero Beach, FL 32961-6430

LOGIC Proposed label 6/18/87 Page 2 of 4

## PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

#### CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin or eyes.

## STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush skin or eyes with plenty of water. Get medical attention i: irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated sites may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal statement for the 10 oz homeowner use packages (plastic)

# STORAGE AND DISPOSAL

<u>PESTICIDE DISPOSAL</u>: Do not contaminate food or feed by storage and disposal. Store away from heat. Keep container tightly closed. Do not re-use container. Securely wrap container in several layers of newspaper and discard in trash.

Storage and Disposal statement for the commercial package (plastic)

# STORAGE AND DISPOSAL

STORAGE: Do not contaminate food or feed by storage or disposal. Store away from heat. Keep packages dry.

<u>PESTICIDE DISPOSAL:</u> Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Completely empty container into application equipment. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by local authorities, by burning. If burned, stay out of smoke.

LOGIC Proposed Label 6/18/87 Page 3 of 4

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON PASTURE, RANGELAND OR OTHER GRAZED AREAS.

and the second of the second o

LOGIC Fire Ant Bait is very easy and convenient to apply (see use directions below). LOGIC Fire Ant Bait is slow acting, but very effective for the control of fire ants. Following application, LOGIC Fire Ant Bait is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the fire ant colony.

#### METHODS OF APPLICATION

Apply LOGIC Fire Ant Bait when ants are actively foraging. This is usually when soil temperatures are above 60°F. Avoid application during excessively hot periods of the day or when grass is wet. Heavy rainfall within 2 to 3 hours of application may reduce effectiveness.

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

<u>Single Mound Treatment:</u> Apply 1 to 3 level tablespoons of LOGIC Fire Ant Bait per mound, uniformly distributing material 3 to 4 feet around the base of the mound. Do not contaminate kitchen utensils by use or storage.

Breadcast Application: Apply LOGIC Fire Ant Bait uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb/A.

<u>Aerial Application</u>: Apply LOGIC Fire Ant Bait uniformly with aerial equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb/A. Do not apply when weather conditions favor drift from the treated areas.

FOR USE ON TURF AND OTHER NON-AGRICULTURAL LAND INCLUDING, BUT NOT LIMITED TO AIRPORTS, ROADSIDES, SCHOOL GROUNDS, GOLF COURSES, PARKS, PICNIC GROUNDS, SPORTS FIELDS, OTHER RECREATIONAL AREAS, ORNAMENTAL GARDENS, CEMETERIES AND OTHER LANDSCAPED AREAS: Apply LOGIC Fire Ant Bait as directed.

FOR USE IN NURSERIES AND SOD FARMS: Apply LOGIC Fire Ant Bait as directed in and around container and field grown ornamental and non-bearing nursery stock and commercial turf.

J4

LOGIC Proposed Label 6/18/87 Page 4 of 4

FOR USE ON NON-BEARING CITRUS: Apply LOGIC Fire Ant Bait as directed. For best results apply in the spring <u>prior</u> to initial planting and make annual treatments each spring until one year before bearing. Do not apply within one year of the first harvest. Do not apply to non-bearing citrus more than twice per year.

DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP OR OTHER DOMESTIC ANIMALS