# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# DANGER

Sodium Cyanide may be fatal if swallowed or inhaled. Used only with adequate ventilation and do not breathe the gas or dust. When handling, setting out or checking M-44 cyanide capsules, always have at !Jast six pearls of Amyl-Nitrite readily available in case sodium cyanide is swallowed or inhaled.

While handling sodium cyanide capsules, protect hands with gloves and shield eyes to prevent eyes burns and skin irritation. Wash thoroughly before eating or smoking.

Do not une in areas frequented by humans or domestic dogs.

## **ENVIRONMENTAL HAZARDS**

This pesticide is TOXIC TO WILDLIFE. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. The M-44 ejector device cannot be used in areas inhabited by endangered canids and felids.

# CHEMICAL HAZARDS

Contact with acid liberates poisonous and flammable hydrogen cyanide gas.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in specific situations to reduce canids (coyotes, red fox, gray fox and wild dogs) that depredate livestock and poultry or federally designated threatened or endangered species. For use on pastures, range land and forest land only. Do not place in areas where food crops are planted,

IMPORTANT Before handling or placing M-44 cyanide capsules or M-44 ejector devices, consult the Use Restriction Bulletin for specific use directions, additional precautions, information on endangered species, warning signs and antidotal measures.

#### **WARNING SIGNS**

Billingual (Spanish/English) warning signs must be

# RESTRICTED USE PESTICIDE

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

# M-44 CYANIDE CAPSULES

For use in the M-44 ejector device to control coyotes (Canis latrans), red fox (Vulpes vulpes), gray fox (Urocyon cinereoargenteus) and wild dogs that depredate livestock and reultry or federally designated threatened or endangered species.

**ACTIVE INGREDIENT:** 

50 Capsules Net Weight48.5 grams

# KEEP OUT OF REACH OF CHILDREN

**DANGER** 



**POISON** 

# STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

IF SWALLOWED OR INHALED - Prompt treatment is of the utmost importance. Carry patient to fresh air, have him lie down. Patient should breathe the contents of an Amyl Nitrite pearl 15-30 seconds each minute if necessary, until five pearls have been used. Use artificial respiration if breathing has stopped. Remove contaminated clothing, but keep patient warm. CALL A PHYSICIAN IMMEDIATELY. IF ON SKIN - Immediately flush with plenty of water.

IF IN EYES - Immediately flush with plenty of water and call a physician.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Wyoming Department of Agriculture 2219 Carey Avenue Cheyenne, Wyoming 82002 EPA REG. No. 35978-1 EPA EST. No. 56228-ID-1

# STORAGE AND DI

STORAGE: Store M-44 cyanide lock and key in a dry place a domestic animals and acids. Date food or food stuffs.

DISPOSAL: Dispose or defecti 44 cupsules by Eurial in a sats field or at a proper land fill site

ACCEPT

APR - 8 199

Under the Federal Insect Fungicide, and Rodenticides as amended, for the pesti registered under EPA Reg. No. 25978

- safe handling of the capsules and device, (2) proper use of the antidote kit, (3) proper placement of the device, and (4) necessary record keeping.
- 4. M-44 devices and sodium cyanide capsules shall not be sold or transferred to, or entrusted to the care of any person not supervised or monitored, by the Wyoming Department of Agriculture.
- 5. The M-44 device shall only be used to take wild canids suspected of preying on livestock, poultry or federally designated threatened or endangered species.

}

- 6. The M-44 device shall not be used solely to take animals for the value of their fur.
- 7. The M-44 device shall only be used on or within 7 miles of a ranch unit or allotment where losses due to predation by wild canids are occurring or where losses can be reasonably expected to occur based upon recurrent prior experience of predation on the ranch unit or allotment. Full documentation of livestock depredation, including evidence that such losses were caused by wild canids, will be required before application of the M-44 is undertaken.
- 8. The M-44 device shall not be used: (1) in areas within national forests or other Federal lands set aside for recreational use, (2) areas where exposure to the public and family and pets is probable, (3) in prairie deg towns, or, (4) except for the protection of federally designated threatened or endangered species, in National or State parks; National or State monuments; federally designated wilderness areas; and wildlife refuge areas.
- 9. The M-44 device shall not be used in areas where federally listed threatened or endangered animal species might be adversely affected. Each applicator shall be issued a map, prepared by or in consultation with the U.S. Fish and Wildlife Service, which clearly indicates such areas.
- 10. One person other than the individual applicator shall have knowledge of the exact placement location of all M-44 devices in the field.

### M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 35978-1

- 11. In areas where more than one governmental agency is authorized to place M-44 devices, the agencies shall exchange placement information and other relevant facts to ensure that the maximum number of M-44's allowed is not exceeded.
- 12. The M-44 device shall not be placed within 200 feet of any lake, stream, or body of water, provided that natural depression areas which catch and hold rainfall only for short periods of time shall not be considered "bodies of water" for purposes of this restriction.
- 13. The M-44 device shall not be placed in areas where food crops are planted.
- 14. The M-44 device shall be placed at least at a 50-foot distance or at such a greater distance from any public road or pathway as may be necessary to remove it from the sight of persons and domestic animals using any such public road or pathway.
- 15. The maximum density of M-44's placed in any 100 acre pastureland area shall not exceed 10; and the density in any 1 square mile of open range shall not exceed 12.
- 16. No M-44 device shall be placed within 30 feet of a livestock carcass used as a draw station. No more than four M-44 devices shall be placed per draw station and no more than five draw stations shall be operated per square mile.
- 17. Supervisors of applicators shall check the records, warning signs, and M-44 devices of each applicator at least once a year to verify that all applicable laws, regulations, and restrictions are being strictly followed.
- 18. Each M-44 device shall be inspected by the applicator at least once every week, weather permitting access, to check for interference or unusual conditions and shall be serviced as required.

)

- 19. Damaged or nonfunctional M-44 devices shall be removed from the field.
- 20. An M-44 device shall be removed from an area if, after 30 days, there is no sign that a target predator has visited the site.
- 21. All persons authorized to possess and use sodium cyanide capsules and M-44 devices shall store such capsules under lock and key.

## M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 35978-1

- 22. Used sodium cyanide capsules shall be disposed of by deep burial or at a proper landfill site.
- 23. Bilingual warning signs in English and Spanish shall be used in all areas containing M-44 devices. All such signs shall be removed when M-44 devices are removed.
- a. Main entrances or commonly used access points to areas in which M-44 devices are set shall be posted with warning signs to alert the public to the toxic nature of the cyanide and to the danger of pets. Signs shall be inspected weekly to ensure their continued presence and ensure that they are conspicuous and legible.
- b. An elevated sign shall be placed within 25 feet of each individual M-44 device warning persons not to handle the device.
- 24. Each authorized or licensed applicator shall carry an antidote kit on his person when placing and/or inspecting M-44 devices. The kit shall contain at least six pearls of amyl nitrite and instructions on their use. Each authorized or licensed applicator shall also carry on his person instructions for obtaining medical assistance in the event of accidental exposure to sodium cyanide.
- 25. In all areas where the use of the M-44 device is anticipated, local medical people shall be notified of the intended use. This notification may be through a poison control center, local medical society, the public health service, or directly to a doctor or hospital. They shall be advised of the antidotal and first-aid measures required for treatment of cyanide poisoning. It shall be the responsibility of the supervisor to perform this function.
- 26. Each authorized M-44 applicator shall keep records dealing with the placement of the device and the results of each placement. Such records shall include, but need not be limited to:
  - a. The number of devices placed.
  - b. The location of each device placed.
  - c. The date of each placement, inspection and removal.
  - d. The number and location of devices which have been discharged and the apparent reason.
  - e. Species of animal taken.
  - f. All accidents or injuries to humans or domestic animals.