


V2 36006-14 11/1

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 36006-14	DATE OF ISSUANCE <b>DEC 19 1985</b>
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT  Lemonize Detergent/Disinfectant	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Imperial Industries, Inc. 460 North Beck Street Baton Rouge, LA 70806		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 36006-14."		
b. Revise the referral statement to read: See side panel for additional precautionary statements.		
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.		
If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.		
A stamped copy of the label is enclosed for your records.		
<div style="text-align: right;">             John H. Lee            Product Manager (31)            Disinfectants Branch            Registration Division (TS-767C)         </div>		
Enclosures		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

LEMONIZE detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

**DISINFECTION:** To disinfect hard inanimate surfaces (such as walls, floors, table tops), apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry

**DILUTION RATES:** General Disinfection - Add 2 ounces LEMONIZE per gallon of water  
Hospital Disinfection - Add 3 ounces LEMONIZE per gallon of water

To disinfect toilet bowls, flush toilet, add 2 ounces LEMONIZE detergent disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush

For heavily soiled areas, a pre-cleaning step is recommended. Prepare a fresh solution for each use  
**MILDEWSTAT:** To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops), clean surfaces then add 2 ounces LEMONIZE per gallon of water. Apply with a cloth, mop or sponge to surfaces to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears

**PRECAUTIONARY STATEMENTS**

Hazard to Human and Domestic Animals

**KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

**NOTE TO PHARMACIAN**

Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. EST. NO. 36008-LA-1

E.P.A. REG. NO.

FORM No. 8-10-68 Rev. 7/85

ACCEPTED  
with COMMENTS

DEC 19 1968

Use as directed for disinfection  
Fungicide registered under EPA Reg. No.  
36006-14

# LEMONIZE

## DETERGENT/DISINFECTANT

CLEANER • DETERGENT • DEODORIZER • DISINFECTANT  
FUNGICIDE (AGAINST PATHOGENIC FUNGI) • VIRUCIDE\*  
ACTIVE INGREDIENTS: n-Alkyl (60% C<sub>12</sub>, 30% C<sub>14</sub>, 5% C<sub>16</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides 1 60%  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides 1 60%  
INERT INGREDIENTS: 96.80%  
TOTAL 100.00%

**FOR INDUSTRIAL AND COMMERCIAL USE**

**KEEP OUT OF REACH OF CHILDREN**

**ONLY FOR SALE TO, USE, AND STORAGE**

**BY SERVICE PERSONS**

**DANGER**

See side panel for additional precautionary and first aid statements

LEMONIZE is a phosphoric acid based general household use, school, industrial and hospital applications. It is especially effective in controlling the hazard of cross contamination. LEMONIZE is formulated to disinfect floors, sink tops, toilet bowls, tables, chairs, and patient care facilities and restrooms, the proper cleaning and disinfecting.

In addition, LEMONIZE deodorizes those areas which are prone to odors caused by microorganisms.

**DISINFECTION:** At 2 ounces per gallon dilution, LEMONIZE is active against the following:

Enterobacter aerogenes, Escherichia coli, Klebsiella aerogenes, Salmonella choleraesuis, Brevibacterium ammoniovolcanicum, Shigella flexneri, Staphylococcus aureus  
At 3 ounces per gallon dilution, LEMONIZE is an effective disinfectant active against Pseudomonas aeruginosa, Bacillus subtilis, and other Gram positive bacteria.  
**VIRUCIDAL\* ACTIVITY:** The product when used at 2 ounces per gallon of water exhibits effective virucidal activity against Adeno virus type 2 (causative agent of adenovirus infection), Adeno virus type 12 (causative agent of adenovirus infection), Adeno virus type 3 (causative agent of adenovirus infection), Adeno virus type 4 (causative agent of adenovirus infection), Adeno virus type 5 (causative agent of adenovirus infection), Adeno virus type 6 (causative agent of adenovirus infection), Adeno virus type 7 (causative agent of adenovirus infection), Adeno virus type 8 (causative agent of adenovirus infection), Adeno virus type 9 (causative agent of adenovirus infection), Adeno virus type 10 (causative agent of adenovirus infection), Adeno virus type 11 (causative agent of adenovirus infection), Adeno virus type 13 (causative agent of adenovirus infection), Adeno virus type 14 (causative agent of adenovirus infection), Adeno virus type 15 (causative agent of adenovirus infection), Adeno virus type 16 (causative agent of adenovirus infection), Adeno virus type 17 (causative agent of adenovirus infection), Adeno virus type 18 (causative agent of adenovirus infection), Adeno virus type 19 (causative agent of adenovirus infection), Adeno virus type 20 (causative agent of adenovirus infection), Adeno virus type 21 (causative agent of adenovirus infection), Adeno virus type 22 (causative agent of adenovirus infection), Adeno virus type 23 (causative agent of adenovirus infection), Adeno virus type 24 (causative agent of adenovirus infection), Adeno virus type 25 (causative agent of adenovirus infection), Adeno virus type 26 (causative agent of adenovirus infection), Adeno virus type 27 (causative agent of adenovirus infection), Adeno virus type 28 (causative agent of adenovirus infection), Adeno virus type 29 (causative agent of adenovirus infection), Adeno virus type 30 (causative agent of adenovirus infection), Adeno virus type 31 (causative agent of adenovirus infection), Adeno virus type 32 (causative agent of adenovirus infection), Adeno virus type 33 (causative agent of adenovirus infection), Adeno virus type 34 (causative agent of adenovirus infection), Adeno virus type 35 (causative agent of adenovirus infection), Adeno virus type 36 (causative agent of adenovirus infection), Adeno virus type 37 (causative agent of adenovirus infection), Adeno virus type 38 (causative agent of adenovirus infection), Adeno virus type 39 (causative agent of adenovirus infection), Adeno virus type 40 (causative agent of adenovirus infection), Adeno virus type 41 (causative agent of adenovirus infection), Adeno virus type 42 (causative agent of adenovirus infection), Adeno virus type 43 (causative agent of adenovirus infection), Adeno virus type 44 (causative agent of adenovirus infection), Adeno virus type 45 (causative agent of adenovirus infection), Adeno virus type 46 (causative agent of adenovirus infection), Adeno virus type 47 (causative agent of adenovirus infection), Adeno virus type 48 (causative agent of adenovirus infection), Adeno virus type 49 (causative agent of adenovirus infection), Adeno virus type 50 (causative agent of adenovirus infection), Adeno virus type 51 (causative agent of adenovirus infection), Adeno virus type 52 (causative agent of adenovirus infection), Adeno virus type 53 (causative agent of adenovirus infection), Adeno virus type 54 (causative agent of adenovirus infection), Adeno virus type 55 (causative agent of adenovirus infection), Adeno virus type 56 (causative agent of adenovirus infection), Adeno virus type 57 (causative agent of adenovirus infection), Adeno virus type 58 (causative agent of adenovirus infection), Adeno virus type 59 (causative agent of adenovirus infection), Adeno virus type 60 (causative agent of adenovirus infection), Adeno virus type 61 (causative agent of adenovirus infection), Adeno virus type 62 (causative agent of adenovirus infection), Adeno virus type 63 (causative agent of adenovirus infection), Adeno virus type 64 (causative agent of adenovirus infection), Adeno virus type 65 (causative agent of adenovirus infection), Adeno virus type 66 (causative agent of adenovirus infection), Adeno virus type 67 (causative agent of adenovirus infection), Adeno virus type 68 (causative agent of adenovirus infection), Adeno virus type 69 (causative agent of adenovirus infection), Adeno virus type 70 (causative agent of adenovirus infection), Adeno virus type 71 (causative agent of adenovirus infection), Adeno virus type 72 (causative agent of adenovirus infection), Adeno virus type 73 (causative agent of adenovirus infection), Adeno virus type 74 (causative agent of adenovirus infection), Adeno virus type 75 (causative agent of adenovirus infection), Adeno virus type 76 (causative agent of adenovirus infection), Adeno virus type 77 (causative agent of adenovirus infection), Adeno virus type 78 (causative agent of adenovirus infection), Adeno virus type 79 (causative agent of adenovirus infection), Adeno virus type 80 (causative agent of adenovirus infection), Adeno virus type 81 (causative agent of adenovirus infection), Adeno virus type 82 (causative agent of adenovirus infection), Adeno virus type 83 (causative agent of adenovirus infection), Adeno virus type 84 (causative agent of adenovirus infection), Adeno virus type 85 (causative agent of adenovirus infection), Adeno virus type 86 (causative agent of adenovirus infection), Adeno virus type 87 (causative agent of adenovirus infection), Adeno virus type 88 (causative agent of adenovirus infection), Adeno virus type 89 (causative agent of adenovirus infection), Adeno virus type 90 (causative agent of adenovirus infection), Adeno virus type 91 (causative agent of adenovirus infection), Adeno virus type 92 (causative agent of adenovirus infection), Adeno virus type 93 (causative agent of adenovirus infection), Adeno virus type 94 (causative agent of adenovirus infection), Adeno virus type 95 (causative agent of adenovirus infection), Adeno virus type 96 (causative agent of adenovirus infection), Adeno virus type 97 (causative agent of adenovirus infection), Adeno virus type 98 (causative agent of adenovirus infection), Adeno virus type 99 (causative agent of adenovirus infection), Adeno virus type 100 (causative agent of adenovirus infection).

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do Not Contaminate Water, Food or Feed. Do Not Reuse Empty Container.  
**PESTICIDE DISPOSAL:** Pesticides that cannot be used or are no longer approved for pesticides. Securely wrap original container.  
**CONTAINER DISPOSAL:** Do not reuse container. Recycle if possible.  
**STORAGE:** Store in a dry place, no lower in temperature than 40°F.  
**GENERAL:** Consult Federal, state or local disposal authorities for proper disposal.  
Open burning.

Manufactured by

IMPERIAL INDUSTRIES

460 NORTH BECK • BATON ROUGE, LA 70802

Net Contents: