

36029-1

7/12/2004

1/3

5755547

676/4

5763764

676/12



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Avenue N.W.
Washington, D.C. 20460

EPA Reg.

Number:

36029-1

Date of Issuance:

JUL 12 2004

Term of Issuance:

Reregistration

Name of Pesticide Product:

Wilco Gopher Getter
Type-1 Bait

NOTICE OF PESTICIDE:

RegistrationX Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

CERTIFIED MAIL

Mr. Brent Hazen, President
Wilco Distributors, Inc.
P.O. Box 291
Lompoc, CA 93438

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration and reregistration are in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Reregistration is subject to the terms and conditions indicated in this letter.

Continued on page 2

Signature of Approving Official:

Date: JUL 12 2004

Make sure that the box lines on the label fully surround and do not obscure the text that is supposed to be in the boxes. There are problems of this sort on the left side panel of the "DRAFT LABEL" submitted on 7/21/03.

In the second sentence in the "**ENDANGERED SPECIES RESTRICTIONS**" box, close the parentheses around "Endangered Species Specialist" on the same line as the word "Specialist".

Change "1lb." to "1-lb." in the second sentence of directions for using the "**Gopher Bait Applicator:**".

The label changes prescribed above must be incorporated onto the final printed label for this product. Submit one copy of the final printed label before releasing this product for shipment.

The Confidential Statement of Formula dated "6/18/04" is acceptable and describes the only formulation that may be used for this product.

This product is registered for use only to control pocket gophers of the Genera *Geomys* and *Thomomys*. Collectively, these organisms are reported to occur in the following States: Alabama, Arizona, Arkansas, California, Colorado, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Louisiana, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. These are the States where use of this product would be legal (if also registered with the individual States) and, therefore, the only States in which it should be sold.

If these conditions are not met, this registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have questions about this letter, contact Dr. William W. Jacobs by phone (703-305-6406), by FAX (703-305-6596), or by E-Mail (jacobs.bill@epa.gov).

Sincerely,



Meredith Laws, Chief
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

DRAFT LABEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

-----DANGER-----

Convulsive poison! Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust. Do not apply this product in a way that will contact any person or pet. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- *Long-sleeved shirt and long pants,
- *cotton gloves, and
- *Shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If there are additional instructions for washables use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES RESTRICTIONS

NOTICE: The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the U.S. EPA: San Joaquin kit fox, Mono Bay kangaroo rat, Salt Marsh Harvest mouse, gray wolf, and grizzly bear.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets, under lock and key in a posted storage area.

PESTICIDE DISPOSAL: Recover any spilled product, securely wrap it in several layers of newspaper, and discard in trash. Do not pour any unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Discard container in trash. If partially filled: Call you local solid waste agency for disposal instructions.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling that is contrary to label instructions.



WILCO GOPHER GETTER

TYPE 1 BAIT

READY TO USE

ACTIVE INGREDIENTS:

Strychnine 0.50%
Alkaloid
Inert
Ingredients 99.50%
TOTAL 100.00%

KEEP OUT OF REACH
OF CHILDREN

**DANGER
POISON**



FIRST AID

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in a quiet, darkened room and keep him warm and quiet. If person is unconscious, do not give any thing by mouth and do not induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 (National Pesticide Information Center) for emergency medical treatment information.

NOTE TO PHYSICIAN

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.

B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

NOTICE: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

See side panel for additional precautionary statements.

WILCO DISTRIBUTORS, INC.

P O BOX 291 - LOMPOC CA 93438 - PH# 805-735-2476
EPA EST. NO. 36029-CA-01
EPA REG. NO. 36029-1
RED 2002

NET WT. 1 LB.


DIRECTIONS FOR USE --POCKET GOPHERS-- FOR USE IN SUB-SOIL ONLY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This product may only be used to control pocket gophers (*Thomomys* spp. and *Geomys* spp.) in subsoil applications (only) in yard and garden areas around homes. This product may only be applied manually, or with the Probe 'n Funnel kit, or by use of the Gopher Bait Applicator or Gopher Getter Midget hand probes. Bait must be deposited directly into pocket gophers' natural underground runways. Do not apply bait above ground. Do not apply this product by means of a burrow-builder machine. Do not apply this product over food or feed crops. Keep pets and other people out of the area during application.

BAITING DIRECTIONS:

Locating Runways: To locate a gopher's natural runway, probe about 6" to 8" from an active mound, beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, the probe from a Probe 'n Funnel kit, a Gopher Bait Applicator bait dispensing probe, or a Gopher Getter Midget bait-dispensing probe or other suitable implement, probe 8" to 10" below the soil level. Soil resistance on probe will decrease when runway is entered.



Gopher Bait Applicator: Turn hand probe unit upside down to attach or remove bait bottle which screws into the dispenser. The 1lb. container for Wilco Gopher Getter Type 1 Bait may be screwed directly into the dispenser. Otherwise, add the amount of bait needed to the bottle that comes with the Gopher Bait Applicator and screw the bottle into the dispenser. Using probe end, probe around mounds to locate runways (see "Locating runways," above). Lift handle to deposit bait in each active runway. Close probe holes as indicated below. Pick up or bury any spilled bait immediately. Make 2 to 7 bait sets per burrow system, depending upon the system's apparent length.

Gopher Getter Midget: Remove cap from built-in bait reservoir. Add bait. Replace and tighten cap. Using Midget probe, probe around mounds to locate runways (see "Locating Runways," above). Turn crank two full turns clockwise, followed by two full turns counterclockwise, to deposit bait in the runway. Close probe holes as indicated below. Pick up or bury any spilled bait immediately. Make 2 to 7 bait sets per burrow system, depending upon the system's apparent length.

Hand Applications and Probe 'n Funnel Applications: Once the runway is located, enlarge probe hole (if necessary) to accommodate baiting. Drop a teaspoonful of bait through probe opening or through the funnel, if using the Probe 'n Funnel kit, take care not to spill bait on the surface. Pick up any spilled bait immediately. Make 2-7 bait sets per burrow system, depending on the system's apparent length. Close probe holes as indicated below.

Closing Probe Holes: After each bait placement has been made, cover opening with sod or dirt to close hole and exclude light. Do not permit dirt to sift in and cover bait.

Treatment Rate: Depending upon pocket gopher population levels, one pound of bait applied manually will treat one to eight acres.