36029-20

01/11/2007

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

January 11, 2007

5-863833 1165

5-803694

Wilco Distributors, Inc. P.O. Box 291 Lompoc, CA 93438

Attention: Mr. Blake Hazen

Subject	Ground Squirrel Bait AG by Wilco EPA Reg. No. 36029-17 Ground Squirrel Bait by Wilco EPA Reg. No. 36029-20 V Your letter received August 24, 2006 Our telephone conversation of October 23, 2006 Your amended application of November 30, 2006 Your amended formula of January 11, 2007
Purpose	The purpose of these submissions is to revise your label to clarify the type of tamper-resistant bait station to use with these products, to add additional states where the pests have been found, and to revise your Confidential Statement of Formula (CSF).
Label	The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.
	 Follow the "Minimum Type Size Requirements for Final Printed Labels" in Enclosure 2. Among other requirements, no text may be smaller than 6 Point. Parts of your "First Aid" and "Note to Physician or Veterinarian" texts do not comply.
	2. As currently formatted, your Front Panel precautionary statements are difficult to follow. We suggest that you clarify this important text by following Enclosure 3.

2

Existing stocks	Stocks of existing labels may be used for eighteen (18) months.
CSF	In accordance with our Notices of Registration of March 29, 2006, you submitted revised CSFs, dated January 11, 2007. We found these CSFs to be acceptable. All others are obsolete. You may only sell product that is identical to these CSFs.
Special Local Needs	According to our Notice of Registration of March 29, 2006, for EPA Reg. No. 36029-17, submit a request for cancellation of the two (2) Special Local Need (SLN) registrations (CA-030006 and NV-040007).
Consequence for non- compliance	If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section $6(e)$. Your release for shipment of the product constitutes acceptance of these conditions.
Questions	If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock,dan@epa.gov</u> (by E-Mail).
	Sincerely yours,
	NBP
	Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)
Enclosures	1. Stamped label
	 Minimum Type Sizes of Final Printed Labels Suggested Format for Front Panel Precautionary Labeling, 36029-17 and -20.

Location Dan Peacock, Flash Drive, 1gb, K:\Diphacinone\36029, Wilco\36029-17, -20\36029-17, 36029-20, 1-11-2007, ver 2.doc

34

Enclosure 3. Suggested Format for Front Panel Precautionary Statements, EPA Reg. Nos. 36029-17 and -20^1

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID Have label with you when obtaining treatment advice.
If swallowed	 Call a poison control center, doctor, or 1-800-858-7378¹ immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.

¹The National Pesticide Telecommunications Network (NPTN) answers questions on medical emergencies, pesticide incidents,, and health concerns.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains diphacinone, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans, dogs, or other animals that have ingested this product or have obvious poisoning symptoms (bleeding) or elevated prothrombin times, give Vitamin K_1 intramuscularly or orally. Check prothrombin time until values return to normal.

See Left Side Panel for additional precautionary statements.

¹ All text must be at least 6 Points.

ACCEPTED WHE COMMENTS in EPA Letter Dated:

lf

50207

PRECAUTIONARY STATEMENTS JAN HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Linder the Hederal May be harmful if swallowed or absorbed through the skin proves maderated Rodo eve initiation. Keep away from humans, domestic animals from feed or foodstuffs. Wear waterproof gloves when handling bat or retrieving carcasses. Wash thoroughly with soap and water and water and the EPN and bait.

ENVIRONMENTAL HAZARDS

This product is toxic to mammels, birds, and fish. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rimento

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endancered species. Use of this product may nose a hazard to endangered or threatened species. Before applying this product. applicators must obtain information regarding the occurrence of endangered species and use limitations for this product. You may call EPA's "Endangered Species Hotline" at 1-800-447-3813 to obtain an "Interim Measures" namoblet for your county. You may also consult your local apricultural extension office or state pesticide lead agency to determine if there are any requirements for use of this product

in California, obtain a copy of the interim Measures Bulletin for your county from the County Commissioner's office or from the following Internet site: http://www.cdpr.ca.gov/docs/es/index.htm

Where necessary to protect endangered kangaroo rats, use in tamper-resistant bait stations (Like Wilco Ground Squirret Bait Stations) developed for this purpose in association with the California Department of Food and Amiculture and the California Department of Fish and Geme. A publication on those

stations is avaiable at the website indicated above. STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Carefully sweep up and dispose of any spillage as in the "PESTICIDE DISPOSAL".

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at on site or at an approved waste disposal facility

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling of reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buver assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

1

GROUND R RFI BAIT bv WILCO

For use around buildings to control California and Townsend Ground Souirrels in California, Nevada, Oregon, Washington, Idaho, and Utah only. Ground Sourcei Bait by Wilco is actually impregnated by the toxicant

Active incredient: Dinhacinone (CAS# 82666) (2-Diphenviacety 1-1, 3 Indandione). . 0.005%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have label with you when obtaining treatment advice Call a polaon control center, doctor or 1-800-858-7378 immediately for treatment advice. • Have swallowed person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a

poison control center or doctor. The National Pesticide Telecommunications Network (NPTN) answers questions on medical emergencies, pesticide incidents,, and health concerns

NOTE TO PHYSICIAN OR VETERINARIAN Contains diphacinone, an anticoagulant. If this material may reduce the clothing ability of the blood and cause bleeding. For humans, dogs, or other animals that have ingested this product or have poisoning symptoms (bleeding) or elevated prothrombin times, give vitamin K1 intramuscularly or orally. Check prothrombin times until values return to normal

See left side panel for additional precautionary statement.

WILCO DISTRIBUTORS, INC. P O BOX 291 - LOMPOC CA 93438 PH# 805-735-2476 EPA ESTB. NO.: 36029-CA-D1 EPA REG NO: 36029-20 NET WT. 4 LBS.

KEEP AWAY FROM FOODSTUFFS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

RFAD THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accident: 1. Store product not in use in a location out of reach of children, pets, and livestock,

2. Apply this product in secured, tamper-resistant bait stations, (like Wilco Ground Souirrel Bait Stations), These stations must be resistant to destruction by doos and by children under six years of age, and must be constructed and used in ways which prevent such children from reaching into bait compartments and obtaining bait. Stations must be secured so that they cannot be overturned by young children, pets, or winds. Stations used in areas open to livestock and/or nontarget wildlife must be secured so that the units cannot be readily overturned by any nontarget animals that have access to them.

3 Dispose of product container, and unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For use only around buildings (including yards and flower gardens) in secured, tamperresistant bait stations (like Wilco Ground Souirrel Bait Stations) to control the California Ground Squirrel (Spermophilus beechevi)and Townsend Ground Souirrel (Spermophilus townsendi) in California and Nevada. Do not apply this product by any method not specified on this label. This product may not be broadcast. Wear waterproof gloves when applying this product. With detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding, or transfering foods or feed.

APPLICATION DIRECTIONS: Secure bait stations at locations where they will be readily accessible to target ground squirrels, preferably near active burrows. Secure stations 20 to 100 feet apart, depending upon density of the population. Wear waterproof gloves and scooping device (preferably long-handled) to transfer bait from the container to the station. Use 2 to 4 pounds of bait per bait station.

Check bait stations frequently to insure that an uninterrupted supply of bait is always available for at least 15 days or until signs of feeding have stopped. **POST-APPLICATION DIRECTIONS:**

Using waterproof gloves, collect and burn (where permitted) or bury all visible dead animals. Dispose of leftover bait according to "Pesticide Disposal".