


36029-23

01/11/2007

117

 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p style="text-align: center;">NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration (under FIFRA, as amended)</p>	<p>EPA Reg. Number: 36029-23</p>	<p>Date of Issuance: JAN 11 2007</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: "Gopher Getter" Type 2 AG Bait by Wilco</p>	
<p>Name and Address of Registrant (include ZIP Code): Wilco Distributors, Inc. P.O. Box 291 Lompoc, CA 93438</p> <p>Attention: Mr. Blake Hazen</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p style="text-align: center;">This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you submit:</p> <p style="margin-left: 40px;">A. one (1) copy of final printed labeling to us, before you release the product for shipment, and</p> <p style="margin-left: 40px;">B. a request for cancellation of any Special Local Need (SLN) registration (CA-030007) that this product replaces.</p>		
<p>Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7505C)</p>		<p>Date: JAN 11 2007</p>

Page 2

EPA Reg. No. 36029-23

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

Your Confidential Statement of Formula (CSF), dated January 9, 2007, is the only acceptable one for this product. All other versions are obsolete.

Enclosure: 1. Stamped Label
2. Minimum Type Size Requirements for Final Printed Labels

"Gopher Getter" Type 2 AG Bait, 36029-23 1
[Front Panel]

Final Label, 1-10-2007

RESTRICTED USE PESTICIDE
Due to Hazard to Nontarget Organisms

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**"Gopher Getter" Type 2 AG Bait
by Wilco**

For subsoil application use only in crop and noncrop areas to control pocket gophers.

Active Ingredient: Diphacinone 0.005%
 Other Ingredients: 99.995%
 Total 100.000%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 11 2007

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

36029-23

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed	<ul style="list-style-type: none"> •Call a poison control center, doctor, or 1-800-858-7378¹ immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor.
¹ The National Pesticide Telecommunications Network (NPTN) answers questions on medical emergencies, pesticide incidents,, and health concerns.	
NOTE TO PHYSICIAN OR VETERINARIAN	
Contains diphacinone, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans, dogs, or other animals that have ingested this product or have obvious poisoning symptoms (bleeding) or elevated prothrombin times, give Vitamin K ₁ intramuscularly or orally. Check prothrombin time until values return to normal.	

See Left Side Panel for additional precautionary statements.

“Gopher Getter” Type 2 AG Bait, 36029-23 2

Final Label, 1-10-2007

[Front Panel - continued]

Wilco Distributors, Inc.
P.O. Box 291
Lompoc, CA 93438
Phone: 805-735-2476

EPA Reg. No. 36029-23
EPA Est. No.
CA Reg. No.

Net Wt.

[Left Panel]**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from humans, domestic animals, and pets. Keep away from feed or foodstuffs. Wear waterproof gloves when handling bait or retrieving carcasses. Wash thoroughly with soap and water after handling bait.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals, birds, and fish. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. Before applying this product, applicators must obtain information regarding the occurrence of endangered species and use limitations for this product. You may call EPA's "Endangered Species Hotline" at 1-800-447-3813 to obtain an "Interim Measures" pamphlet for your county. You may also consult your local agricultural extension office or state pesticide lead agency to determine if there are any requirements for use of this product.

Before using this pesticide on range and/or pasture land in the counties listed below, you must obtain the **PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES** for the county in which the product is to be used. The bulletin is available from your County Agricultural Commissioner office. **Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.**

CALIFORNIA: Fresno, Inyo, Kern, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, and Tulare.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Carefully sweep up and dispose of any spillage as in the "**PESTICIDE DISPOSAL**".

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at on site or at an approved waster disposal facility.

CONTAINER DISPOSAL: Completely empty drum or canister by shaking and taping sides and bottom to loosen clinging particles. Empty residue into bait station or dispose of as indicated above. Then dispose of drum or canister in a sanitary landfill or by incineration if allowed by local authorities.

NOTICE

Seller makes no warranty, expressed or implied, concerning use of the product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label.

[Right Panel]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

USE RESTRICTIONS: Use this product only to control pocket gophers species (Thomomys spp. and Geomys spp) in crop and noncrop areas. Subsoil application only. Do not apply bait by any method not specified on this label. Wear gloves when handling bait.

Do not apply this product by any method not specified on this label. This product may not be broadcast. Wear waterproof gloves when applying this product. With detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding, or transferring foods or feeds.

APPLICATION DIRECTIONS:

A. HAND APPLICATION

Location of Runways: To locate a gopher’s natural runway, probe about 6” to 8” from an active mound, beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, the probe from a probe’n Funnel kit, a Gopher Bait Applicator bait dispensing probe, or a Gopher Getter Midget bait-dispensing probe, or other suitable implement, probe 8” to 10” below the soil level. Soil resistance on probe will decrease when runway is entered.

Application Directions:

1. Gopher Bait Applicator Method:

Turn hand probe unit upside down to attach or remove bait bottle which screws into the dispenser. The 1-lb. container for Gopher Getter Type 2 Ag Bait by Wilco may be screwed directly into the dispenser. Otherwise, add the amount of bait needed to the bottle that comes with the Gopher Bait Applicator and screw the bottle into the dispenser. Using probe end, probe around mounds to locate runways (see “**Locating runways;**”, above).Lift handle three times to deposit bait in each active runway. Pick up or bury any spilled bait immediately. Makes 2-7 bait sets per burrow system, depending upon the systems apparent length. For best results, this bait must be placed in gopher’s active runway for four (4) consecutive days or until activity ceases.

2. Hand and Probe ‘n Funnel Application Methods:

Enlarge probe hole (if necessary) to accommodate baiting. Use gloves and scooping device (preferably long-handled) to transfer the bait from container to the bait applicator. Insert one-half cup bait into each active runway through probe opening or through the funnel, if using the Probe ‘n Funnel kit. Take care not to spill bait on the surface. Pick up any spilled bait immediately. Make 2-7 bait sets per burrow system, depending on the system’s apparent length. For best results, this bait must be placed in gopher’s active runway for four (4) consecutive days or until activity ceases.

3. Gopher Getter Midget:

Remove cap from built-in bait reservoir and fill with bait. Replace and tighten cap. Using probe, probe around mounds to locate runways. To deposit bait in each active runway, turn crank six full turns, stopping back at the closed position. For best results, this bait must be placed in gopher’s active runway for four (4) consecutive days or until activity ceases

Closing of Runways: After bait application, cover probe opening with sod or dirt. Do not permit dirt to sift in or cover bait

B. BURROW BUILDER APPLICATION:

The burrow builder constructs an artificial underground burrow and automatically places the poison in a single operation. A coulter disc opens the way for a subsoiler shank. At the bottom of the shank is a “torpedo” or pointed tube. The torpedo cuts the artificial burrow. Bait is dropped in preset quantities from a container through a tube into the burrow through an outlet in the rear underside of the torpedo. Close-set rubber tires behind the subsoiler shank close the cut above the burrow.

The torpedo is adjustable to the depth of natural pocket gopher runways. Soil should always be damp enough to hold formed tunnels. Artificial burrows are cut at 20 to 25 foot intervals, intercepting and connecting natural runways, as shown by the treatment program. The pocket gopher’s curiosity and laziness leads him to the bait.

POST-APPLICATION DIRECTIONS:

Using waterproof gloves, collect and burn (where permitted) or bury all visible dead animals. Dispose of leftover bait according to “Pesticide Disposal”.