



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOV 7 2008

Mr. Blake Hazen
Wilco Distributors Inc.
Po Box 291
Lompoc, CA 93438

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 18, 2008 for:

EPA Registration 36029-23 Gopher Getter Type 2 AG Bait by Wilco

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Wilco Disrtibutors, Inc.	2. EPA Product Manager John Hebert	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) Gopher Getter Type 2 Ag Bait by Wilco	PM# 07	
5. Name and Address of Applicant (Include ZIP Code) Wilco Distributors, Inc. P.O. Box 291 Lompoc Ca 93438 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: 36029-23 EPA Reg. No. _____ Product Name Gopher Getter Type 2 Ag Bait by Wilco	

Section - II

NOTIFICATION

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in reponse to Agency letter dated NOV 7 2007
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Revisions Required by the Final Rule "Pesticide Management and Disposal; Standards for Pesticide and Containment." PR NOTICE 2007-4

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> Text No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1, 5, 25, 50lbs		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper, glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Blake Hazen	Title	Telephone No. (Include Area Code) 805-735-2476
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature Blake	3. Title	
4. Typed Name Blake Hazen	5. Date 08/18/2008	

Digitally signed by Blake
DN: cn=Blake, ou=Wilco, ou=Hazen,
email=jbhazen@aol.com, c=US
Date: 2008.08.18 13:58:53 -0700

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

WILCO DISTRIBUTORS, INC.

P.O. BOX 291

LOMPOC, CALIFORNIA 93438



Phone: (805) 735-2476

FAX: (805) 735-3629

John Hebert
 Insecticide-Rodenticide Branch
 Registration Division (7505C) (NOITF)
 Ariel Rios Building
 1200 Pennsylvania, Ave
 Washington DC, 20460-0001


RE: Notification of label change per PR NOTICE 2007-4

Dear Mr. Hebert,

I have attached to this letter the labels for EPA Reg. No. ³⁶⁰²⁹30629-1, 36029-7, 36029-17, 36029-20, 36029-23, 36029-24, and SLN CA-790145. I am sending these labels to you for proposes of notification per PR Notice 2007-4. If you have any questions you can reach me at 805-735-2476 or jbhazen@aol.com.

Sincerely,

Blake Hazen



NOTIFICATION
NOV 7 2007

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

May be harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from humans, domestic animals, and pets. Keep away from feed or foodstuffs. Wear waterproof gloves when handling bait or retrieving carcasses. Wash thoroughly with soap and water after handling bait.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals, birds, and fish. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. Before applying this product, applicators must obtain information regarding the occurrence of endangered species and use limitations for this product. You may call EPA's "Endangered Species Hotline" at 1-800-447-3813 to obtain an "Interim Measures" pamphlet for your county. You may also consult your local agricultural extension office or state pesticide lead agency to determine if there are any requirements for use of this product.

Before using this pesticide on range and/or pasture land in the counties listed below, you must obtain the **PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES** for the county in which the product is to be used. The bulletin is available from your County Agricultural Commissioners Office. Use of this product in a manner inconsistent with the **PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES** is a violation of Federal laws.

CALIFORNIA: Fresno, Inyo, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, and Tulare.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
STORAGE: Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Carefully sweep up and dispose of any spillage as in the "PESTICIDE DISPOSAL".

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste facility.

CONTAINER DISPOSAL: Nonfillable container

DO NOT REUSE OR REFILL CONTAINER
Offer for recycling if available.

WILCO DISTRIBUTORS, INC.
P. O. BOX 291- LOMPOC CA 93438
PH# 805-735-2476
EPA Reg. No. 36029-23
EPA ESTD. NO. 36029-CA-01

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

RESTRICTED USE PESTICIDE
Due to Hazard to Non-target Species

For Retail sale to and use Only by certified Applicators or Persons under their Direct Supervision and Only for those Uses Covered by the certified Applicator's Certification.



Gopher Getter
TYPE 2
AG BAIT
by
WILCO

For subsoil application use only in crop and noncrop areas to control pocket gophers

Active Ingredients:

Diphacinone (CAS# 82666)	0.005%
Other ingredients	99.995%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have label with you when obtaining treatment advice.

If swallowed:

- Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

The National Pesticide Telecommunications Network (NPTN) answers questions on medical emergencies, pesticide incidents, and health concerns.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains diphacinone, an anticoagulant. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans, dogs, or other animals that have ingested this product or have obvious poisoning symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 intramuscularly or orally. Check prothrombin time until values return to normal.

KEEP AWAY FROM FOODSTUFFS

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT.
■ 1 LBS 5 LBS ■
■ 25 LBS 50 LBS ■

DIRECTIONS FOR USE

It is a violation of Federal laws to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. **USE RESTRICTIONS:** Use this product only to control pocket gophers species (*Thomomys* spp. and *Geomys* spp.) in crop and non-crop areas. Subsoil application only. Do not apply bait by any method not specified on this label. Wear gloves when handling bait. Do not apply this product by any method not specified on this label. This product may not be broadcast. Wear waterproof gloves when applying this product. With detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding, or transferring foods or feed.

APPLICATION DIRECTIONS:

A. HAND APPLICATION

Location of Runways: To locate gopher's natural runway, probe about 6" to 8" inches from an active mound beginning on the flat side of the horseshoe shaped depression. Using an iron bar, a strong stick, the probe from a Probe 'n Funnel kit, a Gopher Bait Applicator bait dispensing probe, or a Gopher Getter Midget bait-dispensing probe, or other suitable implement, probe 8" to 10" inches below the soil level. Resistance on probe will decrease when runway is entered.

APPLICATION DIRECTIONS:

1. GOPHER BAIT APPLICATOR METHOD: Turn hand probe unit upside down to attach or remove bait bottle which screws into the dispenser. The 1-lb container for Gopher Getter Type 2 Ag Bait by Wilco may be screwed directly into the dispenser. Otherwise, add the amount of bait needed to the bottle that comes with the Gopher Bait Applicator and screw the bottle into the dispenser. Using probe end, probe around mounds to locate runways (see "Locating runways" above.) Lift handle three times to deposit bait in each active runway. Pick up or bury any spilled bait immediately. Makes 2-7 bait sets per burrow system, depending upon the systems apparent length. For best results, this bait must be placed in the gophers' active runway for four (4) consecutive days or until activity ceases.

2. HAND AND PROBE 'N FUNNEL METHOD: Enlarge probe hole (if necessary) to accommodate baiting. Use gloves and a scooping device (preferably long handled) to transfer the bait from container to the bait applicator. Insert one half cup bait into each active runway through probe opening or through the funnel, if using the Probe 'n Funnel kit. Take care not to spill bait on the surface. Pick up any spilled bait immediately. Makes 2-7 bait sets per burrow system, depending upon the systems apparent length. For best results, this bait must be placed in the gophers' active runway for four (4) consecutive days or until activity ceases.

3. GOPHER GETTER MIDGET: Remove cap from built-in bait reservoir and fill with bait. Replace and tighten cap. Using probe, probe around mounds to locate runways. To deposit bait in each active runway, turn crank six full turns, stopping back at the closed position. For best results, this bait must be placed in the gophers' active runway for four (4) days in a row or until activity ceases.

CLOSING RUNWAYS - After bait has been applied, cover probe opening with sod or dirt. Do not permit dirt to silt in or cover bait.

B. BURROW BUILDERS APPLICATION: The burrow builder constructs an artificial underground burrow and automatically places the poison in a single operation. A coupler disc opens the way for a subsoiler shank. At the bottom of the shank is a "torpedo" or pointed tube. The torpedo cuts the artificial burrow. Bait is dropped in preset quantities from a container through a tube into the burrow through an outlet in rear underside of the torpedo. Close set rubber tires behind the subsoiler shank close the cut above the burrow.

The torpedo is adjustable to the depth of natural pocket gopher runways. Soil should always be damp enough to hold formed tunnel. Artificial burrows are cut at 20 to 25 foot intervals, intercepting and connecting natural runways, as shown by the treatment program. The pocket gopher's curiosity and laziness leads him to the bait.

POST-APPLICATION DIRECTIONS:

Using waterproof gloves, collect and burn (where permitted) or bury all visible dead animals. Dispose of leftover bait according to "Pesticide Disposal".



Treatment indicated by lines.