

DANGER: Keep out of reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO

PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

ACCEPTED

36118-1

AMCIDE

FOR ALGAE CONTROL

ACTIVE INGREDIENTS: n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl Ammonium Chlorides..... 8.40%
n-Diakyl (60% C14, 30% C16, 5% C12, 5% C18) Methyl benzyl Ammonium Chlorides..... 1.60%
INERT INGREDIENTS: 90.00%

DANGER: KEEP OUT OF REACH OF CHILDREN

See First-Aid and other precautionary statements on side panels.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

NET CONTENTS 1 GALLON

EPA REG. NO. 36118-1 EPA EST. NO. 36118-MD-01

**AMCIDE
DIRECTIONS**

INITIAL DOSAGE: For the control of algae and algal slime, in pool free of visible algae or when pool is being filled, add directly to the pool at the rate of 1 gallon to each 50,000 gallons of water. If pool has visible algae growth, treat with initial dose then vacuum pool after 24 hours to remove algae debris. If visible algae are still present or reappear, repeat this treatment.

MAINTENANCE DOSAGE: Add 1 quart of AMCIDE to 50,000 gallons of water. Be certain pool is filled to original level. If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of AMCIDE for each 10,000 gallons of fresh make-up water added per week. If high temperatures prevail or unusually heavy swimmer load occurs, the maintenance doses should be added more frequently.

Manufactured By

AMCHLOR CORPORATION OF MARYLAND
Pool Chemical Division of Amato Solvents, Inc.
9120 Talbot Ave.
Silver Spring, Md. 20910
301-565-9226