

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

EMSCO
450 Geiger Street
P.O. Box 459
Berea, OH 44017

EPA REG. NO. EPA EST. NO.
NET CONTENTS.

Pool Brite Sanitizer

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE10%
INERT INGREDIENTS90%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
IN A MANNER INCONSISTENT WITH ITS LABEL

DIRECTIONS FOR SWIMMING POOL CHLORINATION:
For a new pool or for spring start up, superchlorinate with this sodium hypochlorite solution for each 5,000 gallons of water to 5 ppm available chlorine by weight.
For Pool Maintenance:
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.8 to 1.0 ppm. One gallon of this sodium hypochlorite solution for each 8,000 gallons of water provides 1.0 ppm available chlorine by weight. Frequency of additions will depend upon temperature and pool usage. Use test kit to make certain the pH and chlorine residual are maintained.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER SYSTEMS:
Dilute this sodium hypochlorite solution in the ratio of one part solution to 9 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator (maintain a free available chlorine residual of at least 0.2 ppm and throughout the distribution system, as determined by a DPD chlorological sampling must be conducted at a frequency no less than the National Interim Primary Drinking Water Regulations). Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DISTRIBUTION EQUIPMENT:
Clean equipment in the normal manner. Just before using, rinse thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. After treatment with sodium hypochlorite solution, do not soak or immerse in water. Rinse with water. Do not use for food contact. Provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit as necessary to obtain the required level of available chlorine.
STORAGE AND DISPOSAL: Store in original container, away from direct sunlight. In case of spill, flood area with large quantities of water. Empty container thoroughly with water and either return to manufacturer or place in trash collection or burying in an approved landfill. Do not be used, should be diluted with water and disposed of in a manner that will not contaminate food or feed by storage, disposal or cleaning.

Store in an upright position.

36187-1

Pool Brite Sanitizer

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT SODIUM HYPOCHLORITE10%
INERT INGREDIENTS90%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING (31)

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start up, superchlorinate with 1 1/2 oz of this sodium hypochlorite solution for each 5,000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight. Use test kit to make certain the pH and chlorine residual are in the proper range for Pool Maintenance.

- A) Adjust pool water pH to 7.6 - 7.8 range and maintain.
- B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.8 to 1.0 ppm. One-half pint (8 fl. oz.) of this sodium hypochlorite solution for each 4,000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.8 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit. Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tbsps.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or sludge that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Store in an upright position

36187-1

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (MH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE JAN - 1968
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence concerning this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect public health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been used by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE