

**ACCEPTED**  
 SEP 17 1991  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. **36232-2**

**BEST AVAILABLE COPY**

# R&C<sup>®</sup> Spray

**Lice Control Insecticide**  
 Controls lice and their  
 eggs in the environment

**Insecticide:**  
 not for use on  
 humans or animals.

**ACTIVE INGREDIENTS:**  
 d- cis - trans 3 Phenoxybenzyl (1RS, 2RS; 1RS, 2SN) ..... 0.400%  
 2,2-dimethyl-3-(2-methylprop-1-enyl)  
 cyclopropanecarboxylate ..... 99.600%  
**INERT INGREDIENTS:** ..... 100.000%

**KEEP OUT OF REACH OF CHILDREN.**  
**CAUTION:**  
 Not for use on the skin or hair. Consult your  
 physician for the treatment of lice infestations on  
 humans.  
 See side panels for additional information.

**Net wt 5 oz (142g)**

**PRECAUTIONARY  
 STATEMENTS:  
 HAZARDS TO HUMANS  
 AND DOMESTIC  
 ANIMALS:**

**CAUTION:**  
 Vacate room after  
 treatment and ventilate  
 before reoccupying. Avoid  
 contamination of feed and  
 food-tuffs.  
 Remove pets, birds and  
 cover fish aquariums  
 before spraying.

**STATEMENT OF  
 PRACTICAL  
 TREATMENT:**  
**IF IN EYES:** Immediately  
 flush with large amounts of  
 water. Get medical attention  
 if irritation persists.  
**IF ON SKIN:** Wash with  
 soap and water. Get  
 medical attention if  
 irritation persists.  
**IF INHALED:** Move victim  
 to fresh air. Give artificial  
 respiration if indicated.  
**IF SWALLOWED:** Do not  
 induce vomiting. Call a  
 physician or Poison Control  
 Center immediately.

**PHYSICAL HAZARD:**  
 Contents under pressure.  
 Do not use or store near  
 heat or open flame. Do not  
 puncture or incinerate  
 container. Exposure to  
 temperatures above 130 F  
 may cause bursting.

Manufactured for  
**R&C** REED & CATWICK  
 P.O. Box 100, New York, NY 10055

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this  
 product in a manner inconsistent with its  
 labeling.

**Directions: SHAKE WELL BEFORE AND  
 OCCASIONALLY DURING USE.** Spray on an  
 inconspicuous area to test for possible  
 staining or discoloration. Inspect after  
 drying, then proceed to spray entire area to  
 be treated.

Hold container upright with nozzle away  
 from you. Depress valve and spray from a  
 distance of 8 to 10 inches.

Spray each square foot for about three  
 seconds. For mattresses, furniture or  
 similar objects (that cannot be laundered or  
 dry cleaned). Spray thoroughly. Do not use  
 article until spray is dry. Repeat treatment  
 as necessary. Do not use in commercial  
 food processing, preparation, storage or  
 serving areas.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool area away from  
 heat or open flame.

**Disposal:** Replace cap and securely wrap  
 container in several layers of newspaper  
 and discard in trash.

EPA REG. NO. 36232-2      EPA EST. NO. 54087 GA 1  
**42712/1116**      Made and printed in U.S.A.

**R&C® Spray  
Lice Control Insecticide**

Insecticide; Not for use  
on humans or animals

**ACTIVE INGREDIENTS:**

6 oz. + 1 oz. 3-Phenylpropanol-DMS, RES. RES. 3581-23-  
dimethyl-3-O-methylprop-1-enyl

0.400% 0.400%

**INERT INGREDIENTS:** 99.600% 99.600%

100.000%

EPA REG. NO. 3000-1  
EPA EST. NO. 5442-CA-1

Manufactured for  
**REED & CARRICK**  
Piscataway, NJ 08855

Made and printed in U.S.A.

**R&C®  
Spray  
Lice Control  
Insecticide**

Insecticide; Not for use  
on humans or animals

**PRECAUTIONARY STATEMENT:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Toxic upon contact and variable acute  
toxicity. Avoid contact with skin and mucous  
membranes.

Remove pets, birds and other fish aquariums before  
mixing.

**STATEMENT OF PRACTICAL TREATMENT:**

**IF IN EYES:** Immediately flush with large amounts of  
water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash with soap and water. Get medical  
attention if irritation persists.

**IF INHALED:** Move victim to fresh air. Get medical  
attention if indicated.

**IF SWALLOWED:** Do not induce vomiting. Call a physician  
or Poison Control Center immediately.

**PHYSICAL HAZARD**

Contents under pressure. Do not use or store  
near heat or open flame. Do not puncture or  
incinerate container. Exposure to temperatures  
above 130°F may cause bursting.

**R&C®  
Spray  
Lice Control  
Insecticide**

**Controls lice  
and their eggs  
in the environment**



Insecticide;  
Not for use  
on humans  
or animals

**KEEP OUT OF REACH  
OF CHILDREN.**

**CAUTION:** Not for use on the  
skin or hair. Consult your  
physician for the treatment  
of lice infestations on  
humans. See side panels for  
additional precautions.

Net wt 5 oz (142g)

**R&C®  
Spray  
Lice Control  
Insecticide**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

**Directions: SHAKE WELL BEFORE AND  
OCCASIONALLY DURING USE.** Spray on an  
inconspicuous area to test for possible staining or  
discoloration. Inspect after drying, then proceed to  
spray entire area to be treated. Hold container  
upright with nozzle 6-8" from wall. Lift head and  
spray from a distance of 6 to 10 inches.

Spray each square foot for about three seconds.  
For mattresses, furniture or similar objects:  
Treat cannot be discolored or dry cleaned. Spray  
thoroughly. Do not use a face cloth spray in air.  
Repeat treatments as necessary. Do not use in  
commercial food processing, preparation, storage  
or serving areas.

**STORAGE AND DISPOSAL**

Storage: Store in a cool area away from  
heat or open flame.

Disposal: Empty can and attach wrap container  
in several layers of newspaper and discard in trash.

427026005



**BEST PRICE AVAILABLE**

BEST AVAILABLE COPY

# R&C<sup>®</sup> Spray

Lice Control Insecticide  
Controls lice and their  
eggs in the environment

**Insecticide:**  
not for use on humans  
or animals.

**ACTIVE INGREDIENTS:**  
 d cis + trans 3-Phenoxybenzyl (IRS, 3NS, 1NS, 3SN)-  
 2,2-dimethyl-3-(2-methylprop-1-enyl)  
 cyclopropanecarboxylate ..... 0.400%  
**INERT INGREDIENTS:** ..... 99.600%  
 100.000%

**KEEP OUT OF REACH OF CHILDREN.**  
**CAUTION:**

Not for use on the skin or hair. Consult  
your physician for the treatment of lice  
infestations on humans.

See side panels for additional information.

Net wt 10 oz (283g)

**PRECAUTIONARY  
STATEMENTS:  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS.**

**CAUTION:**  
Vacate room after treatment and  
ventilate before reoccupying. Avoid  
contamination of feed and  
foodstuffs.  
Remove pets, birds and cover fish  
aquariums before spraying.

**STATEMENT OF PRACTICAL  
TREATMENT:**

**IF IN EYES:** Immediately flush with  
large amounts of water. Get  
medical attention if irritation  
persists.

**IF ON SKIN:** Wash with soap and  
water. Get medical attention if  
irritation persists.

**IF INHALED:** Move victim to fresh  
air. Give artificial respiration if  
indicated.

**IF SWALLOWED:** Do not induce  
vomiting. Call a physician or  
Poison Control Center immediately.

**PHYSICAL HAZARD:**  
Contents under pressure. Do not  
use or store near heat or open  
flame.  
Do not puncture or incinerate  
container. Exposure to  
temperatures above 130° F may  
cause bursting.

Manufactured for

**REED & CARNICK**  
Piscataway, NJ 08855

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this  
product in a manner inconsistent with  
labeling.

**Directions:** SHAKE WELL BEFORE AND  
OCCASIONALLY DURING USE. Spray in  
inconspicuous area to test for possible  
or discoloration. Inspect after drying. Do  
not proceed to spray entire area to be treated  
until test area is dry. Hold container upright with nozzle away  
from you. Depress valve and spray from a distance of  
8 to 10 inches.

Spray each square foot for about three  
seconds. For mattresses, furniture or similar objects  
(which cannot be laundered or dry cleaned) spray  
thoroughly. Do not use article until sprayed area  
is dry. Repeat treatment as necessary. Do not use in  
commercial food processing, preparation or  
storage or serving areas.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool area away from  
open flame.

**Disposal:** Replace cap and securely wrap  
container in several layers of newspaper and  
discard in trash.

EPA REG NO 36232-2

EPA EST NO

4270410907

Made and printed

**ACCEPTED**  
SEP 17 1991  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 36232-2

R&C® Spray  
Lice Control Insecticide

Insecticide: Not for use  
on humans or animals

ACTIVE INGREDIENTS:

d-cis-1-benzyl-3-phenoxybenzyl-(1RS,2RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)

pyclopropanecarboxylic acid 0.480%

INERT INGREDIENTS: 99.520%

100.000%

EPA REG. NO. 30237-2  
EPA EST. NO. 54467-GA-1

Manufactured for  
**REED & CARNICK**  
Piscataway, NJ 08855

Made and printed in U.S.A.

R&C®  
Spray  
Lice Control  
Insecticide

Insecticide: Not for use on  
humans or animals

PRECAUTIONARY STATEMENT:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Vacate room after treatment and ventilate  
1 more room opening. Avoid contamination of food and  
foodstuffs.

Remove pets, birds and cover fish aquariums before  
service.

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: Immediately flush with large amounts  
of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and water. Get medical  
attention if irritation persists.

IF INHALED: Move victim to fresh air. Give artificial  
respiration if indicated.

IF SWALLOWED: Do not induce vomiting. Call a  
physician or Poison Control Center immediately.

PHYSICAL HAZARD:

Contents under pressure. Do not use or store near  
heat or open flame. Do not puncture or incinerate  
container. Exposure to temperatures above 130°F  
may cause bursting.

R&C®  
Spray  
Lice Control  
Insecticide

Controls lice  
and their eggs  
in the environment



Insecticide:  
Not for use  
on humans  
or animals

KEEP OUT OF REACH OF CHILDREN.  
CAUTION: Not for use on the skin  
or hair. Consult your physician for  
the treatment of lice infestations on  
humans. See side panels for  
additional precautions.

Net wt 10 oz (283g)

R&C®  
Spray  
Lice Control  
Insecticide

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

Directions: SHAKE WELL BEFORE AND  
OCCASIONALLY DURING USE. Spray on an  
inconspicuous area to test for possible staining or  
discoloration. Inspect after drying, then proceed to  
spray entire area to be treated. Hold container  
upright with nozzle away from you. Depress valve  
and spray from a distance of 6 to 10 inches.

Spray each square foot for about three seconds.  
For mattresses, furniture or similar objects that  
cannot be laundered or dry cleaned: Spray  
thoroughly. Do not use article until spray is dry.  
Repeat treatment as necessary. Do not use in  
commercial food processing, preparation, storage  
or serving areas.

STORAGE AND DISPOSAL:

Storage: Store in a cool area away from  
heat or open flame.

Disposal: Replace cap and securely wrap container  
in several layers of newspaper and discard in trash.

427046000



BEST AVAILABLE COPY