

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- DANGER -

CORROSIVE. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruet, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. In case of personal contact, remove excess material and flush skin or eyes with cold water for ast 15 minutes. For eyes get medical attention. Remove and wash corr stated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT.

Mix only with water. Use clean, dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350-475 degrees F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

STORAGE AND.DISPOSAL:

Keep this product dry in a tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In the case of decomposition, isolate container, it possible, and flood area with large amounts of water to dissolve all materials before discarding this container. Do not contaminate food or feed by storage, disposal or cleaning of equipment

DISTRIBUTED BY: ORTEX PRODUCTS OF CALIFORNIA . ORANGE, CA. 92667

APR 3 1 1987

36284-1

POOL AID THEORINATING TABLETS

TRICHLORO-S-TRIAZINETRIONE

See other precautions and first aid

an den 🖓

· · · 904

DANGER: REACH OF CHILDREN

POOL AID CONCENTRATED CHLORINATING TABLETS

- DIRECTIONS -

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling $\dot{\ }$

- STABILIZE pool water. This is necessary to insure maximum effectiveness
 of tablets. Previously unconditioned pools should be treated with Water
 Conditioner (cyanuric acid)*.
- 2 CHECK RESIDUAL CHLORINE with a suitable chlorine test kit. If below 1.0 part per million (ppm), add Dry Chlorine (granular)* to establish residual chlorine at 1.0 to 1.5 ppm.
- 3 MAINTAIN RESIDUAL CHLORINE at 1.0 to 1.5 ppm by placing 10 Tablets for every 5,000 gallons of water into feeder every 7 to 14 days. Each table: supplies about 3 ppm available chlorine per 1,000 gallons of water. The number of tablets required for your pool may vary depending on temperature wind, rain, pool usage and feeding method. Test pool water frequently with a suitable chlorine test kit to assure the proper concentration of available chlorine fevel at 1.0 to 1.5 ppm. Adjust subsequent additions as necessary.
- MEASURE pH immediately and at least once each week with a suitable test kit. Adjust pH to 7.2 to 7.6. Use suitable agents such as Dry Acid* to reduce pH and Soda Ash* to increase pH.

*Follow instructions for use on labels of these products.

UN 2468 EPA REG. NO. 36284-1-AA EPA EST. NO. 36284-CA-1