

36284-11

07/18/2001

1/3

Front Panel

## ClearView Granular Chlorinating Concentrate 56

**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate.....99.0%

**INERT INGREDIENTS:**.....1.0%

**TOTAL:**.....100%

Available chlorine.....55%

**KEEP OUT OF REACH OF CHILDREN**


**DANGER**

SEE STATEMENT OF PRACTICAL TREATMENT AND OTHER PRECAUTIONS ON SIDE PANEL

Net Wt.

PRO PACKAGING, INC.  
TEMECULA, CA 92591

EPA Reg. No. 36284-11  
EPA Est. No. 36284-CA-1



## STATEMENT OF PRACTICAL TREATMENT

If in eyes – Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.  
If inhaled – Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on skin – Wash with plenty of soap and water. Get medical attention if irritation persists.

If swallowed – Drink promptly large quantities of water. Avoid alcohol. Get medical attention.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

## PRECAUTIONARY STATEMENTS

## Hazards to Humans and Domestic Animals

## DANGER

Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

## Environmental Hazards

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your local State Water board or Regional Office of EPA.

## Physical and Chemical Characteristics

STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate each container in open air or well-ventilated area. Flood with large volumes of water if necessary.

EMERGENCY PHONE: CHEMTREC 1-800-424-9300

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

This product is intended for use in controlling bacteria and algae in swimming pools and spas. This product should be added directly to the surface of circulating water according to the directions. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water.

Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine.

## Start Up:

Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading.

Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on the test kit reading. As a guide, for swimming pools addition of 10 ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 4 ppm (mg/L). For spas, addition of one ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 4 ppm (mg/L).

#### Shock Treatment:

**Superchlorination:** In extremely hot weather, when many people use the pool, when water becomes hazy or after heavy rains, a shock dosage of chlorine may be obtained by spreading ClearView Granular Chlorinating Concentrate 56 granules over surface of pool water. 14 ounces of ClearView Granular Chlorinating Concentrate 56 per 10,000 gallons of pool water provides approximately 6 ppm of chlorine. Note: Do not use pool until chlorine residual falls below 1 ppm.

#### Maintenance Treatment:

Add this product daily or as needed to maintain the free chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water. Weather and usage effect sanitizer levels. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L).

As a guide for swimming pools, addition of five ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L). For spas, addition of ½ ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L).

### STORAGE AND DISPOSAL

**Storage:** Keep this product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve material before discarding.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

