

[36301-3]

DIRECT

FOR HOUSE FLIES, MOSQUITOES, GNATS: For most effective results against flying insects, deliver a fine mist. For flying insects use either a rate of 2 fl.oz. for each 1,000 cu.ft. of space. Close all windows and doors. Hold the spray nozzle upward, direct the spray mist to all parts of the room and other light sources which attract these insects. Fill the room with the treated area. Keep the room closed for at least 15 minutes after treatment. Leave the room when treatment is completed. Repeat as necessary. Sweep up any fallen insects.

WASPS: Application should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

FOR CRAWLING INSECTS: Adjust sprayer to produce large wetting-type spray particles. Use either 0.25% or 0.50% pyrethrins spray.

ROACHES, WATERBUGS, SILVERFISH, FLEAS, CRICKETS, SPIDERS and ANTS: Spray directly on insects whenever possible. Direct spray into hiding places, cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray ant trails, nests and points of entry. Repeat application when reinfestation occurs.

BEDBUGS: Spray all surfaces of mattresses thoroughly with particular attention to tufts, seams and folds. Dismantle bed and thoroughly spray bedstead and box springs. All baseboards and wall cracks about the bedroom should be thoroughly treated. Repeated applications and direct spraying on the insects are necessary for control.

FLEAS: Thoroughly spray floor and floor coverings, cracks, crevices, sleeping quarters of animals, infested furniture and under edges of rugs. Repeated applications and direct spraying on the insects are necessary for control.

EXPOSED STAGES OF GRANARY WEEVILS, CONFUSED FLOUR BEETLES, ANGOUMOIS GRAIN MOTHS, CADELLES, RUST RED FLOUR BEETLES, SAW-TOOTH GRAIN BEETLES, SPIDER BEETLES, GRAIN MITES, RICE WEEVILS: Wet surfaces of the storage area thoroughly after thorough cleanup and prior to filling with grain. Hit insects directly with the spray whenever possible. Liberally spray around and under pallets to contact the insects directly with the spray. Repeat application as often as necessary. Do not apply directly to grain or oil-bearing seeds. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.

FOR: Bakeries, Flour Mills, Grain Elevators, Schools, Hospitals, Office Buildings, Mills and Food Handling Plants

ACTIVE INGREDIENTS

Pyrethrins	1.0% w/w
*Piperonyl butoxide technical	10.0%
Petroleum distillate	89.0%
	100.0%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether plus 2.0% related compounds.

CONTAINER DISPOSAL - Do not reuse empty drum. Return to drum reconditioner, or destroy by perforating or crushing and burying in a safe place away from water supplies.

...ing surface before using the facility

NOTICE: Seller and is reasonable with directions other warranty POSE, express instructions, a foreseeable to

This product not contain Apply this

Dilute to 0.10%
9 parts of petrol
Dilute to 0.25%
3 parts of petrol
Dilute to 0.50%
1 part of petrol

J-Chem INC.
HOUSTON, TEXAS
5 gal. Net



Do not spray or store near heat or open flame of feed and foodstuffs. Remove pets, birds and humans before spraying.

Equipment should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Ice Buildings,

..... 1.0% w/w
 10.0%
 89.0%
 100.0%
 (6-propylpiperonyl) ether plus 2.0% related

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DILUTION INSTRUCTIONS

- Dilute to 0.10% pyrethrins by adding 1 part by weight of the 1% concentrate to 9 parts of petroleum distillate
- Dilute to 0.25% pyrethrins by adding 1 part by weight of the 1% concentrate to 3 parts of petroleum distillate
- Dilute to 0.50% pyrethrins by adding 1 part by weight of the 1% concentrate to 1 part of petroleum distillate.

Chem INC.

TON, TEXAS

gal. Net

LECT NO.

Sep. 19, 1975

J-PYCO CONCENTR

DIRECTIONS FOR USE

MATS AND SMALL FLYING MOTHS: For
use in a good sprayer adjusted to
0.10% or 0.25% spray. Apply at
all doors and windows. Point
nozzle at ceiling, especially windows
and doors. Spray with mist, then
wait 15 minutes. Ventilate
and destroy

EPA EST. 36301-TX-1
EPA REG 36301-3

SYNERGIZED PYRETHRINS AREA

Use: Food Plants, Restaurants, S
ndling Plants.

Job

HOUSTON, TX

J-PYCON-1 CONCENTRATE

EPA EST. 36301-TX-1
EPA REG 36301-3

SYNERGIZED PYRETHRINS AREA SPRAY CONCENTRATE

Food Plants, Restaurants, Schools, Hotels, Office
and Living Plants.

Harmful if swallowed. Do
not eat or drink from
containers. Avoid contamination
of food. Cover fish aquariums.

Foods should be
washed before eating.
Do not use on
vegetables.

J-chem INC.
HOUSTON, TEXAS
5 gal. Net

[1074-7]


An effective insecticide for rapid control of flies found in homes, institutions and buildings. Food should be removed or covered up during treatment. All Food Processing surfaces should be covered during treatment or thoroughly cleaned before using. When using as a space spray in these areas, apply only when plant is not in operation. Pyrenone-Type Household Fly spray kills on contact the exposed stages of flies, mosquitoes, gnats.

For best results, use in a good spray or atomizer adjusted to deliver a fine mist.

Treat infested areas thoroughly and repeat applications as needed. Whenever possible keep doors and windows closed for 10 minutes after spraying. Do not remain in treated areas.

Ventilate the area after treatment is completed.

*Reg. U. S. Patent Office FMC



NET CONTENTS

SO- PRO- CO
KILL FLY

PYRENONE * TYPE
HOUSEHOLD FLY SPRAY

ACTIVE INGREDIENTS:	100%
Piperonyl Butoxide Technical**	0.25%
Pyrethrins	0.03%
Petroleum Oil	99.72%

** Equivalent to 0.20% of (Butylcarbityl) (6- Propylpiperonyl) ether, and to 0.05% of related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE CAUTION ON SIDE PANEL

EPA REG. NO. 1074-7

SOUTHERN PRODUCTS COMPANY
1301 Heistan Place
Memphis, Tennessee

Use in Homes, Institutions, Food Plants and Public Buildings.

In the control of flying insects, flies, mosquitoes, gnats, direct the spray toward the upper portion of the enclosure and fill the atmosphere with mist, using 2 to 3 ounces to each 1,000 cubic feet of space.

CAUTION: Harmful if Swallowed!

Contains Petroleum Distilates.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Do not use, pour, spill, or store near heat or open flame.

Remove pets, birds and cover fish aquariums before spraying.

**FOR
INDUSTRIAL USE
ONLY**

up and
 are at rest.
 as possible.
 -type spray
 IDERS and ANTS:
 o hiding places,
 s, under refriger-
 l points of entry.
 rticular attentio
 edstead and box
 ould be thoroughly
 ts are necessary.
 evises - sleeping
 epeated applica-
 ion.
 OUR BEETLES,
 BEETLES, SAW-
 RICE WEEVILS:
 inup and prior to
 er possible. Lib-
 directly with the
 directly to grain
 argated or treated
 for this purpose.
 AREA AFTER

SYNOPSIS


FOR: Bakeries, Mills and Food Handling Plants, Office Buildings,

ACTIVE INGREDIENTS

Pyrethrins	1.0% w w
*Piperonyl butoxide technical	10.0%
Petroleum distillate	89.0%
	100.0%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether, plus 2.0% related compounds.

CONTAINER DISPOSAL - Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.


J-Chem INC.
 HOUSTON, TEXAS
 5 gal Net

KEEP OUT OF REACH OF CHILDREN
 Do not spray or store near heat or open flame.
 of feed and foodstuffs. Remove pets, birds and
 ums before spraying.
 should be removed or covered during treatment. All food proces-
 g surfaces should be covered during treatment or thoroughly cleaned
 before using. When using the product in these areas, apply only when
 the facility is not in operation.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DILUTION INSTRUCTIONS

Dilute to 0.10% pyrethrins by adding 1 part by weight of the 1% concentrate to 9 parts of petroleum distillate.
 Dilute to 0.25% pyrethrins by adding 1 part by weight of the 1% concentrate to 3 parts of petroleum distillate.
 Dilute to 0.50% pyrethrins by adding 1 part by weight of the 1% concentrate to 1 part of petroleum distillate.

LOT NO.

Sep. 19, 1975