## **PRECAUTIONARY** STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS CAUTION

Hamful if swallowed. Alay be absorbed throught skin. Do not breighe spray mist. Do not get in eyes, on sun or on clothing. Wash throughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestical. Do not permit chill en or pets to go onto the sprayed grass until sp ay has

### **ENVIRONMENTAL HAZARDS**

This product is some to fish, birds and other wildlife. Birds and other wildlife areas may be killed. Keep out of lakes, streams, or ponds. To fish where morell in lakely to occur. Do not apply when weather constitutes favor drift from areas treated. Do not contaminate water by clear ment, or disposal of wastes. Apply this product only as speci

### PHYSICAL OR CHEMICAL **HAZARDS**

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

or chemically reprocessed should be disposed of in a landfill approved for ticides or buried in a safe place away from water supplies

er Disposal: Triple time (or equivalent) and offer for recycling. ioning, or disposal in approved landfill or bury in a safe place Ceneral: Consult Federal, State or Local disposal authorities for appro

Sirpint of Methosychlor E-2 in 3 gallons of water or 1 gallon of Methosychlor E-2 in 50 gallons of water. Agitate thoroughly and apply as dip or with an effective sprayer. using a driving spray of medium sized droplets. Use about 2 quarts of spray per beef arishal and a proportionate amount for smaller arismals. Repeat treatment as needed for continued control. For the control of sheep and goat lice, apply the above solution as a dip, making sure each animal is held in var at least 2 minutes and submerged twice during dipping.

Do not apply to factating goats. Do not apply to dairy cattle. Do not dip calves under 1

# METHOXYCHLOR

Contains Methoxychter 2 Lbs. Per Gallon

CEPTED VE INCREDIENTS:

Methoy hor\* Technical ... .7 1981

This pesticide is highly tous: to bees exposed to direct treatment of the Foderal Insecticide.

This pesticide is highly tous: to bees exposed to direct treatment of the Foderal Insecticide.

This pesticide is highly tous: to bees exposed to direct treatment of the Foderal Insecticide.

The Foderal Insecticide Act, supplicit the Foderal Insecticide Act, said and Rodenticide Act,

trichloroethane and 3% ofter isomers and related compounds.

# KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

If swallowed- Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glass of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin- Wash immediately with soap and water.


If in eyes - Flush eyes for at least 15 minutes with water. Call a physician immediately See side/back panels for additional precautionary statements

EPA Reg. No. 36480-15

**NET CONTENTS GALLON** 

EPA Est. No.

Manufactured by:



MID AMERICA CHEMICAL CO., INC. 402 South Fifth Street Leavenworth, Kansas 66048

and in th E-2 with Occasio

cracks basebo

trash. with 4

DO N for t apply

Metho

SUM 14 Me