

7

7

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin or clothing. Do not breathe fumes. Rapidly absorbed through skin. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves, protective clothing and goggles or face shield. Keep all unprotected persons out of operational area. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U. S. Bureau of Mines) and by the National Institute for Occupational Safety & Health, under the provisions of 30CFR Part II, for DDVP protection. Remove pets and cover fish bowls (tanks) before spraying. Do not allow children or pets to contact treated areas until spray has dried.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning equipment or disposal of wastes. Keep out of lakes, streams and ponds.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or flame.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOUSEHOLD PEST CONTROL:

"Do not use in the edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed."

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. **Pesticide Disposal:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Metal (all sizes)

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

NOTE TO PHYSICIAN AND ANTIDOTE STATEMENTS

WARNING SYMPTOMS: Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation sweating, nausea, vomiting, diarrhea and abdominal cramps.

ANTIDOTE AND FIRST AID TREATMENT: Atropine is the emergency antidote for DDVP insecticide poisoning. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation if there are signs of parasympathetic stimulation. Atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mgs. until may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed, as determined by blood test.

MACCO

DV - 1 INSECTICIDE

Contains Dursban* & DDVP

Only for sale to, Use and Storage by Commercial Applicators

ACTIVE INGREDIENTS:

Chlorpyrifos[0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 13.00%
2,2-dichlorovinyl dimethyl phosphate 4.82%
Related Compounds 0.37%
Xylene Range Aromatic Solvent 7.29%
Xylene 68.68%

INERT INGREDIENTS: 5.84%

TOTAL 100.00%



KEEP OUT OF REACH OF CHILDREN

**POISON
DANGER**



SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Dursban - Trademark of the Dow Chemical Co. U.S. Patent No. 3,244,586

STATEMENT OF PRACTICAL TREATMENT

If swallowed- Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person."

If inhaled- Remove victim to fresh air. Apply respiration if indicated.

If on skin- Wash immediately with soap and water

If in eyes Flush eyes for at least 15 minutes with water. Call physician immediately.

SEE NOTE TO PHYSICIAN AND ANTIDOTE STATEMENT

See side and back panels for additional precautionary statements.

GALLONS (Liters)

NET CONTENTS

EPA Reg. No. 36480-20

EPA Est. No

Manufactured by:

MACCO

MID AMERICA CHEMICAL CO., INC.

402 South Fifth Street
Leavenworth, Kansas 66048

Gallons of Spray.
Mixture Desired

FOR WATER
BASE

1
3
5
10

Gallons of Spray.
Mixture Desired

FOR OIL BASE*

1
3
5
10

*NOTE: 1 fluid oz.
**Calculated on 100%

GENERAL: Apply at
0-50°s. Chlorpyrifos
Chlorpyrifos spray

Do not use in the
restaurants or other
prepared. Do not use

Application within
buildings and in non-
buildings including
plants and warehouse
or with a paint brush
firebrats, silverfish
dark corners of room
and behind basebo
and cabinets, area
apply to ant trails
these pests may be

For control of Bro.
a spot treatment to
nearby cracks and
door frames and lo
pests may be pre
replaced with clea
this product

Flies and Mosquito
annoyance from the
outside surfaces of
these pests may b
and localized resi
mosquitoes may
diminishes

MASS
skin or eyes. Do
and water before
and hot water
and goggles or
area. Wear a
ent and Safety
nal Institute for
art II, for DDVP
aying. Do not
dried.

ne, tightness in
ion, sweating,

e and birds. Do
tes. Keep out of

heat or flame.

onsistent with its

essing plants,
processed or
ed."

ge or disposal.
cannot be used
Federal, State
covery Act.

onditioning, or
State and local

EMENTS
es, tightness
on sweating,

ency antidote
TELY IN ALL

oice against
asymptomatic
als, in doses
th Atropine.

arning, cause
ase inhibitor.
een allowed.

MACCO

**DV - 1
INSECTICIDE**

Contains Dursban* & DDVP

Only for sale to, Use and Storage by Commercial Applicators

ACTIVE INGREDIENTS:

Chlorpyrifos[0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	13.00%
2,2-dichlorovinyl dimethyl phosphate	4.82%
Related Compounds	0.37%
Xylene Range Aromatic Solvent	7.29%
Xylene	68.68%
INERT INGREDIENTS:	5.84%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
POISON
DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.
Dursban -- Trademark of the Dow Chemical Co. U.S. Patent No. 3,244,586

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person."

If inhaled: Remove victim to fresh air. Apply respiration if indicated.

if on skin: Wash immediately with soap and water

if in eyes: Flush eyes for at least 15 minutes with water. Call physician immediately

SEE NOTE TO PHYSICIAN AND ANTI-DOTE STATEMENT
See side and back panels for additional precautionary statements

GALLONS () Liters)

NET CONTENTS

EPA Reg. No. 36480-20 EPA Est. No. Manufactured by:

MACCO

MID AMERICA CHEMICAL CO., INC.
402 South Fifth Street
Leavenworth, Kansas 66048

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 29 1982

DILUTION RATES FOR USE:

Fluid Ounces to Use for spray containing:

Gallons of Spray, Mixture Desired	0.25% Chlorpyrifos	0.50% Chlorpyrifos
1	2-2 1/2 OZ.	5-5 1/2 OZ.
3	8 OZ.	16 OZ.
5	13-1 1/2 OZ.	26-2 1/2 OZ.
10	26-2 1/2 OZ.	53-1 1/2 OZ.

FOR WATER BASE

Fluid Ounces To Use for spary containing:*

Gallons of Spray, Mixture Desired	0.25% Chlorpyrifos	0.50% Chlorpyrifos
1	2 OZ.	4 OZ.
3	6 OZ.	12 OZ.
5	10 OZ.	20 OZ.
10	20 OZ.	40 OZ.

FOR OIL BASE**

*NOTE: 1 fluid ounce equals 2 tablespoonsful, equals 6 teaspoonsful.
**Calculated on basis of Deodorized Kerosene.

GENERAL: Apply as a dilute spray. Mist as per Dilution Chart. Use a 0.50% Chlorpyrifos solution for heavy infestations. Use a 0.25% Chlorpyrifos spary for light infestations

Do not use in the edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed

Application within residential buildings, including homes and apartment buildings and in non-food areas of industrial, institutional and commercial buildings including non-food areas of hospitals, stores, manufacturing plants and warehouses. For spot treatment only—Apply as a coarse spray or with a paint brush to localized areas where cockroaches, ants, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance

For control of Brown Dog Ticks, thoroughly apply a Concentrate Spray as a spot treatment to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering, where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product

Flies and Mosquitoes Use only out-of-doors as an aid in reducing annoyance from these insects. Thoroughly apply a Concentrate Spray to outside surfaces of window and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where flies and mosquitoes may congregate. Repeat treatment when effectiveness diminishes