

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

HARMFUL IF INHALED OR SWALLOWED. Avoid breathing dust. Do not take internally. Skin contact may be harmful. Avoid contact. Wash hands and face before eating. Take a shower bath after work. Wear goggles and sleeve work clothing. Change to clean clothing daily.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. AVOID CONTAMINATION OF HAND, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by leaching of equipment or disposal of wastes. Apply this product only as specified on this label.

This Product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal.
Pesticide Disposal: Pesticide in its original container that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Container Disposal: Triple rinse or equivalent and offer for recycling or other reuse or dispose of in a sanitary landfill or other approved State or local procedures.
General Comment: Federal, State or local disposal regulations may apply. Consult your local or State health department for approved alternative procedures.

MACCO

5% SEVIN BAIT

ACTIVE INGREDIENT:

Carbaryl, (1-Naphthyl Methylcarbamate) 5% by wt.

INERT INGREDIENTS: 95% by wt.

SEVIN is the registered trade mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink one or two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED - Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly.


IF IN EYES - Rinse eyes for at least 15 minutes with water and call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS:
EPA Reg. No. 36480-37

GALLONS:
EPA Est No.

Manufactured by:



MID AMERICA CHEMICAL CO., INC.
402 South Fifth Street
Leavenworth, Kansas 66048

RECEIVED

ACCEPTED

NOV 6 1981

EPA Reg. No. 36480-37

MACCO

5% SEVIN BAIT

ACTIVE INGREDIENT:

Carbaryl, (1-Naphthyl Methylcarbamate) 5% by wt.

INERT INGREDIENTS: 95% by wt.

SEVIN is the registered trade mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink one or two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED - Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES - Rinse eyes for at least 15 minutes with water and call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS:
EPA Reg. No. 36480-37

GALLONS
EPA Est No.

Manufactured by

MACCO

MID AMERICA CHEMICAL CO., INC.
402 South Fifth Street
Leavenworth, Kansas 66048

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN residues when SEVIN is used in accordance with label directions.

If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat in excess of established tolerances.

DIRECTIONS FOR USE

Broadcast application may be made with either ground equipment or aircraft. Treatments may be repeated as necessary. Dosages from 20 to 48 pounds per acre of Bait will control cutworms, armyworms, field crickets, darkling beetles, grasshoppers, sowbugs and ants.

CROP	PRE-HARVEST INTERVAL (DAYS)	
	RATE	
Bean Vines	20-48 lbs/acre	14
Carrot Tops	20-48 lbs/acre	14
Pea Vines	20-48 lbs/acre	14
Sugar Beet Tops	20-48 lbs/acre	14
Corn Forage	20-48 lbs/acre	14
Cotton Forage	20-48 lbs/acre	14