Revision Date: September 26, 1984

Ć

(

(

Č

- FRONT PANEL - PRODUCT #111 - EPA REG. NU. 36488-1



100.000

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

	Reuter Laboratories, Inc. 14540 John Marshall Highway
(800) 368-2244	Gainesville, VA 22066
EPA REG. NO. 36488-1 EPS EST. NO. 36488-VA-1	Net Wt 4 lbs
	36188-1

RIGHT SIDE PANEL PRODUCT #111 EPA REG. NO. 36488-1

Revision Date: September 26, 1984

(

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Avoid inhalation of powder or contact with e es or open wounds. Wash hands after use.

ENVIRONMENTAL HAZARDS: Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP AND DISPOSAL

- SIORAGE Reclose container and store in a cool, dry place.
- DISPOSAL: Discard empty container according to local refuse regualtions
- NOTIC: Reuter Laboratories makes no warranty, express or implied, for any particular purpose concerning this material, other than those which are contained on this label.

Proof of Purchase

UPC CODE 79347-00111

NATURAL PEST CONTROLS THAT WORK

Revision Date: September 26, 1984

BACT FAMIL PEODUCT #111 EPA REG. NO. 36488-1

REUTER GRANULAR GRUE ATTACYTM

Reuter Granular Grub Attack^{IM} is a natural way to rid your lawn of Japanese beetle grubs, certain May and June beetle grubs and grubs of the Oriental beetle and Rose chafer (See Consumer Note Below). Grubs attacked by this product develop Milky Spore disease, produce billions of new spore, become sick and die.

Spores released from dead grubs spread the disease throughout your lawn. Two to three years are required for population control. Your lawn will then be protected from Japanese beetle grubs for 15 to 20 years.

This product appears to have no adverse effects on earthworms or beneficial insects, such as lady bugs and praying mantids.

DIRECTIONS FOR APPLICATION:

This product is specially formulated as granules for application with your fertilizer spreader at the rates recommended below. This package will cover 2,500 square feet of lawn area. After application, water the treated area for 20 to 30 minutes to allow spores to enter the ground.

May be applied anytime the ground is not frozen.

Grub Attack is effective on larvae (white grubs) of the following beetles:

Japanese Beetle	Consumer Note: Contact your
Certain May and June Beetles	County Extension Agent who will
Oriental Beetle	tell you which grubs in your area
Rose Chafer	are affected by Milky Spore disease.

Can be used on lawns, turf, pastures, orchards and other grassy areas.

APPLICATION RATES:

чC

Fertilizer Spreader	Settings
Show & Tell Model 105	6
Jet Spread & Cyclone	4
Scotts Drop Spreader	4 3/4
Ortho Drop Spreader	4 1/2
Ortho Rotary	4
Scotts Rotary	D
Scott 35, 75, 100 Automatic	3 3/4
Sears Drop	6
Sears Rotary	3 3/4
Jackson Drop	5
Modern	3

Four pounds treats 2,500 square feet, 8 pounds covers 5,000 square feet, 50 pounds covers 31,250 square feet.

NATURAL PEST CONTROLS THAT WORK

LEFT SIDE PANEL PRODUCT # 111 EFA REG. NO, 36488-1


Revision Date: September 26, 1984

(

(

(

(



THE FARL PRODUCT TITL FRATEC. NOT BOOTST

Revision Date: September 26, 1984

(

C

(

(

