

MILKY SPORE POWDER **PLUS** 2½ Pound Front Panel

3/16/83 SSF

MILKY SPORE POWDER - **PLUS**

Control of Japanese Beetle larvae  
in lawns, turf, and large grassy areas.

Active Ingredients:

Spores and vegetative cells of Bacillus  
popilliae Dutky. .... 0.2149 %

Spores and vegetative cells of Bacillus  
thuringiensis Berliner. .... 0.1900 %

.0015  
7836 } SSF  
3/14/83

Inert Ingredients:.. .... 99.5865 %  
Total. .... 100.0000 %

Contains not less than 200 million viable spores and vegetative cells of Bacillus popilliae Dutky and Bacillus thuringiensis Berliner per gram of powder.

Keep Out of Reach of Children  
CAUTION

See side panel for additional  
precautionary statements.

Net Wt. 2½ lbs. (1.13 kg.)  
Treats 10,000 sq. ft.

EPA Est. No. 36488VA01

EPA Reg. No. 36488-

36488-18

MILKY SPORE POWDER - + 2 1/2 Pound Side Panel

---

PRECAUTIONARY STATEMENTS

Hazard to Humans  
and Domestic Animals  
Caution:

Avoid inhalation of powder or contact with  
eyes or open wounds.

Environmental Hazards

Do not apply directly to water or  
contaminate water by washing of  
equipment.

Manufactured by:

Reuter Laboratories  
2405 James Madison Highway  
Haymarket, VA 22069  
(703) 754-4167

MILKY SPORE POWDER - 4

2½ Pound Back Panel

---

#### THE JAPANESE BEETLE

Adult Japanese Beetles lay eggs in open grassy areas. The eggs hatch into grubs which eat the roots of the grass during the growing season, and cause extensive bare spots. Grubs grow up to be beetles which destroy foliage, fruit and flowers. The Japanese Beetle feeds on more than 275 different plants, shrubs and trees. This rampant infestation is best prevented by attacking the grub which is the weakest link in the life cycle of the beetle.

MILKY SPORE POWDER +

2½ Pound , side panel

---

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Shake up container until contents fill it. Shake up again after using about one third of contents. Powder packs down easily.
2. Apply one level measuring teaspoon of MILKY SPORE POWDER + on top of grass in spots every four feet in rows four feet apart.
3. Treat grass and soil any season of the year when the ground is not frozen.
4. Water the area you have treated for 15 to 25 minutes to assist the material to enter the ground.
5. This container covers 10,000 square ft.: Use one pound for 4000 sq. ft. of area and ten pounds per acre.





Areas between spots will be inoculated naturally. Maximum control cannot be expected until the entire area is inoculated. Allow 3 to 4 years for optimum spreading of the milky spores through the soil.

#### STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed through storage or disposal.

1. Store this product in a dry area out of direct sunlight. Keep lid tightly closed. Product is not to be used in areas that are wet from moisture.
2. Do not apply directly to water or containers used for washing of equipment. Do not use empty container. Wrap lid in plastic or other suitable material.

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION /MH 567/ WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	11/18/83
<b>NOTICE OF PESTICIDE:</b> REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act)	NAME OF PESTICIDE PRODUCT	
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	
<div style="text-align: right; font-size: 2em;">           161 / 90723            18 / 1         </div>		
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<div style="text-align: center;">        </div>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

f. The variety of B.t. must be specified.

g. Larger container sizes (25 lb and above) would be hard to wrap and discard in trash. These containers need the full disposal statement (see attachment).

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Franklin D. K. Gee  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosures