


193

LABEL AMENDMENT
October 19, 1984

FRONT
PRODUCT #163



A natural
and effective
way to kill
worms and
caterpillars quickly

Vegetable
Insect
Attack



REUTER **SPRAY**

ACTIVE INGREDIENT: *Bacillus thuringiensis* Berliner, var. *kurstaki*, primary powder fermentation product, potency of 8,600 International Units per milligram of product (equivalent to 35 billion International Units per gallon of product).....10%
 INERT INGREDIENTS.....90%

CAUTION: Do not let children play with this product
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured in USA by Reuter Laboratories, Inc.
 Gainesville, Virginia

EPA Reg. No. 36488-22

EPA Est. No. 36488-VA-01

NET WT. 8 oz

DEC 4 1984
 36488-22

273

LABEL AMENDMENT
October 19, 1984


SIDE PANEL
PRODUCT # 163 F.C.
EPA #36488-22

PRECAUTIONARY
STATEMENTS

CAUTION

HAZARDS TO HUMANS:

Avoid inhalation and contact with eyes or
open wounds.



Label amendment, October 19, 1984

373

REUTER
VEGETABLE INSECT ATTACK™

BACK PANEL
PRODUCT #163 F.C.
EPA #36488-22

Reuter Vegetable Insect Attack spray is a natural, effective control for caterpillars and worms. Worms feeding on treated plants quickly become sick, stop feeding and die.

This product appears to have no adverse effects on earthworms or on beneficial insects, such as ladybugs and praying mantids.

CAN BE USED UP TO DAY OF HARVEST AND DURING STORAGE, SINCE THERE APPEAR TO BE NO HARMFUL RESIDUES.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is specially formulated for use on fruits and vegetables as a spray. It is best applied with a tank, hose-end or hand sprayer.

Reuter Vegetable Insect Attack spray provides best control when worms and caterpillars are newly hatched. Thorough leaf coverage is important to achieve effective control.

For cutworms and armyworms, apply to foliage and soil around the plant.

For fruit and citrus trees, cover foliage thoroughly to the point of runoff.

APPLICATION RATES:

Mix two (2) teaspoons per gallon of water for all listed uses. Simply mix the proper amount of liquid material with the recommended amount of water. Mix thoroughly and agitate frequently during application. Do not store diluted spray for more than 12 hours. Repeat application every 7 days or as needed.

USE ON THESE VEGETABLES


TO CONTROL THESE INSECTS

Field and Greenhouse Vegetables Including:

Broccoli	Spinach	Collard	Armyworms
Cauliflower	Kale	Lettuce	Tomato fruitworm/Corn earworm/Bollworm
Turnips	Turnip Greens	Beets	Variigated cutworm
Celery	Mustard Greens	Beans	Salt marsh caterpillar
Cabbage	Brussel Sprouts	Peas	Mimosa webworm
Chinese Cabbage	Sweet Potato		Tobacco budworm
Kohlrabi	Endive	Sweet Corn	Loopers, Melonworm, Pickleworm
Tomatoes	Peppers	Eggplant	Diamondback moth
Escarole	Lentils	Potato	Imported cabbageworm
Carrots	Cucumbers		Green cloverworm
Melons	Squash		Hornworm

USE ON THESE FRUITS

Grapes	Blueberries	Grapeleaf skeletonizer
Blackberries	Currants	Loopers, Salt marsh caterpillar
Raspberries		Grape leaf folder/Leafroller
Strawberries		Hornworms
Dewberries		Gypsy moth
Peaches	Plums	Walnut caterpillar
Cherries	Walnuts	Leafrollers
Almonds	Pecans	Cankerworms
Filberts		Tent caterpillars
Apples	Pears	Redhumped caterpillar
Avocados		Fall webworm
Citrus	Tropical Fruits	Orange dog



STORAGE AND DISPOSAL:

Storage: Reclose the container of unused product and store in a cool, dry area.

Disposal: Do not reuse empty package. Do not contaminate food or potable water by disposal. Discard according to local refuse regulations.

NOTICE: Reuter Laboratories makes no warranty, express or implied for any particular purpose concerning this material, other than those which are contained on this label.

MANUFACTURED IN USA BY: Reuter Laboratories, Inc.
14540 John Marshall Highway
Gainesville, VA 22065

Proof of Purchase


UPC CODE
79347-00163

LABEL AMENDMENT
October 19, 1984

FRONT
PRODUCT #163

36488-22 FRONT

123
0



A natural
and effective
way to kill
worms and
caterpillars quickly

Vegetable
Insect
Attack



REUTER **SPRAY**

ACTIVE INGREDIENT: *Bacillus thuringiensis* Berliner, var. *kurstaki*, primary powder fermentation product, potency of 8,800 International Units per milligram of product (equivalent to 35 billion International Units per gallon of product) 101
INERT INGREDIENTS..... 901

CAUTION. Do not let children play with this product
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured in USA by Reuter Laboratories, Inc
Gainesville, Virginia

EPA Reg. No. 36488-22

EPA Est. No. 36488-VA-01

NET WT 8 oz

DEC 4 1984
36488-22

273

LABEL AMENDMENT
October 19, 1984

SIDE PANEL
PRODUCT # 163 F.C.
EPA #36488-22

PRECAUTIONARY
STATEMENTS

CAUTION

HAZARDS TO HUMANS:

Avoid inhalation and contact with eyes or
open wounds.

2 4 1984
36488-22

Label amendment, October 19, 1984

373

REUTER
VEGETABLE INSECT ATTACK™

BACK PANEL
PRODUCT #163 F.C.
EPA #36488-22

Reuter Vegetable Insect Attack spray is a natural, effective control for caterpillars and worms. Worms feeding on treated plants quickly become sick, stop feeding and die.

This product appears to have no adverse effects on earthworms or on beneficial insects, such as ladybugs and praying mantids.

CAN BE USED UP TO DAY OF HARVEST AND DURING STORAGE, SINCE THERE APPEAR TO BE NO HARMFUL RESIDUES.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is specially formulated for use on fruits and vegetables as a spray. It is best applied with a tank, hose-end or hand sprayer.

Reuter Vegetable Insect Attack spray provides best control when worms and caterpillars are newly hatched. Thorough leaf coverage is important to achieve effective control.

For cutworms and armyworms, apply to foliage and soil around the plant.

For fruit and citrus trees, cover foliage thoroughly to the point of runoff.

APPLICATION RATES:

Mix two (2) teaspoons per gallon of water for all listed uses. Simply mix the proper amount of liquid material with the recommended amount of water. Mix thoroughly and agitate frequently during application. Do not store diluted spray for more than 12 hours. Repeat application every 7 days or as needed.

USE ON THESE VEGETABLES

TO CONTROL THESE INSECTS

Field and Greenhouse Vegetables Including:

Broccoli	Spinach	Collard	Armyworms
Cauliflower	Kale	Lettuce	Tomato fruitworm/Corn earworm/Bollworm
Turnips	Turnip Greens	Beets	Variigated cutworm
Celery	Mustard Greens	Beans	Salt marsh caterpillar
Cabbage	Brussel Sprouts	Pears	Mimosa webworm
Chinese Cabbage	Sweet Potato		Tobacco budworm
Kohlrabi	Endive	Sweet Corn	Loopers, Melonworm, Pickleworm
Tomatoes	Peppers	Eggplant	Diamondback moth
Escarole	Lentils	Potato	Imported cabbageworm
Carrots	Cucumbers		Green cloverworm
Melons	Squash		Hornworm

USE ON THESE FRUITS

Grapes	Blueberries	Grapeleaf skeletonizer
Blackberries	Currants	Loopers, Salt marsh caterpillar
Raspberries		Grape leaf folder/Leafroller
Strawberries		Hornworms
Bowberries		Gypsy moth
Peaches	Plums	Walnut caterpillar
Cherries	Walnuts	Leafrollers
Almonds	Pecans	Cankerworms
Filberts		Tent caterpillars
Apples	Pears	Redhumped caterpillar
Avocados		Fall webworm
Citrus	Tropical Fruits	Orange dog

36488-22
 REUTER
 DEPT. 10
 GAINESVILLE, VA
 36488-22

STORAGE AND DISPOSAL:

Storage: Reclose the container of unused product and store in a cool, dry area.

Disposal: Do not reuse empty package. Do not contaminate food or potable water by disposal. Discard according to local refuse regulations.

NOTICE: Reuter Laboratories makes no warranty, express or implied for any particular purpose concerning this material, other than those which are contained on this label.

MANUFACTURED IN USA BY: Reuter Laboratories, Inc.
14540 John Marshall Highway
Gainesville, VA 22065

Proof of Purchase

1 (800) 368-2244

UPC CODE
79347-00163

NATURAL PEST CONTROLS THAT WORK