U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDE PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

NOTICE OF PESTICIDE: ☑ REGISTRATION / ☐ REREGISTRATION

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended

EPA REGISTRATION NO.

DATE OF ISSUANCE SEP 1 1984

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

RD:W.E.Nelson:DCR-45294:WANG-0574K:KIM:Raven:479-2013:9/14/84:Del.9/30/84

A natural way to rid your lawn of destructive sod webworms.

36488-27

Sod Webworm Attack™

REUTER SPRAY

ACTIVE INGREDIENT Bacillus thuringiensis Berliner, var kurstaki, primary powder fermentation product, potency of 8,800 International Units per milligram of product (equivalent to 35 billion International Units per gallon of product) 10%

INERT INGREDIENTS 90%

CAUTION: Do not let children play with this product

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured in USA by Reuter Laboratories, Inc
Gainesville, Virginia

EPA Reg No 36488-ET

EPA Est No. 36488-VA-01

NET WT 8 oz

SIDE PANEL
PRODUCT #
EPA #36488-

PRECAUTIONARY
STATEMENTS

HAZARDS TO HUMANS:

Avoid inhalation and contact with eyes or open wounds.

BACK PANEL
PRODUCT #162.F.C.
EPA #36488-ET

REUTER
SOD WEBWORM ATTACK™

Sod Webworm Attack™ spray is a natural, effective control for sod webworms. Sod webworms feeding on treated grass quickly become sick, stop feeding and die.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is specially formulated for use on lawns as a spray. Application is best with a tank or hose-end sprayer.

Sod webworms emerge in spring and begin feeding on grass blades just above the soil surface. Damage appears as small brown patches. Using a flashlight, they are easily found at night. In mid summer, adult moths lay eggs randomly in the lawn. This creates the most damaging second generation which appears in late summer.

For best results, apply Sod Webworm Attack™ in the evening when worms begin to feed. Thorough coverage of the grass blades is important to achieve effective control.

Sod Webworm Attack™ spray also controls most other worms and caterpillars in the lawn. This product appears to have no adverse effects on earthworms or on beneficial insects, such as ladybugs and praying mantids.

APPLICATION RATES:

This package will cover 5,000 sq. ft. of lawn area. Mix three (3) tablespoons per gallon of water. Do not store diluted spray for more than 12 hours.

Tablespoons	Gallons of Water	Sq. Ft. of Coverage
3	1	1,000
6	2	2,000
12	4	4,000
15	5	5,000

One application will effectively control the sod webworm population that is present at the time of application. Second or third generations may appear. This requires a separate application.

STORAGE AND DISPOSAL:

Storage: Reclose the container of unused product and store in a cool, dry area.

Disposal: Do not reuse empty package. Do not contaminate food or potable water by disposal. Discard according to local refuse regulations.

NOTICE: Reuter Laboratories makes no warranty, express or implied for any particular purpose concerning this material, other than those which are contained on this label.

MANUFACTURED IN USA BY: Reuter Laboratories, Inc.
14540 John Marshall Highway
1 (800) 368-2244 Gainesville, VA 22065

Proof of Purchase

UPC CODE
79347-00162

NATURAL PEST CONTROLS THAT WORK