

107-4-0000

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE:

REGISTRATION
 REREГИSTRATION

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint text]
 [Faint text]

161 / 133 685
18 / 1

NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 5(b)(5). That you
Submit and cite all data required for registration/reregistration under FIFRA sec. 5(b)(5) with the Agency within all requirements for similar products to submit such data.
Please enclose "EPA Registration Form 85-57-29" to your label with the product or shipment.
Three (3) copies of your printed labeling, referred to on the product shipment, and to the A-79 Enclosure for a list of conditions of the printed labeling.
If these conditions are not complied with, the registration will be suspended in accordance with FIFRA sec. 5(b)(5). Your release for sale of this product constitutes acceptance of these conditions.
A copy of the label is enclosed for your records.

[Faint signature and text]

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

A natural way to
kill gypsy moths,
tent caterpillars,
and inch worms
on trees, shrubs
and flowers.



Caterpillar Attack™

OCT 19 1984

36488-29

REUTER **SPRAY**

ACTIVE INGREDIENT: Bacillus thuringiensis Berliner, var. kurstaki, primary powder
fermentation product, potency of 16,000 International Units per milligram of product
(equivalent to 7.3 billion International Units per pound of product)..... 20%

INERT INGREDIENTS:..... 80%

CAUTION: Do not let children play with this product
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.
Manufactured in USA by Reuter Laboratories, Inc.
Gainesville, Virginia

EPA Reg. No. 36488-EO
EPA Est. No. 36488-VA-01

NET WT 4 oz

SIDE PANEL
PRODUCT # 164 W.P.
EPA #36488-10

PRECAUTIONARY
STATEMENTS

HAZARDS TO HUMANS:

Avoid inhalation and contact with eyes or
open wounds.

EPA # 4961
EPA # 4964 w.m.
EPA # 4964-10

REUTER
CATERPILLAR ATTACK™ SPRAY

for use on ornamental plants, such as trees, flowers and shrubs

Reuter Caterpillar Attack™ Spray is a natural, effective control for caterpillars and worms, such as gypsy moth and tent caterpillars. Caterpillars feeding on treated foliage quickly become sick, stop feeding and die.

This product appears to have no adverse effects on earthworms or on beneficial insects, such as ladybugs and praying mantises.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is specially formulated for use on trees and shrubs as a spray. It is best applied with a tank or hose-end sprayer.

Reuter Caterpillar Attack™ provides best control when caterpillars are newly hatched. Therefore, apply at first sign of infestation. Thorough leaf coverage is important to achieve control. Spray both top and bottom of leaves to the point of runoff.

APPLICATION RATES:

Mix 2 teaspoons per gallon of water for all listed uses. Simply mix the proper amount of wettable powder with a similar amount of water. Mix into a thin paste. Then add the balance of water required. Do not store diluted spray for more than 12 hours. Repeat application every 7 days or as needed. Mix thoroughly and agitate frequently during application.

Can be used on all ornamental trees, shrubs and flowers.

Reuter Caterpillar Attack™ will effectively control the following insects on ornamental plants:

GYPSY MOTH	Redhumped caterpillar	Saddleback Caterpillar
TENT CATERPILLARS	Oleander moth	Leafrollers
BAGWORMS	Jack pine budworm	Film spanworm
INCHWORMS	Io moth	Diamondback moth
FALL WEBWORMS	Tobacco budworm	Douglas fir moth
SPRUCE BUDWORM	Bollworm	Western Spruce budworm
Mimosa webworm	Corn earworm	Pine butterfly
Canker worms	Western tussock moth	Armyworms
Oakworms	Hornworms	

STORAGE AND DISPOSAL:

Storage: Reclose the container of unused product and store in a cool, dry area

Disposal: Do not reuse empty package. Do not contaminate food or potable water by disposal. Discard according to local refuse regulations

NOTICE: Reuter Laboratories makes no warranty, express or implied, for any particular purpose concerning this material, other than those which are contained on this label.

MANUFACTURED IN U.S.A. by	Reuter Laboratories, Inc.	Dept. of Agriculture
	14840 John Marshall Highway	
1 (800) 368-2744	Gainesville, VA 22905	
		7/8/84

NATURAL PEST CONTROL THAT WORKS