

36488-33

02/11/2003

1/4

EPA Reg. No. 036488-00033

Draft Label Amendment

June 5, 2002

Page 1 of 4

MASTER LABEL-FRONT PANEL (Page #1 of 1)

ACCEPTED

FEB 11 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act and for the pesticide registration under EPA Reg. No. 36488-33

Ringer® Aphid-Mite Attack® for Roses and Flowers

[Additional Brand Names]

Safer® Brand Rose & Flower Insect Killer Ready-To-Use

Kills Aphids, Mealybugs, Mites, Whiteflies and other listed pests. (See Back Panel)
Contains Insecticidal Soap

ACTIVE INGREDIENT:	BY WT.
Potassium Salts of Fatty Acids.....	1.50%*
OTHER INGREDIENTS:.....	98.50%
TOTAL.....	100.00%

*Includes 1.09% as potassium oleate and 0.41% as potassium salts of other fatty acids.

Keep out of reach of children.

(See back panel for additional precautionary statements)

Net contents: 8 fl. oz, 12 fl. oz, 16 fl. oz., 24 fl. oz., 64 fl. oz., 1 gal (128 fl. oz.)

General:

Ringer® Aphid-Mite Attack® for Roses & Flowers is a contact insecticide that provides rapid mortality of susceptible insects. Aphid-Mite Attack® quickly penetrates the insect's body and disrupts the normal function of both cells and membranes. The net effect of this unique action is that the contents of the cells are lost and rapid death occurs. Ringer Aphid-Mite Attack® is active only in the liquid state and only as a contact spray. No insecticidal activity should be expected once the spray solution has dried. As is common with most contact insecticides, Ringer Aphid-Mite Attack® is effective on adult and immature stage of susceptible insects.

Ringer Aphid-Mite Attack® is a pure soap consisting of 1.50% potassium salts of fatty acids manufactured by treating selected natural fatty acids with a potassium base. The inert ingredients are a combination of water and alcohol, and a pleasant citrus fragrance.

EPA Reg. No. 036488-00033
Draft Label Amendment
June 5, 2002
Page 2 of 4
MASTER LABEL- BACK PANEL (Page 1 of 3)

Aphid-Mite Attack® by Ringer® is an effective spray that kills aphids, mites and other insects on roses, flowers, shade trees and ornamental plants.

Aphid-Mite Attack® is a specially formulated combination of fresh scented aromatics and insecticidal soaps. These ingredients kill pests and provide a pleasant, fresh fragrance, and are gentle on blossoms.

EFFECTIVE AGAINST: All Mites, Aphids, Crickets, Earwigs, Lace Bugs, Leaf Feeding Caterpillars and Beetles, Leafhoppers, Mealybugs, Plant Bugs, Scale Crawlers, Thrips, Whiteflies.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before use. Aphid-Mite Attack® provides best control when insects are newly hatched. Apply at first sighting of insects. Thorough coverage of both the tops and bottoms of leaves is important. Spray leaves to the point of run off. Apply every 5 to 7 days when insects are present.

NOTE: Do not use on delicate Ferns, Nasturtiums, Sweetpeas or Violets, Mountain Ash, Japanese Maple, Horse Chestnut, or newly planted cuttings.

WHAT IT IS: Ringer® Aphid-Mite Attack for Roses and Flowers is a specially formulated combination of insecticidal soap and aromatics. These combined ingredients kill pests yet are gentle on most blossoms and provide a pleasant, fresh fragrance.

WHAT IT KILLS: Aphids, Beetles (leaf-feeding), Caterpillars (leaf-feeding), Crickets, Earwigs, Lace Bugs, Leafhoppers, Mealybugs, Mites, Plant Bugs, Scale Crawlers, Thrips and Whiteflies.

WHERE TO USE IT: Roses, Flowers, Shade Trees, and Ornamental Plants.

HOW TO USE IT: Shake Well. Use at first sighting of insects. Thorough coverage of both top and bottom leaves is important. Spray leaves to the point of run off. Apply every 5 to 7 days when insects are present.

DO NOT USE on delicate ferns, nasturtium, sweetpea or violet, mountain ash, Japanese maple, horse chestnut, or newly planted cuttings.

EPA Reg. No. 036488-00033
Draft Label Amendment
June 5, 2002
Page 3 of 4
MASTER LABEL- BACK PANEL (Page 2 of 3)

PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals.

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID	
If in eyes:	
<ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice. 	
If on skin or clothing:	
<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice. 	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment.	

ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of rinsate.

STORAGE AND DISPOSAL

STORAGE: Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency or (800)-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

COVERAGE:

- 8 oz. will treat approximately 5 plants, 2' high by 2' diameter.
- 12 oz. will treat approximately 8 plants, 2' high by 2' diameter.
- 16 oz. will treat approximately 10 plants, 2' high by 2' diameter.
- 24 oz. will treat approximately 15 plants, 2' high by 2' diameter.
- 64 oz. will treat approximately 40 plants, 2' high by 2' diameter.
- 1 gallon will treat approximately 80 plants, 2' high by 2' diameter.

