FEB 18 1994

Kresti A. Lyddon Ringer Corporation 9959 Valley View Road Eden Prairie, MN 55344

Dear Ms. Lyddon:

Subject: Yard & Garden Insect Attack

EPA Registration No. 36488-37

Application dated November 9, 1993

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended adding the phrase, "in and around the home" is acceptable subject to the comment listed below:

1) Change the statement, "Do not contaminate water by cleaning of equipment or disposal of wastes.", to read "Do not contaminate water when disposing of equipment wash waters.".

A stamped copy of the draft label is enclosed for your records. Submit five copies of the finished printed label before the product is released for shipment under this revised label.

Sincerely,

Robert S. Brennis

Acting Product Manager 10

Insecticide & Rodenticide Branch

Registration Division (7505C)

40

Draft Label Amendment 36488-37 November 9, 1993 Page 1 of 5

YARD & GARDEN INSECT ATTACK® Ready to Use Spray

Contains Pyrethrum. Fast Acting! Kills on contact.

)

An easy and effective way to kill insects on flowers, shrubs and vegetables in and around the home. Fast-acting.

Active ingredients:

Pyrethrins	0.04%
Piperonyl Butoxide, Technical*	0.40%
Inert Ingredients	<u>99.56</u>
Total	100.00%

*Equivalent to min. 0.32% (butylcarbityl)(6-propylpiperonyl)ether and 0.08% related compounds.

Keep Out of Reach of Children CAUTION

See back panel for additional precautionary statements.

Net contents: 24 fl. oz., 1/2 gallon, 1 gallon.

ACCEPTED
with COMMENTS
in KFA Letter Dated

FEB 18 1994
Under the Federal Inserticide,
Funcicide, said Rudenticide Act
as amended, for the positicide
registered under EPA Reg. No.

Draft Label Amendment 36488-37 November 9, 1993 Page 2 of 5

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold trigger sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use with caution on new growth and tender foliage.

VEGETABLES: Use outdoors throughout the growing season. Apply spray thoroughly on upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied up to day of harvest.

INSECTS CONTROLLED

Aphids, Asparagus Beetles, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross Striped Cabbage Worms, Diamond Back Caterpillars, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbage Worms, Japanese Beetles, Leafhoppers, Leaftiers, Mexican Bean Beetles, Stink Bugs, 12-Spotted Cucumber Beetles, Webworms and Whiteflies.

CROPS

Asparagus, Beans, Broccoli, Brussels Cabbage, Sprouts, Cauliflower, Celery, Collards, Cucumbers, Eggplant, Kale, Mustard Lettuce, Melons, Greens, Peppers, Po Radishes, Spinach, Potatoes, Squash, Sweet Corn, Tomatoes Turnips.

ORNAMENTALS, TREES, SHRUBS AND ROSES

Apply as a fine mist, spraying plants on the upper and lower leaf surfaces. Repeat weekly or as needed to control infestations. Do not spray on plants in full sun.

INSFCTS CONTROLLED

Aphids, Bagworms, Thrips, Flea Beetles, Japanese Beetles, Lace Bugs, Leafhoppers, Leafrollers, Leaftiers, Mimosa Webworm Larvae, Plant Bugs and Whiteflies.

PLANTS

Azaleas, Camellias, Cacti, Dogwood, rhododendrons, evergreens, and broad-leaved shade trees. DO NOT USE on Japanese Maple, Horse Chestnut, or Mountain Ash.



Draft Label Amendment 36488-37 November 9, 1993 Page 3 of 5

PORCHES, PATIOS AND GARAGES AND OTHER SITES IN AND AROUND THE HOME

Spray the surface areas where insects may be found and directly on insects whenever possible.

ANTS:

Spray trails, nests ant points of entry. Spray on

ants where possible. Repeat if necessary.

SPIDERS:

Spray directly on spiders and web. Repeat if

necessary.

)

ROACHES:

To kill cockroaches, palmetto bugs, earwigs, sowbugs, centipedes, millipedes, crickets and silverfish, spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas and sheds. Spray directly on insects where possible. Repeat

treatment if necessary.

WASPS AND HORNETS

Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat if necessary.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place,

inaccessible to children and pets. Protect from

freezing.

DISPOSAL: Do not reuse empty container. Wrap container securely in

several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Remove pets from area being treated.

Draft Label Amendment 36488-37 November 9, 1993 Page 4 of 5

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center immediately. Drink one to two glasses of water and induce vomiting by touching back of throat with finger.

If inhaled: Remove victim to fresh air.

)

If in eyes: Rinse eyes with plenty of clean water. If irritation persists, contact a physician.

<u>If on skin:</u> Remove contaminated clothing. Rinse affected skin with clean water for 10-15 minutes. If irritation persists, contact a physician. Wash contaminated clothing before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Remove or cover fish aquaria in the area being treated.

Draft Label Amendment 36488~37 November 9, 1993 Page 5 of 5

COVERAGE:

8 oz. will treat approximately 5 plants, 2' high by 2' diameter.

12 oz. will treat approximately 8 plants, 2' high by 2' diameter.

16 oz. will treat approximately 10 plants, 2' high by 2' diameter.

24 oz. will treat approximately 15 plants, 2' high by 2' diameter, or 1 tree, 10' high by 4' diameter.

64 oz. will treat approximately 40 plants, 2' high by 2' diameter, or 3 trees, 10' high by 4' diameter.

1 gallon will treat approximately 80 plants, 2' high by 2' diameter, or 6 trees, 10' high by 4' diameter.

Ringer Corporation will not accept any liability for damage or injury resulting from misuse.

Distributed by:

Ringer Corporation 9959 Valley View Road Eden Prairie, MN 55344 612/941-4180 UPC CODE

EPA Reg. No. 36488-37

C H T
EPA Est. No. 63456-MN-001 44616-MO-001 42705-MN-001
Circled or superscript number corresponds to first letter of lot number on bottom or back of container.

• Copyright Ringer Corporation, 1993