

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 26498-41	DATE OF ISSUANCE <b>OCT 30 1989</b>
	TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT		

**NOTICE OF PESTICIDE:**  REGISTRATION  
 REREGISTRATION  
*(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)*

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

161 / 254,490  
 16 / 2

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


1. Add the phrase "EPA Registration No. 26498-41" to your label in the appropriate location.
  2. Submit five (5) copies of your final printed labeling for the product for shipment. Refer to the A-73 enclosure for a further description of final printed labeling.
- If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your return for shipment of the product constitutes acceptance of these conditions. A copy of the label is enclosed for your records.

**BEST AVAILABLE COPY**

Phil Hutton  
 Product Manager (17)  
 Insecticide-Rodenticide Branch  
 Registration Division (H75050)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 	DATE <b>10/26/89</b>
--	-------------------------

(Starburst)  
Contains Natural Pyrethrum

~~A natural and effective way to~~  
eliminate fleas and ticks from pet areas.

FLEA & TICK ATTACK<sup>(R)</sup>

"Graphics"

Accepted for sale  
under the Federal Insecticide,  
Fungicide and Rodenticide Act

OCT 10 1988

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended for the purpose of  
registration under L...

LOGG, REUTER Indoor/Outdoor Spray

ACTIVE INGREDIENTS:

Pyrethrins. . . . .	0.06%
*Piperonyl Butoxide, Technical. . . . .	0.60%
INERT INGREDIENTS. . . . .	<u>99.34%</u>
	100.00%

\*Equivalent to min. 0.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds.

CAUTION: Keep Out Of Reach Of Children

(See back panel for additional precautionary statements.)

EPA Reg. No. 36488-  
EPA Est. No. 36488-VA-01

Net Contents -  
22 fl. oz. (649 ml)  
or 1/2 gal. (1.892 L)  
or 1 gal. (3.785 L)

FLEA & TICK ATTACK (R)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE!

**PET AREAS:** To control fleas and ticks on premises: thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames and nearby areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. We recommend you treat your animals at the same time. Repeat treatment as needed.

**LIVESTOCK:** To protect cattle, horses and hogs from horn flies, house flies, mosquitoes and gnats, apply a light mist to wet the surface of the hair. To control stable flies, horse flies and deer flies, apply at a rate of 2 ounces (=1/4 Cup) per adult animal to wet the hair thoroughly. Avoid spraying directly into the eyes of animal. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

To control poultry lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of bedbugs and mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

**DOGS AND CATS:** Cover animal's eyes with hands and with a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing with the legs. For best penetration of spray to the skin, direct spray against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed. Do not spray on nursing female adults.

**PUPPIES AND KITTENS:** Treat as for dogs and cats unless nursing. Use on puppies and kittens over six weeks of age. Do not spray on nursing female adults.

(FLEA & TICK ATTACK: INDOOR/OUTDOOR, cont'd)

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool dry place, inaccessible to children and pets. Protect from freezing.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS:  
CAUTION

HUMAN: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Avoid spraying food or foodstuffs. Wash hands with soap and water after using.

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

If swallowed, induce vomiting by touching finger to back of throat. Contact a physician or poison control center immediately.

ANIMAL: Avoid treatment of nursing kittens and puppies. If treatments are necessary, spray on tips of fingers and rub into coat. Remove birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply where runoff is likely to occur.

NOTICE: Reuter Laboratories, Inc. makes no warranty, expressed or implied, for any purpose other than those contained on this label.

FOR NATURAL PET CLEANSING  
TRY ATTACK<sup>(R)</sup> NATURAL CONDITIONING PET SHAMPOO

UPC CODE

79347-00191  
\*OR 001928

Manufactured in USA by:  
Reuter Laboratories, Inc.  
9204-A Vassau Court  
Manassas, Park, VA 22111  
(800) 368-2244

Natural Pest Controls that Work.<sup>(R)</sup>