

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mark Mongiovi Woodstream Corporation 69 N. Locust Street Litiz, PA 17543-0327

OCT 2 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Mr. Mongiovi:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 26, 2009 for:

EPA Registration 36488-45 Ringer Attack Soap Concentrate

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and finds that the label changes requested falls within the scope of PR Notice 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

ase read instructions on reverse before completing form.				Form Approv	ed, OMB No. 2070-	0060, Approval expires 05-31-98
Q EDA	(Jnited States		☐ Regist	tration	OPP Identifier
EPA	Environmer	ntal Protection	Agency	☐ Amen		Number
		nington, DC 20460		_ ,	: Notification	
		Application				1 ,
1 Company/Product Numb	ner .	Application				3. Proposed
1. Company/Product Number 36488-45			EPA Product Manager George LaRocca		Classification	
Company/Product (Name) Ringer® Attack® Soap Concentrate			PM# 13			None Restricted
5. Name and Address of A Woodstream Corporat 69 North Locust Street Lititz PA 17543-0327	ion t	IP Code)	3(c)(3) (b)(l) and labeling), my product to: lo.		vith FIFRA Section entical in composition
- barraid	W	<u> </u>	Section - I	1		A - A
Amendment - Expla	in below.	•		Final printed la	bels in resp	HICATION
	Resubmission in response to Agency letter dated			"Me Too" Applie		-
Notification - Explain				Other - Explain		T - 2 2000
Explanation: Use a	idditional page(s	s) if necessary. (For Section	I and Section	า II.)	
U.S.C. Sec. 1001 to will	ng or the Confid fully make any f uirements of 40 (lential Statement Talse statement to CFR 156.10, 156.	of Formula f EPA. I furtl 140, 156.144,	or this produ ner understan 156.146, and	ct. I understand d that if the am 156.156, this pr	I that it is a violation of 18 ended label is not oduct may be in violation
			Section - I	11		
Material This Product						
Child-Resistant Packagin Yes*	·) —	ackaging 'es	W	′ater Soluble Pa [↑] Yes	ckaging	Type of Container Metal
⊠ No	1 =	es Io		-		
⊠ 140	If "Yes			"Yes"	No. per	Glass
*Certification mu	I Init D			ackage wgt.	container	Paper
be submitted			İ			Other (Specifiy)
3. Location of Net Conte	nts Information	4. Size(s) Reta	ail Container		5. Location o	f Label Directions
Label .	. Container 1 gal,		i gal, 5 gal, 30 gal, 55 gal		On Labeli On labeli	l ng accompanying product
6. Manner in Which Labo	is Affixed to Prod	uct Lithogra Paper g	lued	Other		
			Section - I	v		
1. Contact Point (Comple	te items directly be	low for identification	of individual to	be contacted, if	necessary, to proce	ess this application)
Name Title Chad Mateer Regulatory Affairs Mar						Telephone No. (Include Area Code)
W-T-11						717-626-2125 x426
I certify that the statemer		Certification			rate and complete	6. Date Application
I acknowledge that any k both under applicable law	nowingly false or m	isleading statement	may be punisha			Received (Stamped)
	nowingly false or m	isleading statement	may be punisha Fitle		nprisonment or	•

ATTACHMENT TO NOTIFICATION DATED 9-29-09

EPA Reg. No. 36488-45

NOTIFICATION OF LABEL ACTION PER PR-NOTICE 2007-4:

Storage & Disposal Statements

MASTER LABEL- BACK PANEL (Page 6 of 6)

STORAGE AND DISPOSAL [Household Labels]

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a dry place, inaccessible to children or pets. Do not store full or partial containers in direct sunlight. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waster disposal facility.

Container Disposal Handling: Do not reuse empty container. Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. For containers of one gallon or less. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

STORAGE AND DISPOSAL [Non-Household Labels]

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a dry place, inaccessible to children or pets. Do not store full or partial containers in direct sunlight. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waster disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

2/29/09

Mark Mongiovi

Product Compliance Specialist

Woodstream Corporation





69 N. Locust Street
P.O. Box 327
Lititz, PA 17543-0327
(7.17) 626-2125
Fax: (717) 626-5350
www.woodstreamcorp.com
www.saferbrand.com
www.victorpest.com
www.havahart.com
www.perkypet.com
www.fishock.com

August 26, 2009

Document Processing Desk [NOTIF] Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

ATTN:

Notification Division

SUBJECT:

Woodstream Corporation

Notification of Label Action Per PR-Notice 2007-4

Ringer® Attack® Soap Concentrate (EPA Reg. No. 36488-45)

Enclosed please find a Notification of Label Action Per PR-Notice 2007-4 to update Storage & Disposal Statements for the subject product. Also enclosed please find a copy of our revised master label with changes highlighted and a clean copy for your records.

If you have any questions and/or need any additional information, please call me at (717) 626 -2125 ext: 219 or email mmongiovi@woodstream.com.

Sincerely,

Mark Mongiovi

Product Compliance Specialist

Woodstream Corporation

Enclosures:

Notification of Label Action Copy of revised master label with changes highlighted Clean copy of revised master label



























EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 26, 2009 Page 1 of 6

MASTER LABEL- (Page #1 of 6)

RINGER® ATTACK® SOAP CONCENTRATE

For Use on Fruits, Nuts, Vegetables, and Ornamentals

NOTIFICATION

ACTIVE INGREDIENTS:	BY WT.	OCT - 2 2009
Potassium Salts of Fatty Acids	49.52 %	_
INERT INGREDIENTS:	50.48 %	
Total	100.00%	

Keep out of Reach of Children WARNING AVISO

Si no usted entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call poison control center or doctor for further treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment.

See back panel for additional precautionary statements Net contents 1, 2.5, 5, 30, 55 gallons and bulk

Ringer Attack Soap Concentrate is an effective contact insecticide that is ideal for use in areas such as parks, restaurants, hospitals, school grounds, malls, and other public places, as well as in agriculture, horticulture, golf courses, and greenhouses. Ringer Attack Soap Concentrate effectively controls:

Adelgids **Psyllids** Aphids Sawfly larvae Earwigs Scales Grasshoppers Spider Mites Lace Bugs Tent Caterpillars Leafhoppers Thrips Mealybugs Whiteflies Plant Bugs Wooly aphids

EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 24, 2009 Page 2 of 6

MASTER LABEL- (Page #2 of 6)

Ringer Attack Soap Concentrate offers effective insect control on a wide variety of cultivars in ornamental, horticulture and agricultural settings.

Foliage Plants

Fruits

Flowers

Tree Nuts

Trees & Shrubs

Vegetables

Ringer Attack Soap Concentrate:

• Can be applied up to time of harvest

• Can be used as an effective component of integrated pest management programs.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

WARNING: Causes substantial, but temporary eye injury. Causes skin irritation. Do not get on skin, in eyes or on clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistant category selection chart.

Applicators and other handlers of the diluted product must wear:

Clothing that avoids exposure of bare skin to product including long pants, long-sleeved shirt, socks, shoes, and protective gloves. Protective eyewear should be used for overhead exposure.

Mixers and loaders of the concentrate product must wear:

Coveralls over short-sleeved shirt and short pants.

Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, viton. Chemical-resistant footwear plus socks.

Protective eyewear

Chemical-resistant headgear for overhead exposure.

Chemical-resistant apron when cleaning equipment, mixing, or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove contaminated clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 24, 2009 Page 3 of 6

MASTER LABEL- (Page #3 of 6)

ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soils, or water is: Clothing that avoids exposure of bare skin to product including long pants, long-sleeved shirt, socks, shoes, and protective gloves.

For best results, use freshly mixed solution. Use soft water whenever possible. If water has a high mineral content and produces soap scale, pre-treat water with an approved softening agent or a pesticide compatibility agent before adding concentrate. To prevent or minimize foaming, avoid use of mechanical agitation, place filling hose below surface of spray solution, terminate by-pass and return lines at bottom of tank; if needed, use approved antifoam or defoaming agent. **CAUTION:** Do not use on new transplants, newly rooted cuttings, or plants stressed by drought. Avoid application when leaf temperature exceeds 85°F.

WHEN USED ALONE: Ringer Attack Soap Concentrate may be used up to and including day of harvest, and is useful as a component of Integrated Pest Management (IPM) systems.

Dilute at the rate of 2 gallons of concentrate to 100 gallons of water, except as noted in individual sections. Apply according to the rates and other directions given under the individual crop groupings. Spray should be applied to thoroughly wet all infested surfaces.

WHEN COMBINED WITH OTHER PESTICIDES:

Ringer Attack Soap Concentrate may be combined with other pesticides to broaden the target spectrum, improve the level of kill and enhance coverage. Such use should conform to accepted use precautions and directions for use of both products. Attack Soap Concentrate may be tank mixed by adding 1 gallon of concentrate per 100 gallons of spray containing the label amount of the companion pesticide or less, except where prohibited by local regulation. Products with which it may be tank mixed include, but are not limited to, *Bacillus thuringiensis*, pyrethrum, and a variety of petrochemical-based pesticides.



EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 24, 2009 Page 4 of 6

MASTER LABEL- (Page #4 of 6)

Indoor plants: Mix one part concentrate with 50 parts water, or 2.5 fl. oz. per gallon. Apply when insects or signs of their damage appear. Take care to thoroughly wet all surfaces of infested foliage of branches. For aphids, examine plants after two days and spray again if needed. For other pests, spray at 7 to 10 day intervals as needed up to three times. Do not make repeated sprays at short intervals without thoroughly rinsing foliage. For blossom thrips on African violets, spray to contact thrips on the blooms. Root mealybug and springtail infestations can be reduced using a soil drench of one to two tablespoons of concentrate in a quart of tepid water applied monthly.

NOTE: Do not used on Crown of Thorns and test on other euphorbias for phytotoxicity before full-scale application. Do not use on dracaena, delicate ferns, dieffenbachia, ornamental ivies, palms, or succulents without testing.

FLOWERS AND BEDDING PLANTS GROWING OUTDOORS AND IN GREENHOUSES, including (but not limited to) foliage plants, roses, and succulents. Mix two gallons of concentrate per 100 gallons of water or 2.5 fl. oz. per gallon. Apply when insects appear. Take care to thoroughly wet all infested surfaces. A second application should be timed to control newly hatched young. Repeat weekly as needed up to three times. For earwigs, spray directly on insects after disturbing their hiding place.

NOTE: Do not use on bleeding heart, jade plant, lantana, lilies or sweetpeas. Some varieties of azaleas, begonias, camellias, fuschias, gardenias, orchids, and impatiens have shown sensitivity. If wilting occurs within a few hours, rinse with clean water spray. Do not apply to poinsettias after bract coloration begins. Test on chrysanthemums for varietal sensitivity and do not apply to open blooms.

Attack Soap Concentrate mixed 2 gallons per 100 gallons of water may be used as a soil drench to control listed pests in the growing medium of container grown plants.

ORNAMENTAL LANDSCAPE TREES AND SHRUBS including (but not limited to) Christmas trees and ornamental plantings in parks, gardens and along rights-of-way. Mix two gallons of concentrate per 100 gallons water or 2.5 fl. oz. per gallon. To control the crawler stage of adelgids, psyllids, and scales, spray to wet bark surface when infestation warrants. For mites and other listed pests, be sure to wet underside of leaves and needle sheaths. For tent caterpillars, mix 1 gallon of concentrate to 30 gallons of water or 4 fl. oz. per gallon and spray directly on young larvae when congregated on outside of tent.

To control Balsam wooly aphid on true firs (*Abies spp.*), mix one gallon of concentrate to 80 gallons of water or approximately 1.5 fl. oz. per gallon. Spray trees thoroughly when crawlers are abundant in early spring and/or fall. For best results, make a second application after ten days.

To control Spruce Wooly Aphid mix 1 gallon of concentrate to 25 gallons of water or 5 fl. oz. per gallon. Spray spruce thoroughly in fall or spring before females begin egg laying; on Douglas fir spray before bud break or in the fall after foliage has hardened off.

To control conifer aphids, sawfly larvae and pine needle scale mix 1 gallon of concentrate per 40 gallons of water or 3 fl. oz. per gallon and spray to thoroughly wet foliage when insects are present.

NOTE: Do not apply to chestnut, Japanese maple, mountain ash, or Colorado blue spruce. Do not apply to ornamentals stressed by drought or when tender new foliage is present. Do not apply when leaf temperature exceeds 85°F. Test on Arborvitae, Eugenia and Euonymus for varietal and drought sensitivity. Insecticidal Soap sprays may result in the temporary removal of the glaucus bloom from spruces. To suppress gypsy moth populations, prevent egg hatch by applying a spray solution of 1-quart concentrate to 3 quarts of water directly to egg masses; do not allow spray to contact plant foliage.

VEGETABLES GROWING OUTDOORS AND IN GREENHOUSES: Mix two gallons of concentrate to 100 gallons of water or 2.5 fl. oz. per gallon. Apply when insect or mite populations attain spray threshold. Spray to wet all infested plant surfaces. Application volume per acre sprayed will vary according to size and growth form of plants. Row crops will typically require 50 to 150 gallons of spray per acre. For most pests repeat application after several days to eliminate newly hatched individuals. Do not make more than three sequential applications over a two-week period. May be used up to day of harvest.

NOTE: Do not apply during heat of the day or when leaf temperature exceeds 85°F.

ROOT AND TUBER VEGETABLES: Including (but not limited to) carrot, potato, radish and sugar beet to suppress aphids, and control leafhoppers, plant bugs and whitefly. Use up to day of harvest.

EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 24, 2009 Page 5 of 6

MASTER LABEL- (Page #5 of 6)

BULB VEGETABLES: Including (but not limited to) lettuce, celery and spinach to control whitefly and mites and to suppress aphids. Use up to day of harvest.

BRASSICA (cole) LEAFY VEGETABLES: Including (but not limited to) broccoli, Brussels sprouts, cabbage, Chinese cabbage (bok choy) and kale to control leafhoppers, plant bugs and whitefly and to suppress aphids. Use up to day of harvest.

NOTE: Do not spray on crop prior to application of or tank mix with a topically applied liquid nitrogen fertilizer.

LEGUME VEGETABLES: Including (but not limited to) beans, peas, and soybeans to control aphids, grasshoppers, whitefly and spider mites. Use up to day of harvest.

FRUITING VEGETABLES: Including (but not limited to) eggplant, pepper and tomato, to control whitefly and spider mites and to suppress aphids. Use up to day of harvest.

CUCURBIT VEGETABLES: Including (but not limited to) cucumber, melon and summer squash to control plant bugs and whitefly and suppress aphids and mites. Use up to day of harvest. Always apply to cucumbers at night or during the coolest part of the day.

HERBS AND SPICES: Including (but not limited to) basil, chives, dill marjoram, and sage to control whitefly, and to suppress aphids and mites. Use up to day of harvest.

FRUITS AND NUTS: Mix two gallons of concentrate to 100 gallons of water or 2.5 fl. oz. per gallon. Spray when insects or mites first appear or when their populations attain spray level. Apply to achieve thorough coverage of infested foliage and/or branches. Repeat at weekly intervals as needed. Avoid spraying when blossoms are present. Use up to day of harvest.

CITRUS FRUITS: Including (but not limited to) sweet orange, lemon and grapefruit to control aphids, cottony cushion scale, black scale, red scale and mites. Use u to day of harvest.

NOTE: Some marking of fruit may occur, especially when spray run-off occurs or when sooty mold is present. **POME FRUITS:** Including (but not limited to) apple and pear to control leafhoppers, scale crawlers, pear psylla, pear slug (Tenthridinidae) and to suppress aphids and mites. Use up to day of harvest.

NOTE: Spray may cause localized marking of some varieties particularly apple varieties such as red and golden delicious, Gravenstein, and pear varieties such as d'Anjou, Comice and Asian.

STONE FRUITS: Including (but not limited to) cherry, peach, and plums to control scale insects and suppress aphids and mites. Use up to day of harvest.

NOTE: Spray may cause localized sporting of nectarines and may remove wax bloom from plums.

SMALL FRUITS AND BERRIES: Including (but not limited to) blackberry, coffee, cranberry, grape, and strawberry to control leafhoppers, mealybugs, scales and whitefly and to suppress aphids and mites. Use up to day of harvest.

NOTE: Do not spray grapes during the period between the start of blooming and 3 to 3 days post shatter. Application made with dilute spray equipment (more than 75 gallons of spray per acre) and/or tank mixes containing sulfur may mark fruit of grapes; dilute applications are not recommended on varieties being grown for the fresh produce market including but not limited to flames, globes and perlettes as marking of fruits may occur. Do not use on Labrusca varieties or Italia and Calmeria varieties grown for the fresh market.

TREE NUTS: Including (but not limited to) almond, English walnut and pecan to control scale crawlers and suppress aphids and mites. Use up to day of harvest.

ADDITIONAL CROPS: Including (but not limited to) asparagus, coffee, cotton, and subtropical and tropical crops. Mix two gallons of concentrate to 100 gallons of water or 2.5 fl. oz. per gallon. To control aphids, whitefly and mites, spray when insects appear and repeat at weekly intervals as needed. Do not use at intervals of less than seven days. Use up to day of harvest.

NOTE: Do not use on passion fruit or guava. Test for varietal sensitivity against other tropical fruits before full-scale application.

POST HARVEST APPLICATIONS

Attack Soap Concentrate may be used alone or in tank mixes to control or suppress insect and mite pests of perennial crop plants after harvest has been completed.

EPA Reg. No. 36488-45 Notification of Label Action – Storage & Disposal Statements August 24, 2009 Page 6 of 6

MASTER LABEL- (Page #6 of 6)

Post-harvest applications provide a means of reducing residual populations, and are a useful component of IPM programs.

STORAGE AND DISPOSAL [Household Labels]

Pesticide Storage: Store only in original container in a dry place, inaccessible to children or pets. Do not store full or partial containers in direct sunlight. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waster disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STORAGE AND DISPOSAL [Non-Household Labels]

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a dry place, inaccessible to children or pets. Do not store full or partial containers in direct sunlight. Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waster disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by:

Woodstream

69 North Locust Street Lititz PA 17543

For Information: 800-800-1819

EPA Reg. No. 36488-45 EPA Est. No. 63416-MN-001

Made in USA

All® Property of Woodstream Corporation © Copyright 2009 Woodstream Corporation