

36488-52

4/23/2012

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

APR 23 2012

Mark Mongiovi
Woodstream Corporation
69 N. Locust Street
Lititz, PA 17543

Subject: Amendment to add new 100' restriction for commensal rodents
EPA Registration No.: 36488-52
Primary Brand Name: Bromethalin 0.01% Pellet II
Submission Date: April 3, 2012

Dear Mr. Mongiovi:

The label referred to above, submitted under FIFRA, as amended, is **acceptable**. Per 40 CFR 156.10(a)(6), submit one copy of your final printed labeling before you release the product for shipment. As defined in 40 CFR 152.3, "final printed labeling" means the "label or labeling of the product when distributed or sold." Clearly legible reproductions or photo reductions will be accepted for unusual labels. Note that a clean copy of the master label in most cases does not meet the definition of final printed labeling. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

EPA Reg. No. 36488-52

Label Amendment – Updated language per memorandum *Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products)* of March 14, 2012

April 3, 2012

Page 1 of 7

MASTER LABEL – OUTER CONTAINER FRONT PANEL (Page 1 of 1)

BROMETHALIN 0.01% PELLET II

[Additional Brand Names]

Victor V[®] Fast-Kill[®] Brand Pellets II*

[Qualifier statement must immediately follow brand name]

** House Mice may consume a lethal dose in a single night's feeding, but it can take two or more days from the time of bait consumption for these mice to die.*

This product may only be used inside and within 100 feet of buildings or inside of transport vehicles (ships, trains, or aircraft).

ACTIVE INGREDIENT:	BY WT.
Bromethalin.....	0.01%
OTHER INGREDIENTS:	99.99%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See side [back] panel for additional precautionary statements)

NET CONTENTS:

4.03125 lb/64.5 oz (86 X 0.75 oz. [place packs][bait packs]) [to] 25.78 lb/412.50 oz (550 X 0.75 oz. [place packs][bait packs])

ACCEPTED
 APR 23 2012
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 Registered under
 EPA Reg. No. 36488-52

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 1 of 4)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID

Have label with you when obtaining treatment advice.

If swallowed:

- Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

TREATMENT FOR PET POISONING


If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin. This is not and anticoagulant rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.



4/8

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 2 of 4)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL! Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled or unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine where rats and mice will most likely find an opening and consume the bait. Generally, these areas are along walls, by gnawed openings or rub marks, in or beside burrows, in corners and concealed places, between floors and walls, or in locations

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 3 of 4)

where signs of rodents have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:


Norway Rats and Roof Rats: Use 2 to 8 [place packs][bait packs] per placement, using bait stations as required under "IMPORTANT". Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infested area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

This product may be applied to active rodent burrows to control Norway rats, and roof rats *within or* beyond 100 feet of buildings and man-made structures, provided that infestations of these rodents have been confirmed. Bait must be placed no less than 6 inches into active Norway/roof rat burrows. Do not broadcast bait. Because Norway/roof rat infestations may occur in areas farther than 100 feet from buildings and man-made structures when the rodents have ample supplies of food and cover, efforts should be made to remove food trash, garbage, clutter, and debris.

House Mice: Use 1 [place pack][bait pack] per placement, using bait stations as required under "IMPORTANT". Make placements at intervals of approximately 8 to 12 feet at appropriate locations in infested area. Up to 2 [place packs][bait packs] may be placed at points of extremely high house mouse activity.

Baiting Strategy (Rats and Mice): Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

Follow-Up: Replace contaminated or spoiled bait immediately. Using gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage and use rodent-proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.



EPA Reg. No. 36488-52

Label Amendment – Updated language per memorandum *Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products)* of March 14, 2012

April 3, 2012

Page 5 of 7

MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 4 of 4)

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children, and pets.

Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or incineration.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller’s liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For:

Woodstream Corporation

69 N. Locust St

Lititz, PA 17543


For Information Call: 1-800-800-1819

EPA Reg. No. 36488-52

EPA Est. No. 47629-PA-01

© Copyright 2011 Woodstream Corp.

Made In USA



7/8

EPA Reg. No. 36488-52

Label Amendment – Updated language per memorandum *Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products)* of March 14, 2012

April 3, 2012

Page 6 of 7

MASTER LABEL – PLACE PACK FRONT PANEL (Page 1 of 1)

BROMETHALIN 0.01% PELLET

ACTIVE INGREDIENT:	BY WT.
Bromethalin.....	0.01%
OTHER INGREDIENTS:.....	99.99%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP! Read entire label, including precautions, use directions, and storage and disposal text prior to using this product.

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-858-7378.

It is illegal to sell these placepacks [bait packs] individually.


Do not open placepacks [bait packs]. Rats and mice will chew through the wrapper.

Manufactured For:
 Woodstream Corporation
 69 N. Locust St
 Lititz, PA 17543-0327
 For Information Call: 1-800-800-1819

EPA Reg. No. 36488-52

EPA Est. No. 47629-PA-01

NET CONTENTS: 0.75 oz



MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)

[Optional Marketing/Advertising Claims]

- Kills Anticoagulant Resistant Norway Rats, Roof Rats and House Mice
- Norway rats, Roof rats, and House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die. Rodents cease feeding after consuming a toxic dose. This product kills anticoagulant-resistant Norway Rats, Roof Rats and House Mice.
- [Kills] [Controls] Norway Rats, Roof Rats & House Mice
- May be used in and within 100 feet of) buildings
- For use in Attics, Kitchens, Basements, Garages, consistent with all use restrictions and label precautions and limitations.
- Can be used in Attics, Kitchens, Basements, and Garages, consistent with all use restrictions and label precautions and limitations.
- No-Touch™ Design, no need to touch bait when applying it.
- Place N' Kill™ No-Touch [Bait Packs] [Place Packs], no need to touch bait when applying it.
- House Mouse and Norway and Roof Rat Poison Pack
- Palatable bait formulation
- Palatable formulation
- Contains Bromethalin
- 0.01% Bromethalin pellets
- Formulated for Norway rat, roof rat, and house mice control
- Demonstrated control of Norway rats, roof rats, and house mice
- [Controls][Kills] Norway rats, roof rats, and house mice
- [Controls][Kills] anticoagulant resistant Norway Rats, Roof Rats & House Mice
- [Kills][Controls] Norway Rats, Roof Rats & House Mice in and around (within 100 feet of) the home
- [Kills][Controls] Norway Rats, Roof Rats & House Mice both inside and outside the home
- Can be used Indoors or Outdoors (within 100 feet of buildings) for control of Norway Rats, Roof Rats & House Mice
- For Indoor and Outdoor (within 100 feet of buildings) control of Norway Rat, Roof Rat & House Mouse
- For indoor and outdoor (within 100 feet of buildings) control of Norway Rat, Roof Rat & House Mouse.
- Ready to use