



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

AUG - 7 2012

Mark Mongiovi Woodstream Corporation 69 N. Locust Street Lititz, PA 17543

Subject:

Amendment to correct 100' restriction regarding burrow baiting

EPA Registration No.: 36488-52

Primary Brand Name: Bromethalin 0.01% Pellet II

Submission Date: August 7, 2012

Dear Mr. Mongiovi:

The label referred to above, submitted under FIFRA, as amended, is <u>acceptable</u>. Please submit one final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at <u>benbow.gene@epa.gov</u>.

Sincerely,

John Hebert

Product Manager 07

Insecticide-Rodenticide Branch Registration Division (7505P)

Label Amendment - Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14, 2012 Page 1 of 7

MASTER LABEL - OUTER CONTAINER FRONT PANEL (Page 1 of 1)

BROMETHALIN 0.01% PELLET II

[Additional Brand Names]

Victor V[®] Fast-Kill® Brand Pellets II*

[Qualifier statement must immediately follow brand name]

* House Mice may consume a lethal dose in a single night s feeding but it can take two or more days from the time of bait consumption for these mice to die

> This product may only be used inside and within 100 feet of buildings or inside of transport vehicles (ships, trains, or aircraft)

ACTIVE INGREDIENT Bromethalin OTHER INGREDIENTS TOTAL

BY WT 001% 99 99% 100 000%

KEEP OUT OF REACH OF CHILDREN

CAUTION. (See side [back] panel for additional precautionary statements)

NET CONTENTS

4 03125 lb/64 5 oz (86 X 0 75 oz [place packs][bait packs]) [to] 25 78 lb/412 50 oz (550 X 0 75 oz

ACCEPTED

AUG - 7 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as arranded, for the pesticide Registered under EPA Reg No

Label Amendment -- Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14 2012

August 7 2012

Page 2 of 7

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 1 of 4)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed Keep away from children, domestic animals and pets All handlers (including applicators) must wear shoes plus socks, and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

| | FIRST AID |
|--|---|
| Have label with you when obtaining treatment advice | |
| | - Call a poison control center, doctor or 1-800-858-7378 |
| If swallowed | immediately for treatment advice |
| | - Have person sip a glass of water if able to swallow |
| | - Do not induce vomiting unless told to do so by the poison |
| | control center or doctor |
| | - Do not give anything by mouth to an unconscious person |
| TREATMENT FOR PET POISONING | |
| If an animal eats this bait, call a veterinarian at once | |
| NOTE TO PHYSICIAN OR VETERINARIAN | |

Contains the nerve poison Bromethalin This is not and anticoagulant rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

Label Amendment – Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14, 2012

August 7 2012

Page 3 of 7

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 2 of 4)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL¹ Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT Do not expose children, pets, or nontarget animals to rodenticides To help prevent accidents

- 1 Store product not in use out of reach of children and pets
- Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
- 3 Dispose of product container and unused, spoiled or unconsumed bait as specified on this label

Note Bait stations are mandatory for outdoor, above ground use Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait

USE RESTRICTIONS This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Burrow baiting with this product is prohibited. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait

Do not sell this product in individual containers holding less than 4 pounds of bait

SELECTION OF TREATMENT AREAS Determine where rats and mice will most likely find an opening and consume the bait Generally, these areas are along walls, by gnawed openings or rub marks, in or beside burrows, in corners and concealed places, between floors and walls, or in locations

Label Amendment – Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14, 2012

August 7, 2012

Page 4 of 7

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 3 of 4)

where signs of rodents have been seen Protect bait from rain or snow Remove as much alternative food as possible

APPLICATION DIRECTIONS

Norway Rats and Roof Rats Use 2 to 8 [place packs] [bait packs] per placement, using bait stations as required under "IMPORTANT" Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infested area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

House Mice Use 1 [place pack] [bait pack] per placement, using bait stations as required under "IMPORTANT" Make placements at intervals of approximately 8 to 12 feet at appropriate locations in infested area. Up to 2 [place packs] [bait packs] may be placed at points of extremely high house mouse activity

Baiting Strategy (Rats and Mice) Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased

Follow-Up Replace contaminated or spoiled bait immediately Using gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage and use rodent-proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE Store only in original container in a cool, dry place inaccessible to children, and pets Keep containers closed and away from other chemicals

PESTICIDE DISPOSAL Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Nonrefillable container Do not reuse or refill this container Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration

Label Amendment – Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14, 2012

August 7 2012

{

Page 5 of 7

MASTER LABEL - OUTER CONTAINER BACK PANEL (Page 4 of 4)

Note Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For Woodstream Corporation 69 N Locust St Lititz, PA 17543 For Information Call 1-800-800-1819

EPA Reg No 36488-52

EPA Est No 47629-PA-01

[©] Copyright 2011 Woodstream Corp Made In USA

EPA Reg No 36488 52 ,

Label Amendment – Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14 2012 August 7 2012

Page 6 of 7

MASTER LABEL - PLACE PACK FRONT PANEL (Page 1 of 1)

BROMETHALIN 0.01% PELLET

ACTIVE INGREDIENT
Bromethalin
OTHER INGREDIENTS
TOTAL

BY WT 0 01% 99 99% 100 000%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP' Read entire label, including precautions, use directions, and storage and disposal text prior to using this product

For First Aid Treatment advice, call a poison control center, doctor, or 1-800-858-7378

It is illegal to sell these placepacks [bait packs] individually

Do not open placepacks [bait packs] Rats and mice will chew through the wrapper

Manufactured For Woodstream Corporation 69 N Locust St Lititz, PA 17543-0327 For Information Call 1-800-800-1819

EPA Reg No 36488-52

EPA Est No 47629-PA-01

NET CONTENTS 0 75 oz

Label Amendment – Updated language per memorandum Commensal Rodenticide Products Outdoor 50 Foot Restriction for Professional Use Products (Revised to Include Language for Agricultural Products) of March 14, 2012

August 7 2012

Page 7 of 7

MASTER LABEL - OPTIONAL CLAIMS (Page 1 of 1)

[Optional Marketing/Advertising Claims]



- Kills Anticoagulant Resistant Norway Rats, Roof Rats and House Mice
- Norway rats, Roof rats, and House Mice usually consume a lethal dose in a single night's
 feeding, but it may take two or more days from the time of bait consumption for these rodents to
 die Rodents cease feeding after consuming a toxic dose. This product kills anticoagulantresistant Norway Rats, Roof Rats and House Mice.
- [Kılls] [Controls] Norway Rats, Roof Rats & House Mice
- May be used in and within 100 feet of) buildings
- For use in Attics, Kitchens, Basements, Garages, consistent with all use restrictions and label precautions and limitations
- Can be used in Attics, Kitchens, Basements, and Garages, consistent with all use restrictions and label precautions and limitations
- No-Touch IM Design, no need to touch bait when applying it
- Place N' KillTM No-Touch [Bait Packs] [Place Packs], no need to touch bait when applying it
- House Mouse and Norway and Roof Rat Poison Pack
- Palatable bart formulation
- Palatable formulation
- Contains Bromethalin
- 0 01% Bromethalin pellets
- Formulated for Norway rat, roof rat, and house mice control
- Demonstrated control of Norway rats, roof rats, and house mice
- [Controls][Kills] Norway rats, roof rats, and house mice
- [Controls][Kills] anticoagulant resistant Norway Rats, Roof Rats & House Mice
- [Kılls][Controls] Norway Rats, Roof Rats & House Mice in and around (within 100 feet of) the home
- [Kills][Controls] Norway Rats, Roof Rats & House Mice both inside and outside the home
- Can be used Indoors or Outdoors (within 100 feet of buildings) for control of Norway Rats, Roof Rats & House Mice
- For Indoor and Outdoor (within 100 feet of buildings) control of Norway Rat, Roof Rat & House Mouse
- For indoor and outdoor (within 100 feet of buildings) control of Norway Rat, Roof Rat & House Mouse
- · Ready to use