

36488-53

7/13/2012

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D C 20460

OFFICE OF CHEMICAL, SAFETY  
AND POLLUTION PREVENTION

JUL 13 2012

Mark A Mongiovi  
Woodstream Corporation  
69 N Locust Street  
Lititz PA 17543 0327

Subject Amendment to add new 100 restriction for commensal rodenticides  
EPA Registration No 36488 53  
Primary Brand Name Bromethalin Rat & Mouse Block II  
Submission Date June, 12 2012

Dear Mr Mongiovi

The label referred to above submitted under FIFRA as amended is **acceptable** Please submit one final printed copy for the above mentioned labels before releasing the products for shipment If you have any questions please contact Gene Benbow at (703) 347 0235 or via email at [benbow\\_gene@epa.gov](mailto:benbow_gene@epa.gov)

Sincerely

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized circular flourish.

John Hebert  
Product Manager 07  
Insecticide Rodenticide Branch  
Registration Division (7505P)

**MASTER LABEL – FRONT PANEL (Page 1 of 1)**

# BROMETHALIN RAT & MOUSE BLOCK II

**[Additional Brand Names]**

Victor V<sup>®</sup> Fast Kill<sup>®</sup> Brand Blocks II\*

**[Qualifier statement must immediately follow brand name]**

*\* House Mice may consume a lethal dose in a single night s feeding but it can take two or more days from the time of bait consumption for these mice to die*

**This product may only be used inside and within 100 feet of buildings or inside of transport vehicles (ships, trains, or aircraft)**


<b>ACTIVE INGREDIENT</b>	<b>BY WT</b>
Bromethalin	0 01%
<b>OTHER INGREDIENTS</b>	<u>99 99%</u>
<b>TOTAL</b>	100 000%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** (See side [back] panel for additional precautionary statements)

**Net Contents**

4 03125 lb/64 5 oz (86 X 0 75 ounce bait blocks) [to] 25 78 lb/412 5 oz (550 X 0 75 ounce bait blocks)



**MASTER LABEL – BACK PANEL (Page 1 of 4)**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION** Harmful if swallowed Keep away from children domestic animals and pets All handlers (including applicators) must wear shoes plus socks and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

**User Safety Requirements**  
Follow manufacturer s instructions for cleaning/maintaining PPE If no such instructions for washables use detergent and hot water Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash hands thoroughly after applying bait and before eating drinking chewing gum using tobacco or using the toilet and change into clean clothing

<b>FIRST AID</b>	
Have label with you when obtaining treatment advice	
<b>If swallowed</b>	<p>Call a poison control center doctor or 1 800 858 7378 immediately for treatment advice</p> <p>Have person sip a glass of water if able to swallow</p> <ul style="list-style-type: none"> <li>- Do not induce vomiting unless told to do so by the poison control center or doctor</li> </ul> <p>Do not give anything by mouth to an unconscious person</p>
<b>TREATMENT FOR PET POISONING</b>	
If animal eats this bait call veterinarian at once	
<b>NOTE TO PHYSICIAN OR VETERINARIAN</b>	
<p>Contains the nerve poison Bromethalin This product is not an anticoagulant rodenticide For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors loss of hind limb use or seizures for animals) limit absorption by either emesis or gastric lavage Sublethal symptoms, if present would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid</p>	

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish birds and other wildlife Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark

4/7

**MASTER LABEL – BACK PANEL (Page 2 of 4)**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling

**READ THIS LABEL!** Read this entire label and follow all use directions and use precautions Use only for the sites pests and application methods described on this label

**IMPORTANT** Do not expose children pets or nontarget animals to rodenticides To help prevent accidents

- 1 Store product not in use out of reach of children and pets
- 2 Apply bait in locations out of reach of children pets domestic animals and nontarget wildlife or in tamper resistant bait stations These stations must be resistant to destruction by dogs and by children under six (6) years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait If bait can be shaken from bait stations when they are lifted units must be secured or otherwise immobilized Even stronger bait stations are needed in areas open to hoofed livestock raccoons bears or other potentially destructive animals or in areas prone to vandalism
- 3 Dispose of product container and unused spoiled or unconsumed bait as specified on this label

**Note** Bait stations are mandatory for outdoor above ground use Tamper resistant bait stations must be used if children pets non target mammals or birds may access the bait

**USE RESTRICTIONS** This product can only be used to control Norway rats roof rats and house mice in and within 100 feet of man made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations Examples of such structures include homes and other permanent or temporary residences food processing facilities industrial and commercial buildings trash receptacles agricultural and public buildings transport vehicles (ships trains aircraft) docks and port of terminal buildings and related structures around and associated with these sites Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited This product must not be applied directly to food or feed crops Burrow baiting with this product is prohibited Do not place near or inside ventilation duct openings Do not contaminate water food feedstuffs food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food When used in USDA inspected facilities this product must be applied in tamper-resistant bait stations Do not broadcast bait

**Do not sell this product in individual containers holding less than 4 pounds of bait**

---

**MASTER LABEL – BACK PANEL (Page 3 of 4)**

**SELECTION OF TREATMENT AREAS** Determine where rats and mice will most likely find an opening and consume bait. Generally, these areas are along walls by gnawed openings or rub marks, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rodents have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS**

**Norway Rats and Roof Rats** Apply 2 to 8 blocks per placement using bait stations as required under **IMPORTANT**. Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infested area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

**House Mice** Apply 1 block per placement using bait stations as required under **IMPORTANT**. Make placements at intervals of approximately 8 to 12 feet at appropriate locations in infested area. Up to 2 blocks may be placed at points of extremely high house mouse activity.

**Baiting Strategy (Rats and Mice)** Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

**Follow-Up** Replace contaminated or spoiled bait immediately. Using gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water, and harborage and use rodent proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE** Store only in original container in a cool, dry place, inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING** Nonrefillable container. Do not reuse or refill this container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration.

EPA Reg No 36488 53

Label Amendment – Resubmission due to Amendment Denial of June 7 2012

June 12 2012

Page 5 of 6

---

**MASTER LABEL – BACK PANEL (Page 4 of 4)**

**Note** Seller warrants that this product complies with the specifications expressed in this label To the extent consistent with applicable law Seller makes no other warranties and disclaims all other warranties express or implied including but not limited to warranties of merchantability and fitness for the intended purpose To the extent consistent with applicable law Seller s liability or default breach or failure under this label shall be limited to the amount of the purchase price To the extent consistent with applicable law Seller shall have no liability for consequential damages

Manufactured For  
Woodstream Corporation  
69 N Locust St  
Lititz PA 17543  
For Information Call 1 800 800 1819

EPA Reg No 36488 53

EPA Est No 47629-PA 01

© Copyright 2011 Woodstream Corp  
Made In USA

**MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)**

**[Optional Marketing/Advertising Claims]**

- Kills Anticoagulant Resistant Norway Rats Roof Rats and House Mice
- Norway rats Roof rats and House Mice usually consume a lethal dose in a single night s feeding but it may take two or more days from the time of bait consumption for these rodents to die Rodents cease feeding after consuming a toxic dose This product kills anticoagulant resistant Norway Rats Roof Rats and House Mice
- [Kills] [Controls] Norway Rats Roof Rats & House Mice
- May be used in (and within 100 feet of) buildings
- For use in Attics Kitchens Basements Garages consistent with all use restrictions and label precautions and limitations
- Can be used in Attics Kitchens Basements Garages consistent with all use restrictions and label precautions and limitations
- Palatable bait formulation
- Palatable formulation
- Contains Bromethalin
- 0.01% Bromethalin block
- Formulated for Norway rat roof rat and house mice control
- Demonstrated control of Norway rats roof rats and house mice
- [Controls][Kills] Norway rats roof rats and house mice
- [Controls][Kills] anticoagulant resistant Norway Rats Roof Rats & House Mice
- [Kills][Controls] Norway Rats Roof Rats & House Mice in and around (within 100 feet of) the home
- [Kills][Controls] Norway Rats Roof Rats & House Mice both inside and outside the home
- Can be used Indoors or Outdoors (within 100 feet of buildings) for control of Norway Rats Roof Rats & House Mice
- For Indoor and Outdoor (within 100 feet of buildings) control of Norway Rat Roof Rat & House Mouse
- For Indoor and Outdoor (within 100 feet of buildings) control of Norway Rat Roof Rat & House Mouse
- Ready to use