



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

February 25, 2015

Chad Mateer  
Woodstream Corporation  
69 N. Locust Street  
Lititz, PA 17543-0327

Subject: Label Amendment – Amendment to provide sub-labeling for refillable and non-refillable products  
Product Name: Bromethalin Mouse Bait Station II  
EPA Registration Number: 36488-62  
Application Date: October 13, 2014  
Decision Number: 497466

Dear Mr. Mateer:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 36488-62  
Decision No. 497466

with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at [Benbow.Gene@epa.gov](mailto:Benbow.Gene@epa.gov).

Sincerely,


A handwritten signature in black ink, appearing to be 'MS', with a horizontal line extending to the right from the end of the signature.

Mark Suarez  
Product Manager 07  
Invertebrate & Vertebrate Branch 3  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

**MASTER LABEL – OUTER CONTAINER FRONT PANEL (Page 1 of 1)**

# BROMETHALIN MOUSE BAIT STATION II



**[Alternate Brand Names – Non- Refillable Products]**

- Victor V® Fast-Kill® Brand Bait Station\*

**[Alternate Brand Names –Refillable Products]**

- Victor V® Fast-Kill® Brand Refillable Bait Station\*

**[Qualifier Statement - Must immediately follow brand name]**

\* House Mice may consume a lethal dose in a single night’s feeding, but it can take two or more days from the time of bait consumption for these mice to die.

**This Bait Station is Resistant to Tampering by Children.  
Use Indoors Only.**

ACTIVE INGREDIENT:	BY WT.
Bromethalin.....	0.01%
OTHER INGREDIENTS:.....	99.99%
TOTAL:.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** (See [side panel] [back panel] for additional precautionary statements [and directions for use])

**NET CONTENTS:**

0.0469lb/0.75oz (1 X 0.75oz. (21.2g) bait blocks [to] 1lb/16oz (21 X 0.75oz. (21.2g) bait blocks & X [refillable] bait station[s])

Each bait station contains one 0.75oz (21.2g) bait block

---

**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 1 of 6)**

**PRECAUTIONARY STATEMENTS:**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Keep away from children, domestic animals and pets. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Any person who handles bait, refills a station, or retrieves carcasses or unused bait must wear gloves.

<b>FIRST AID</b>	
Have label with you when obtaining treatment advice.	
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>- Call a poison control center, doctor or 1-800-858-7378 immediately for treatment advice.</li><li>- Have person sip a glass of water if able to swallow.</li><li>- Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>- Do not give anything by mouth to an unconscious person.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>- Take off contaminated clothing.</li><li>- Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
<b>TREATMENT FOR PET POISONING</b>	
If animal eats bait, call veterinarian at once.	
<b>NOTE TO PHYSICIAN OR VETERINARIAN</b>	
Contains the nerve poison Bromethalin. This product is not an anticoagulant rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.	

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

**[Refillable Product Directions]**

**DIRECTIONS FOR USE:**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container, bait station, and used, spoiled, or unconsumed bait as specified on this label.

**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 2 of 6)**

**USE RESTRICTIONS:**

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** This product may only be used to control house mice inside homes and other residential buildings. Do not place bait station in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

1. Remove bait station from package.
2. While wearing gloves, place one block of bait in the bait station. See additional GRAPHICS AND TEXT.
3. Place bait station on the floor, with flat side down, in areas where signs of house mice have been seen in the types of buildings identified under **USE RESTRICTIONS**.

Use one bait station per typical placement. If more than one bait station is used, space the stations 8 to 12 feet apart in suitable locations (see **SELECTION OF TREATMENT AREAS**) in infested buildings. After several days, inspect placements and refill bait stations if contents have been consumed or are contaminated. If no feeding has occurred within three days, bait stations may be moved to other appropriate locations in the building where there is evidence of feeding.

**[Baiting Strategy:** Highest bait consumption is expected to occur on the first day or two after treatment begins. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain an uninterrupted supply of bait for at least one week to provide all house mice a chance to feed on the bait. Continue baiting until at least 4 days have passed without signs of new feeding by house mice.]

**Follow-Up:** Wearing gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.


---

**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 3 of 6)**

**[INSTRUCTIONS FOR OPENING, FILLING, REFILLING AND RECLOSING]**


**HOW TO OPEN:**

1. Apply gloves.
2. Hold the bait station in one hand with your thumb on the back tab and middle finger on the front tab.
3. While squeezing the front and back tabs, lift the lock tab on the bottom center of the bait station and pull open.



**HOW TO FILL THE BAIT STATION:**

1. Take one block and slide it down the holder post as far as it will go.



**HOW TO CLOSE:**

1. Take both hands and apply pressure to the top and bottom of the station without making contact with the block.
2. Press the station lid and bottom until they meet and continue to press firmly until you hear a snap. This is when the station has been closed properly.



---

**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 4 of 6)**

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container, except as described in the directions for use. **If empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Note:** Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For: Woodstream Corporation  
69 N. Locust St  
Lititz, PA 17543  
For Information Call: 1-800-800-1819  
EPA Reg. No. 36488-62  
Made In USA

EPA Est. No. 47629-PA-01

**[Non-Refillable Product Directions]**

**DIRECTIONS FOR USE:**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container, bait station, and used, spoiled, or unconsumed bait as specified on this label.

---

**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 5 of 6)**

**USE RESTRICTIONS:**

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** This product may only be used to control house mice inside homes and other residential buildings. Do not place bait station in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

1. Remove bait station from package.
2. Place bait station on the floor, with flat side down, in areas where signs of house mice have been seen in the types of buildings identified under **USE RESTRICTIONS**.

Use one bait station per typical placement. If more than one bait station is used, space the stations 8 to 12 feet apart in suitable locations (see **SELECTION OF TREATMENT AREAS**) in infested buildings. After several days, inspect placements and replace bait stations if contents have been consumed or are contaminated. If no feeding has occurred within three days, bait stations may be moved to other appropriate locations in the building where there is evidence of feeding.

**[Baiting Strategy:** Highest bait consumption is expected to occur on the first day or two after treatment begins. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain an uninterrupted supply of bait for at least one week to provide all house mice a chance to feed on the bait. Continue baiting until at least 4 days have passed without signs of new feeding by house mice.]

**Follow-Up:** Wearing gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



**MASTER LABEL – OUTER CONTAINER BACK PANEL (Page 6 of 6)**

**Note:** Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller’s liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For: Woodstream Corporation  
69 N. Locust St  
Lititz, PA 17543  
For Information Call: 1-800-800-1819  
EPA Reg. No. 36488-62  
Made In USA

EPA Est. No. 47629-PA-01

---

**MASTER LABEL – LABEL FOR REFILLABLE BAIT STATION (Page 1 of 1)**

# BROMETHALIN MOUSE BAIT STATION II

**[Alternate Brand Names – Refillable Products]**

- Victor V® Fast-Kill® Brand Refillable Bait Station

<p><b>This Bait Station is Resistant to Tampering by Children. Use Indoors Only.</b></p>
--

<b>ACTIVE INGREDIENT:</b>	<b>BY WT.</b>
Bromethalin.....	0.01%
<b>OTHER INGREDIENTS:</b> .....	<u>99.99%</u>
<b>TOTAL:</b> .....	100.00%

**Do not allow children or pets to play with station.**

**This bait station can only be refilled with block bait sold with this station.**

**CAUTION:** (See outer package for additional precautionary statements, first aid information and directions for use.)

Manufactured For:  
Woodstream Corporation  
69 N. Locust St  
Lititz, PA 17543-0327  
For Information Call: 1-800-800-1819

EPA Reg. No. 36488-62

EPA Est. No. 47629-PA-01

**NET CONTENTS:** 0.75 oz (21.2 g)

---

**MASTER LABEL – LABEL FOR NON-REFILLABLE BAIT STATION (Page 1 of 1)**

# BROMETHALIN MOUSE BAIT STATION II

**[Alternate Brand Names – Non- Refillable Products]**

- Victor V® Fast-Kill® Brand Bait Station

<p><b>This Bait Station is Resistant to Tampering by Children. Use Indoors Only.</b></p>
--

<b>ACTIVE INGREDIENT:</b>	<b>BY WT.</b>
Bromethalin.....	0.01%
<b>OTHER INGREDIENTS:</b> .....	<u>99.99%</u>
<b>TOTAL:</b> .....	100.00%

**Do not allow children or pets to play with station.**

**CAUTION:** (See outer package for additional precautionary statements, first aid information and directions for use.)

Manufactured For:  
Woodstream Corporation  
69 N. Locust St  
Lititz, PA 17543-0327  
For Information Call: 1-800-800-1819

EPA Reg. No. 36488-62

EPA Est. No. 47629-PA-01

**NET CONTENTS:** 0.75 oz (21.2 g)

**MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)**

***[Additional - Optional Marketing/Advertising Claim]***

- Palatable bait formulation
- Contains Bromethalin
- 0.01% Bromethalin block
- Ready to use
- For indoor use.
- For use in Attics, Kitchens, Basements, Garages at locations consistent with the limitations set for in the **DIRECTIONS FOR USE**
- Contains: (x no. of) refillable bait station(s)
- Contains (x no. of) bait blocks
- For Indoor Use
- Bait station conceals bait from view
- Bait station
- Helps control house mice
- Kills house mice
- Kills house mice in the home
- Kills Anticoagulant Resistant House Mice
- House Mice may consume a lethal dose in a single night's feeding, but it can take two or more days from the time of bait consumption for these mice to die. House mice cease feeding after consuming a toxic dose.
- This product is effective against anticoagulant-resistant house mice.
- Kills house mice dead
- Helps reduce house mouse problems
- House mice enter and feed inside the bait station
- Load 1 block into refillable station
- Bait station is child resistant
- Durable design of [bait] station is child resistant
- Child resistant [bait] station
- Child tested [bait] station
- Kid Tested [bait] station
- Kid Resistant [bait] station
- Kid Tamper Resistant [bait] station