

US ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave , N W Washington, D C 20460 EPA Reg Number

Date of Issuance

36488-63

SEP 20 2012

NOTICE OF PESTICIDE

X_Registration

_Reregistration (under FIFRA, as amended) Terms of Issuance

Unconditional

Difenacoum Rat and Mouse Block IV

Name and Address of Registrant (include ZIP Code)

Woodstream Corp 69 N Locust Street Lititz, PA 17543-0327

Attention Mr Chad Mateer

Decision 465450

R300 5-92387

Note schanges in labeling differing in substance from that accepted in connection with this registration, must be submitted to and accepted by the Registration Division prior to use of the label/in commerce subsany correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA)

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

EPA received an application for this new registration on May 30, 2012 EPA grants this request under the authority of section 3(c)(5) of FIFRA, provided that you

Signature of Approving Official,

John Hebert

Prøduct Manager (07)

Insecticide-Rodenticide Branch Registration Division (7505P) Date

SEP 2 0 2012

EPA Form 8570

Page 2

Notice of Registration (continued) EPA Reg No 36488-63

- A Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data
- B Make the following label changes before you release the product for shipment
 - 1 revise your registration number to "EPA Reg No 36488-63", and
 - 2 follow the 'Minimum Type Sizes for Final Printed Label" enclosure
- C Per 40 CFR 156 10(a)(6), submit one copy of your final printed labeling before you release the product for shipment

A copy of your label stamped "Accepted" is enclosed for your records

Reference to Website on Label

Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156 10(a)(5) list examples of statements EPA may consider false or misleading. In addition, **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Confidential Statement of Formula

The acceptable Confidential Statement of Formula (CSF) for this product is dated May 29, 2012 (Basic Formulation) All other versions are obsolete

Page 3

Notice of Registration (continued) EPA Reg No 36488-63

Terms/Conditions of Sale/Distribution (for Agricultural Building Only Use)

The registrant must not sell or distribute the product in a manner that results in sale in stores oriented towards residential consumers (e.g., grocery, drug, hardware, home improvement stores). The registrant may sell or distribute the product in a manner that results in sale in stores oriented towards agricultural consumers (i.e., farm, agricultural, tractor stores).

This product may not be sold in packaging that holds less than 8 pounds of bait

Terms/Conditions of Sale/Distributions (for PCO Use)

The registrant must not sell or distribute the product in a manner that results in sale in stores oriented towards residential consumers (e.g., grocery, drug, hardware, home improvement stores). The registrant may sell or distribute the product in a manner that results in sale in stores oriented towards agricultural consumers (i.e., farm, agricultural, tractor stores) and pest control operators.

This product may not be sold in packaging that holds less than 16 pounds of bait

With the above revisions, this product is in full compliance with the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides" and is consistent with the 1998 Rodenticide Cluster Reregistration Eligibility Decision (RED) document

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions

If you have any questions or comments regarding this letter, please contact Mr Dan Peacock by phone (703- 305-5407) or e-mail (peacock dan@epa gov)

Enclosures 1 Stamped Label

2 Minimum Type Sizes for Final Printed Label

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 1 of 12

036488-00063 20120918

MASTER LABEL / COVER PAGE (Page 1 of 1)

Note This master label bears directions for agricultural and professional usawith yarrous use restrictions specific to the associated container sizes

SEP 2 0 2012 Under the Federal Insecticide Fungicide, and Rodenticide Act, as amended, for the

Sublabel A Agricultura Persello 36488-63
Sublabel B Professional Use

[Additional Brand Names]
Victor V® Multi-KillTM Brand Blocks IV

ACTIVE INGREDIENT
Difenacoum
OTHER INGREDIENTS
TOTAL

BY WT 0 005% <u>99 995%</u> 100 000%

Manufactured For

Woodstream Corporation
69 N Locust St
Littz, PA 17543-0327
For Information Call 1-800-800-1819

EPA Reg No 36488-AG EPA Est No 47629-PA-01

© Copyright 2012 Woodstream Corp Made In USA EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 2 of 12

MACRED LADRIACIONAL ACRICII EURALIACE

MASTER LABEL / SUBLABEL A – AGRICULTURAL USE (Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE BLOCK IV

For Use In and Around Agricultural Structures Only

ACTIVE INGREDIENT
Difenacoum
OTHER INGREDIENTS
TOTAL

BY WT 0 005% <u>99 995%</u> 100 000%

KEEP OUT OF REACH OF CHILDREN

CAUTION (See side [back] panel for additional precautionary statements)

Net Contents

8 lb/128 oz (128 X 1 0 ounce blocks) [to] 20 lb/320 oz (320 X 1 0 ounce blocks)

MASTER LABEL / SUBLABEL A – AGRICULTURAL USE (Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed Keep away from children, domestic animals and pets All handlers (including applicators) must wear shoes plus socks, and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

	FIRST AID
Have label when obtaining treatment advice	
	- Call a poison control center, doctor or 1-800-858-7378
If swallowed	[optional] immediately for treatment advice
	- Have person sip a glass of water if able to swallow
	- Do not induce vomiting unless told to do so by the poison
	control center or doctor
	TREATMENT FOR PET POISONING
If animal eats bait, c	all veterinarian at once
	NOTE TO DIVISIONAL OF LEGENDINA DATA

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Difenacoum If swallowed, this material may reduce the clotting ability of the blood and cause bleeding For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K_1 intramuscularly or orally For Dogs, check prothrombin times every 3 days until values return to normal (up to 30 days) Blood transfusions may be needed

ENVIRONMENTAL HAZARDS

This product is toxic for fish and wildlife Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 4 of 12

MASTER LABEL / SUBLABEL A – AGRICULTURAL USE (Outer Container Back Panel - Page 2 of 4)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL Read this entire label and follow all use directions and use precautions Use only for the sites, pests, and application methods described on this label

IMPORTANT Do not expose children, pets, or nontarget animals to rodenticides To help to prevent accidents

- 1 Store unused product out of reach of children and pets
- 2 Apply product in bait stations for all outdoor placements
- Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism
- Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label

Note Bait stations are mandatory for outdoor, above ground use Tamper-resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait

USE RESTRICTIONS This product can only be used to control Norway rats, roof rats, and house mice *in and within* 100 feet of agricultural buildings and man-made agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting, beyond 100 feet from an agricultural structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Burrow baiting with this product is prohibited.

Do not use in homes or human residences. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 8 pounds of bait

SELECTION OF TREATMENT AREAS Determine areas where Norway rats, roof rats and house mice will most likely find and consume the bait Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where these rats, mice, or their signs have been seen Protect bait from rain and snow Remove as much alternative food as possible

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 5 of 12

MASTER LABEL / SUBLABEL A – AGRICULTURAL USE (Outer Container Back Panel - Page 3 of 4)

APPLICATION DIRECTIONS

Norway Rats and Roof Rats Apply 3 to 10 blocks per placement, using bait stations as required under "IMPORTANT" Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by these rats cease to appear

House Mice Apply 1 block per placement, using bait stations as required under "**IMPORTANT**" Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger placements, up to 2 blocks, may be used at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by these mice cease to appear

Follow-up Replace contaminated or spoiled bait immediately. Wearing gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE Store only in original container in a cool, dry place inaccessible to children and pets Keep containers closed and away from other chemicals

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Nonrefillable container Do not reuse or refill this container [**Plastic**] Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration [**Paper**] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration

NOTICE Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions

Note Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 6 of 12

MASTER LABEL / SUBLABEL A – AGRICULTURAL USE (Outer Container Back Panel - Page 4 of 4)

Manufactured For Woodstream Corporation 69 N Locust St Lititz, PA 17543-0327 For Information Call 1-800-800-1819

EPA Reg No 36488-AG

EPA Est No 47629-PA-01

© Copyright 2012 Woodstream Corp Made In USA EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 7 of 12

MASTER LABEL / SUBLABEL B – PROFESSIONAL USE (Outer Container Front Panel - Page 1 of 1)

DIFENACOUM RAT AND MOUSE BLOCK IV

[Optional Logos/Marketing Claims]

For [Can be] use[d] in Attics, Kitchens, Basements, Garages

ACTIVE INGREDIENT
Difenacoum
OTHER INGREDIENTS
TOTAL

BY WT 0 005% 99 995% 100 000%

KEEP OUT OF REACH OF CHILDREN

CAUTION (See side [back] panel for additional precautionary statements)

Net Contents

16 lb/256 oz (128 X 1 0 ounce blocks) [to] 20 lb/320 oz (320 X 1 0 ounce blocks)

EPA Reg No 36488 AG Draft Label 3 September 18, 2012 Page 8 of 12

MASTER LABEL / SUBLABEL B – PROFESSIONAL USE (Outer Container Back Panel - Page 1 of 4)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed Keep away from children, domestic animals and pets All handlers (including applicators) must wear shoes plus socks, and gloves Any person who retrieves carcasses or unused bait following application of this product must wear gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables, use detergent and hot water Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

	FIRST AID
Have label when obtaining treatment advice	
If swallowed	- Call a poison control center, doctor or 1-800-858-7378 [optional] immediately for treatment advice
	 Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor
	TREATMENT FOR PET POISONING
If animal eats bait, c	all veterinarian at once

NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Difenacoum If swallowed, this material may reduce the clotting ability of the blood and cause bleeding For humans or dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K_1 intramuscularly or orally For Dogs, check prothrombin times every 3 days until values return to normal (up to 30 days) Blood transfusions may be needed

ENVIRONMENTAL HAZARDS

This product is toxic for fish and wildlife Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 9 of 12

MASTER LABEL / SUBLABEL B – PROFESSIONAL USE (Outer Container Back Panel - Page 2 of 4)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL Read this entire label and follow all use directions and use precautions Use only for the sites, pests, and application methods described on this label

IMPORTANT Do not expose children, pets, or nontarget animals to rodenticides To help to prevent accidents

- 1 Store unused product out of reach of children and pets
- 2 Apply product in bait stations for all outdoor placements
- 3 Use tamper-resistant bait stations for all placements where children, pets, non-target mammals or birds may access bait. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label

Note Bait stations are mandatory for outdoor, above ground use Tamper-resistant bait stations must be used if children, pets, non-target mammals or birds may access the bait

USE RESTRICTIONS This product can only be used to control Norway rats, roof rats, and house mice *in and within* 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops. Burrow baiting with this product is prohibited.

Do not use this product in sewers Do not place bait near to or inside of ventilation duct openings Do not contaminate water, food, feedstuffs, food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food Do not broadcast bait When used in USDA inspected facilities, this product must be applied in tamper resistant bait stations

Do not sell this product in individual containers holding less than 16 pounds of bait

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 10 of 12

MASTER LABEL / SUBLABEL B – PROFESSIONAL USE (Outer Container Back Panel - Page 3 of 4)

SELECTION OF TREATMENT AREAS Determine areas where Norway rats, roof rats and house mice will most likely find and consume the bait Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where these rats, mice, or their signs have been seen Protect bait from rain and snow Remove as much alternative food as possible

APPLICATION DIRECTIONS

Norway Rats and Roof Rats Apply 3 to 10 blocks per placement, using bait stations as required under "**IMPORTANT**" Space placements at intervals of 15 to 30 feet in infested areas pertaining to structures Maintain an uninterrupted supply of fresh bait for at least 10 days or until fresh signs of feeding by these rats cease to appear

House Mice Apply 1 block per placement, using bait stations as required under "**IMPORTANT**" Space placements at intervals of 8 to 12 feet in infested areas pertaining to structures. Larger placements, up to 2 blocks, may be used at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until fresh signs of feeding by these mice cease to appear

Follow-up Replace contaminated or spoiled bait immediately. Wearing gloves, collect and properly dispose of dead animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Nonrefillable container Do not reuse or refill this container [**Plastic**] Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration [**Paper**] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration

NOTICE Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 11 of 12

MASTER LABEL / SUBLABEL B – PROFESSIONAL USE (Outer Container Back Panel – Page 4 of 4)

Note Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Manufactured For Woodstream Corporation 69 N Locust St Littz, PA 17543-0327 For Information Call 1-800-800-1819

EPA Reg No 36488-AG

EPA Est No 47629-PA-01

[©] Copyright 2012 Woodstream Corp Made In USA

EPA Reg No 36488 AG Draft Label 3 September 18 2012 Page 12 of 12

MACTED LAREL (ODTIONAL CLAIMS ALL LISES

MASTER LABEL / OPTIONAL CLAIMS – ALL USES (Page 1 of 1)

[Additional - Optional Marketing/Advertising Claims]

- Palatable bart formulation
- Palatable formulation
- Formulated for Norway Rat, Roof Rat, and House Mice control
- Contains Difenacoum
- Controls Norway Rats, Roof Rats, and House Mice
- 0 005% Difenacoum block
- Demonstrated control of Norway Rats, Roof Rats, and House Mice
- Kills Norway Rats, Roof Rats, and House Mice
- Controls Norway Rats, Roof Rats, and House Mice
- For indoor and outdoor use
- Ready to use
- Kılls Norway Rats, Roof Rats, and House Mice
- Indoor/Outdoor