


CECO-CIDE

EPA REG. NO. 36533-1

Active ingredients	11.66 percent
Disodium cyanodithioimidocarbonate	4.90 percent
Potassium N-methyldithiocarbamate	6.76 percent
Inert ingredients	88.34 percent
Weight per gallon	8.88 lb.
Weight of active ingredients per gallon	1.03 lb.

APPLICATIONS

CECO-CIDE NB-M is used to inhibit the growth of algae, bacteria, and fungi in recirculating commercial and industrial cooling water systems. Before treatment with CECO-CIDE NB-M systems must be cleaned to remove algal growth, microbiological slime, and other deposits. Then the system should be treated with an initial slug addition of 5.1 to 10.2 fluid ounces of CECO-CIDE NB-M per 1,000 gallons of water in the system. Repeat the initial dosage until control is evident. Subsequent slug additions of 1.7 to 10.2 fluid ounces of CECO-CIDE NB-M per 1,000 gallons of water should be made every 1 to 5 days or as needed. The required frequency of treatment depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions of CECO-CIDE NB-M should be made to the sump of water cooling towers.




KE
Causes eye damage. Wear goggles or eye protection. Avoid contact with skin. If swallowed, drink water for at least 15 minutes. Do not induce vomiting. Wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Swallow of raw egg, salt, soap, or mustard. Do not reuse equipment or containers. Do not crush and burn. This product is not for use on lawns. Will drain into lakes and streams. See label for use directions.

COAST

GA' 7NS

CIDE NB-M

EPA REG. NO. 36533-1



AC
MAY 27 1975
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 86533-1

WARNING KEEP OUT OF REACH OF CHILDREN

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

MANUFACTURED BY
COASTAL ENGINEERING CORPORATION
P. O. BOX 3526
HARAHAN, LOU. ANA 70183

Comment

ACCEPTED WITH COMMENTS

GA' NS