

NDC-10960 905 04

# Licetrol

## A PARASITICIDE

**Directions:** Use Facing Changes: Lice Head Lice (Phthirus humanus capitis), Body Lice (Phthirus irritator corporis) and Crab or Pubic Lice (Phthirus pubis L.) and their eggs.

**ACTIVE INGREDIENTS:** Permethrin 0.5% and Piperonyl Butoxide 4.75%

**INERT INGREDIENTS:** Water, Propylene Glycol, and other and 9.8% related compounds.

**KEEP OUT OF THE REACH OF CHILDREN.**

**CAUTION:** See other precautions on each side panel.

4 fl. oz. (120 ml.)

**Pharmacist's Choice**  
Selection Guaranteed

**DIRECTIONS FOR USE:**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**APPLICATION USE:**  
Apply undiluted to infested areas until entirely wet. DO NOT USE ON EYELASHES OR EYEBROWS. Allow treatment to remain 10 minutes, but no longer. Then wash thoroughly with warm water, shampoo or soap. Dead lice and eggs usually drop out in 10 to 12 hours. A second treatment should be repeated in 7 to 10 days to kill any newly hatched lice. All clothing should be sterilized at time of treatment to eliminate infestation.

See bottle or box for Exp. Date  
Cat. No. 1148  
EPA REG. NO. 3 804-N-01  
EPA REG. NO. 3 8 42

**STATEMENT OF PRACTICAL TREATMENT:**  
**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit turns clear. Do not induce vomiting or give anything to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush eyes with plenty of water. Contact a physician if irritation persists.

**STORAGE AND DISPOSAL:**  
Do not re-use empty container. Wrap container in several layers of newspaper and discard in trash. Do not transport or store below 32 F.

**PRECAUTIONARY STATEMENTS, HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS:**  
**CAUTION:** Should not be used by pregnant women or nursing mothers. Harmful if swallowed. Do not inhale. Causes eye irritation. Keep out of eyes and avoid contact with mucous membranes. In case this product should get in the eyes, flush immediately with plenty of water. Get medical attention if irritation persists. If irritation of eyelashes and eyebrows is present, consult a physician. In case of infection or shut eye, consult a physician. Avoid contamination of feed or foodstuffs.

**USE PRECAUTIONS:** This product is for external use only.

**Republic**  
Chemical Company, Inc.  
New York, N.Y.

**ACCEPTED**  
DEC 17 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under  
Reg. No. 36604-2