

Attract 'n Kill

Tomato Pinworm

PHEROMONE COMMUNICATION DISRUPTANT
FOR THE TOMATO PINWORM
(*KEIFERIA LYCOPERSICELLA*)

ACTIVE INGREDIENTS

(Z)-4-Tridecen-1-yl Acetate	0.30%
(E)-4-Tridecen-1-yl Acetate	7.10%

INERT INGREDIENTS	92.60%
-------------------	--------

TOTAL 100.00%

The product contains the toxic inert ingredients hexamethy-

SCENTRY INC.

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR
PRECAUTIONARY STATEMENTS

Product Name
Brand Name

(602) 233-1772 • (602) 233-1772
Telex: 6711494 SI

ESTABLISHMENT NO. 52991 CF 01
EPA REGISTRATION NO. 360388

NET WEIGHT: 800 GRAMS (1 LB. 12 OZ.)

Attract 'N Kill Tomato Pinworm

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS

CAUTION

STATEMENT OF PRACTICAL TREATMENT

Avoid prolonged contact with skin. Wash hands after handling.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Do not use or store near fire, sparks, or heated surfaces. Exposure to temperatures above 130°F (54°C) may cause bursting of the container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or unprotected persons. The area being treated must be vacated by unprotected persons.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool place until used. Long term storage should be at 72°F (22°C) or below. **Unused Attract 'N Kill Tomato Pinworm** is flammable and normal precautions to prevent exposing it to sources of ignition should be taken.

Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not reuse container. Wrap container and place in trash receptacle.

INSTRUCTIONS FOR USE

Attract 'N Kill Tomato Pinworm is intended for use in preventing tomato pinworm damage in tomatoes. The product functions by interfering with mating communication between adult moths. By disrupting the natural mating process, fertile egg laying and subsequent larval infestation can be suppressed, thus reducing the need for conventional insecticides. Limiting the use of conventional insecticides will help maintain populations of parasites and predators. This can assist in the biological control of other pests and thereby complement pest management.

Rate of Application: The recommended rate of application is 54g (0.12 lb) per acre or 133g (0.29 lb) per hectare.

Method of Application:

1. Attract 'N Kill Tomato Pinworm is applied directly to plant foliage or stakes and does not come into contact with the tomato fruit. To hold the product to the foliage or stakes, the use of a suitable adhesive, such as Bio-Tac[®] or Tack Trap, is recommended. Attract 'N Kill Tomato Pinworm should be mixed with the adhesive in the ratio, by volume, of 1 to 2 parts adhesive to 1 part product. For the purpose of mixing, 800g (1.8 lb) of fibers are equivalent to 38 l (1 gal). Mix only immediately before application.

Attract 'n Kill Tomato Pinworm

DEC 30 1987

UFA Reg. No.

36638-8

1. To apply, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.
2. For maximum control, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.

Timing of Application

1. For maximum control, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.
2. For maximum control, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.

3. For maximum control, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.
4. For maximum control, spray plants with the spray. Apply Attract 'n Kill Tomato Pinworm A.I. to the leaves of plants. To be most effective, spray plants when they are first infested. If plants are heavily infested, spray them again. The spray should be applied with a pump or backpack sprayer. At the time of application, the spray should be applied to the leaves of the plants.

Limited Warranty

Schmidt's warrants this product as being effective against the Tomato Pinworm for a period of 30 days from the date of application. If the product is not effective, Schmidt's will refund the purchase price of the product. This warranty is limited to the product and does not cover any other damages or losses. The warranty is void if the product is used in a manner not recommended by the manufacturer. The warranty is also void if the product is used on a plant that is not susceptible to the Tomato Pinworm. The warranty is also void if the product is used on a plant that is not in good health. The warranty is also void if the product is used on a plant that is not in good health.