

# [36724-2] DIRECTIONS

## AS A SPACE SPRAY:

For the control of specified insects flies, gnats, mosquitoes, and small flying moths, use 2½ ounces of this product as a finely dividing floating spray or fog for each 1,000 cubic feet of space. Open all cupboards, closets and lockers. The mist should be sprayed so that it will be forced into crevices where the insects hide. An exposure for one hour will give a high degree of control, but for maximum results allow room to be closed for 4 to 6 hours. Cover all foodstuffs to avoid contamination from falling insects. Repeat as often as necessary. sweep up and destroy fallen insects

**FISH AND/OR WILDLIFE PRECAUTIONS.** This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

Remove pets, birds, and cover fish aquariums before spraying.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**FOR FOOD PROCESSORS:** Cover or remove all food before applying above treatments. Thoroughly clean all exposed food processing surfaces before reusing. Apply only when plant is not in operation. Do not remain in treated areas. Ventilate the area after treatment is completed.

CONTROL NUMBER

NET CONT. GAL.

E.P.A. Reg. No. 36724-2  
E.P.A. EST. No. 36724-GA

ACCEPTED

NOV 13 1975

United States Department of Agriculture  
Federal Insecticide, Fungicide, and Rodenticide Act,  
1947 (7 U.S.C. 136)

# ZOTS-EM

## EXCELLENT FOR USE IN FOOD HANDLING AND FOOD PROCESSING ESTABLISHMENTS

FOR CONTROL OF ROACHES, WATER BUGS, SILVERFISH AND ANTS.

Also Effective against Flies, Gnats, Mosquitoes and small Flying Moths.

### ACTIVE INGREDIENTS

Petroleum Distillate	99.37%
N-Octyl Bicycloheptene Dicarboximide	0.33%
*Technical Piperonyl Butoxide	0.20%
Pyrethrins	0.10%
	100.00%

\*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

**CAUTION:**

KEEP OUT OF REACH OF CHILDREN.  
DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.  
HARMFUL IF SWALLOWED.

SOLD BY:

MA HEMCO  
60 Kathryn Drive  
Marietta, Georgia

ROA  
as a  
spray  
when  
hidin  
crack  
these  
by th  
ounc  
sary.  
ANTS

SILV  
freq  
fram  
cour

FOR  
fore  
pose  
wher  
areas

FISH  
toxic  
it wil  
this p  
and c

Do r  
dest  
away

3 0 0

# ZOTS-EM

## EXCELLENT FOR USE IN FOOD HANDLING AND FOOD PROCESSING ESTABLISHMENTS

FOR CONTROL OF ROACHES, WATER BUGS, SILVERFISH AND ANTS.

Also Effective against Flies, Gnats, Mosquitoes and small Flying Moths.

### ACTIVE INGREDIENTS

Petroleum Distillate	99.37%
N-Octyl Bicycloheptene Dicarboximide	0.33%
*Technical Piperonyl Butoxide	0.20%
Pyrethrins	0.10%
	100.00%

\*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

**CAUTION:** KEEP OUT OF REACH OF CHILDREN.  
DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.  
HARMFUL IF SWALLOWED.

### SOLD BY:

MAHLETT  
60 KATHAM Drive  
Marietta, Georgia

## DIRECTIONS

**ROACHES, WATER BUGS, SILVERFISH:** This can be used as a coarse spray so that it will not float in the air. Direct spray to surfaces of cupboards, lockers and other places where insects hide. Spray all cracks, crevices and other hiding places, and wherever else insects hide. Spray all cracks, crevices and other hiding places, and wherever else these insects have been noticed. The specified insects hit by the spray will be killed quickly. Apply at the rate of one ounce to about six square feet of surface as often as necessary.

**ANTS:** For best results spray ant trails.

**SILVERFISH:** This product can control silverfish if sprayed frequently and repeatedly on baseboards, windows, door frames, book cases and storage areas. For best results use a coarse spray and make direct contact with this pest.

**FOR FOOD PROCESSORS:** Cover or remove all food before applying above treatments. Thoroughly clean all exposed food processing surfaces before reusing. Apply only when plant is not in operation. Do not remain in treated areas. Ventilate the area after treatment is completed.

**FISH AND/OR WILDLIFE PRECAUTIONS.** This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label. Remove pets, birds, and cover fish aquariums before spraying.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

3001-75

ACCEPTED

NOV 13 1975

...pesticide,  
...Act,  
...pesticide