限を付ける おんしん DATE OF ISSUANCE EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY MAR 1 0 1986 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REPRESISTRATION 54, 0 350 (Under the Lederal Insecticide, Fungicide) and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number, On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. المالية المسالم Conditional relations, in accordance with any so Course Bull 17, and provided the a Sour to found address the arm of a regulated its registrate in refresh transfer of Your product the first accident of the Accident accident accident which the Accident recognition and regressible of the and produce to subsite such beta-Ze not the phase "lines, and ith man beizari" to you have proved you be read to the product to 1 should be 3. Submit 1.80 (5) copies of your final printed labelle, below you icloded the product for shipmen', acted to the A-75 hadronic let a luther description of Tibal printed ranging. at these conditions are not compared with, the registration while be subject to cancellarion in accordance with Filly Section 6(e). You remember for shipment of the ground compatitive acceptance of these conditions. a stamped copy of the label is engassed for your receipt.

ATTACHMENT IS APPLICABLE ENCLOSUPES.

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rav. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

froquet hanager (32) Disinfectants Branch

Registration (AVISION (TS-767C)

TOWERCIDE 1500

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 1 0 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

36124-7

ACTIVE INGREDIENT:

INERT INGREDIENT 90.0 9

This product contains 0.85 lb. of active ingredient per gallon and weighs 8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, Avoid breathing vapors, Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician infinediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of takes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FO

It is a violation of Federal law to use this pro-
its labeling.
Towercide 1500 is
and fungi in recirculating commercial and indu
to its use, systems must be cleaned to remo
slime, and other deposits. An initial slug addit
fluid ounces ofTowercide 1500
of water to provide a concentration of48_
Towercide 1500 , b
in the system, is recommended. Repeat initial
Subsequent slug additions of1.53
120 parts per million of Towercide 1
employed every 2 to 5 days, or as needed. The
upon the relative amount of bleedoff and the se
lem. Slug additions should be made in the sur Towercide 1500is us
air washing systems that maintain effective m
to its use, systems should be cleaned to r
deposits. An initial slug dose of24.7
Towercide 1500 p
mended. Repeat initial dosage until control i
tions of 16.9 to 41.2 fluid ounces of
per 1000 gallons of water should be employed a
frequency of addition depends upon the relative
of the bacterial problem. Slug additions may be
collection trays of the airwash system.

STORAGE AND D

Do not contaminate water, lood, or feed by storage or disposal STORAGE: Do not stack more than four drums high. Leaking drums for disposal. Spills should be absorbed in sawdust or san tainer closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of the proced waste disposal facility

CONTAINER DISPOSAL:

- i PLASTIC Triple inise for equivalent. Then offer for recycling sampling landfill by incineration, or, if allowed by state and le sinuse.
- 23 METAL. Triple rose for equivalent. Then offer for recycling sanitary landfill, or by other procedures approved by state at

	Manulacture	
	Machemco, Inc.	
_	P.O. Box 19791	
	Atlanta, GA	30325
EPA REC	i. NO	EF

NET CONTENTS ___