

BEST DOCUMENT AVAILABLE

ACCEPTED

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER Corrosive. May cause severe skin irritation or chemical burns. Irritates skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply to lakes, streams, or ponds. Treated effluent may not be applied to lakes, streams, ponds or public waters without a permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT Mix only with water according to label directions. Mixing with organic matter with gross filth such as feces, urine, etc., or with other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

SINTON SUPPLY CO., INC.
204 East Sample Street
South Bend, IN 46618

EPA REG. NO. 36739-3 EPA EST. NO.
NET CONTENTS

JUN 1973
36739-3

UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT AND REGULATIONS FOR ECONOMIC PEST CONTROL

SINCO SANI-CIDE

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fluid ounces) of sodium hypochlorite solution for each 3,000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.
• Pool Maintenance
A. Adjust pool water pH to 7.2 to 7.6 and then:
1. Add manually or by a feeder device the sodium hypochlorite solution at a rate to maintain an available chlorine residual of 2 to 3 ppm. One fourth pint (4 fluid ounces) of this sodium hypochlorite solution for every 4,000 gallons of water will provide 1.0 ppm available chlorine by weight. Keep a test kit to determine when to add. Add 1.0 ppm available chlorine with respect to temperature and number of swimmers. Use test kit to make certain the chlorine residual is in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

1. Place 1/2 pint sodium hypochlorite solution in the tank of one part sodium hypochlorite solution to 11 parts softened water. Mix thoroughly with air and water that is being pumped and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.
* Contact your local Health Department for further detail.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before use, clean all surfaces thoroughly with this sodium hypochlorite solution containing 2.0 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. The solution may be used overnight. Additional use of 1/2 pint (2 fluid ounces) of this sodium hypochlorite solution per 100 gallons of water will provide approximately 200 ppm available chlorine by weight.
NOTE: This product degrades with age. Use a chlorine test kit and increase dosage if necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or residue that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

BEST DOCUMENT AVAILABLE

37

38