

Ms. Michelle J. Wolfe  
Tarson Supply Corp.  
3360 Milton Avenue  
Syracuse, New York 13219

Subject: Crystal Klear  
EPA Registration Number 36993-2  
Application Date: 10/21/04  
Receipt Date: 10/22/04

Dear Ms. Wolfe:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- To update the "first aid" statement in accordance with PR Notice 2001-1.

**Conditions**

- Place the "Ingredient statement" on the outside of the boxed "first aid statement".
- In the "Ingredient statement" change the word "Other" to read: "Other Ingredients".
- Revise the "Environmental Hazards Statement" to read:

"This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA".

CONCURRENCES							
SYMBOL		7503					
SURNAME		E. Mitchell					
DATE		11-30-04					

**General Comments**

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Emily Mitchell  
Product Manager 32  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns on broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**TARSON SUPPLY CORP.  
N. Syracuse, NY 13212**

EPA REG. NO. 36993-2 EPA EST. NO. 36993-1  
NET CONTENTS 5 GALS.

36993-2  
Registered under EPA Reg. No. 36993-2  
amended, for the pesticide,  
Fungicide, and Rodenticide Act  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
NOV 3 0 2004



**"FOR SWIMMING POOL CHLORINATION  
AND SANITIZING"**  
HYPOCHLORITE SOLUTION  
UN 1791

EPA Label Based:  
WITH COMMENTS

FIRST AID	
<p><b>If inhaled</b></p> <ul style="list-style-type: none"> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	<p><b>If on skin or clothing</b></p> <ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<p><b>If in eyes</b></p> <ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	<p><b>If swallowed</b></p> <ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>NOT LINE NUMBER</b></p>	<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information. Probable mucosal damage may contraindicate the use of gastric lavage.</p>
<p><b>NOTE TO PHYSICIANS</b></p>	<p>ACTIVE INGREDIENTS: SODIUM HYPOCHLORITE 12.5% OTHER 87.5%</p>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

384

474



**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**DIRECTIONS FOR SWIMMING POOL CHLORINATION**

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fl. oz.) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

- A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
- B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.8 to 1.0 ppm. One-fourth pint (4 fl. oz.) of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTING OF POTABLE WATER FOR HOME WELL, WATER SYSTEMS**

Dilute the sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (measuring pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency of approximately once per 24 hours. Contact your local health department for further details.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DENT EQUIPMENT**

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with the sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tbsp.) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:**

Store in a cool, dry area away from direct sunlight. In case of spill, do not inhale or get into eyes. Flush eyes with water. Rinse thoroughly with water and seek medical attention if necessary. Do not mix with other chemicals. Do not use in a confined space. Do not use in a sanitary sewer. Do not contaminate food, or feed by storage, disposal or cleaning of equipment.