

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.  
**FIRST AID:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.  
**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**STORAGE & DISPOSAL:** Keep container closed when not in use. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

For plastic containers, do not reuse when empty. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place.

For metal containers, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in an approved landfill or buried in a safe place. For both containers, rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

MFG. BY B & M INTERNATIONAL  
 THIBODAUX, LA. 70301

EPA REG. NO. 36999-34 EPA EST. NO. 36999-LA-1

NET CONTENT 1 GALLON (3.78 L)

**ACCEPTED**  
**36999-34**  
**OCT 8 1979**  
 UNDER THE FEDERAL INSECTICIDE,  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTRATION  
 LD UNCLAS. NO.



**G810-L**

**A BROAD SPECTRUM MICROBICIDE  
 FOR USE IN RECIRCULATING WATER SYSTEMS**

**ACTIVE INGREDIENT**

Poly(oxyethylene dimethyl methyl ethylene  
 dimethylamine) ethylene succinate, etc. 30.0

**INERT INGREDIENT**

70.0

**TOTAL** 100.0

This product contains 2.67% of active ingredient, or 11.1  
 and weighs 8.90 lb. per gallon.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**HARMFUL IF SWALLOWED. AVOID BREATHING VAPORS  
 AVOID CONTACT WITH SKIN, EYES, AND CLOTHING.**

See additional precautions and first aid statement on left side panel.

**DIRECTIONS FOR USE**  
**GENERAL CLASSIFICATION**  
**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT  
 IN A MANNER INCONSISTENT WITH ITS LABELING.**

G810-L is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 1.90 to 4.75 fluid ounces of G810-L per 1000 gallons of water to provide a concentration of 16 to 40 parts per million of G810-L, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.47 to 4.75 fluid ounces of G810-L per 1000 gallons of water (4 to 40 parts per million of G810-L) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleed-off and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

G810-L is used to control bacteria in industrial air washing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 7.1 to 11.9 fluid ounces of G810-L per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 4.8 to 11.9 fluid ounces of G810-L per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleed-off and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors and contact with skin, eyes, or clothing.

**FIRST AID:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**STORAGE & DISPOSAL:** Keep container closed when not in use. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

For plastic containers, do not reuse when empty. Triple rinse (or equivalent) and dispose of container in accordance with local, state, or federal regulations.

For metal containers, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in an approved landfill or buried in a safe place. For both containers, rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

MFG. BY B & M INTERNATIONAL  
THIBODAUX, LA. 70301

EPA REG. NO. 36999-34 EPA EST. NO. 36999-LA 1

NET CONTENT 1 GALLON (3.8 L.)

ACCEPTED  
36999-34  
OCT 8 1979  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
EPA REG. NO.



**G810-L**

**A BROAD SPECTRUM MICROBICIDE  
FOR USE IN RECIRCULATING WATER SYSTEMS**

**ACTIVE INGREDIENT**

Polyoxyethylene (dimethylamino)ethylene  
tetracyclerol ethylene dichloride 30.0

**INERT INGREDIENT** 70.0

**TOTAL** 100.0

This product contains 2.67 lb. of active ingredient per gallon  
and weighs 8.90 lb. per gallon.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**HARMFUL IF SWALLOWED. AVOID BREATHING VAPORS.  
AVOID CONTACT WITH SKIN, EYES, AND CLOTHING.**

See additional precautions and first aid statement on left side panel.

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT  
IN A MANNER INCONSISTENT WITH ITS LABELING.**

G810-L is used to control algae, bacteria and fungus recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 1.90 to 4.75 fluid ounces of G810-L per 1000 gallons of water to provide a concentration of 16 to 40 parts per million of G810-L, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.47 to 4.75 fluid ounces of G810-L per 1000 gallons of water (4 to 40 parts per million of G810-L) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleed off and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

G810-L is used to control bacteria in industrial air washing systems that maintain effective mist eliminators. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 7.1 to 11.9 fluid ounces of G810-L per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 4.8 to 11.9 fluid ounces of G810-L per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.