

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified applicator's certification.



ACTIVE INGREDIENT:

N-[[[4-Chlorophenyl] amino] carbonyl] -2, 6-difluorobenzamide 25.0%

INERT INGREDIENTS 75.0%

U.S. Patent Numbers 3,748,356; 3,933,903; 3,989,842; 4,013,717; 4,110,469 and other patents pending 100.0%

A RESEARCH DISCOVERY OF DUPHAR B.V. AMSTERDAM, HOLLAND

Keep Out of Reach of Children

CAUTION

See side/back panels for additional precautions statements.

EPA Reg. No. 37100-

EPA Est. No.

NET WEIGHT

POUNDS (

kilograms)

RECEIVED

JUL 1982

REGISTRATION DIVISION
(TS-767)

duphar

Crop Protection Division, Int.
Apollolaan 151
1077 AR Amsterdam, Holland

BEST DOCUMENT AVAILABLE

2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed. Avoid breathing of dust. Avoid contact with eyes or skin. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

Avoid application to lakes, streams, or ponds. Do not apply when weather conditions favor significant or extensive drift from target area. Do not apply on crops.

Do not contaminate water by cleaning of equipment or disposal of wastes.

RECEIVED

JUL 19 1982

REGISTRATION DIVISION
(TS-767)

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

255

③

**DIRECTIONS FOR USE
RESTRICTED USE PESTICIDE
IT IS A VIOLATION OF FEDERAL
LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT
WITH ITS LABELING.**

GYPSY MOTH:

To be used to protect trees and associated plants not used for food or feed. To control larvae and to reduce egg mass deposition in infested areas. For use in forested areas sparsely inhabited by and infrequently used by humans. In campground and other recreational areas, application should be made during periods of minimal use and only after notification of persons using such facilities.

DIMILIN W-25 Insecticide is effective against the larval stages of the gypsy moth. Application should be made prior to full leaf expansion when larvae are in the first, second or third instar.

DIMILIN W-25 applied at label rates does not directly affect bees.

EXPIRATION DATE

JUL 1982

REGISTRATION DIVISION
(TS-267)

BEST DOCUMENT AVAILABLE