


Easy-Open Bottom
SEE DIRECTIONS ON BUTT FLAP

**RESTRICTED USE
PESTICIDE**

1 of 3
PM 21

37100-12

RESTRICTED USE PESTICIDE: Because of the high acute toxicity of triphenyltin hydroxide, and its potential for creating teratogenic effects, this product may be applied only by certified applicators or persons directly under their supervision.



ACCEPTED

JUN 27 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 37100-12

wettable powder in water soluble bags

ACTIVE INGREDIENT

| | |
|-----------------------------------|--------------|
| Triphenyltin hydroxide* | 47.5% |
| INERT INGREDIENTS | 52.5% |
| *Equivalent to 15.3% Metallic tin | 100.0% |

DANGER — POISON



**KEEP OUT OF REACH OF CHILDREN
DANGER
STATEMENT OF PRACTICAL TREATMENT**

If on skin: Wash with plenty of soap and water.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention."

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center.

BEST AVAILABLE COPY

ACTIVE INGREDIENT

Triphenyltin hydroxide* 47.5%

INERT INGREDIENTS 52.5%

100.0%

*Equivalent to 15.3% Metallic tin

DANGER — POISON

**KEEP OUT OF REACH OF CHILDREN
DANGER
STATEMENT OF PRACTICAL TREATMENT**

BEST AVAILABLE COPY

If on skin: Wash with plenty of soap and water.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.*

If in eyes: Flush with plenty of water. Call a physician.

If swallowed: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Fatal if inhaled. Corrosive, causes irreversible eye damage. May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, or on skin. Do not breathe dust, vapor, or spray mist. When handling either products containing TPTH or spray-diluted mixtures, wear protective clothing (long pants, long sleeve shirt, impermeable gloves, boots, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health). When handling the concentrated products, wear a face shield. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Do not enter treated areas for at least 24 hours after treatment.

The United States Environmental Protection Agency has determined that triphenyltin hydroxide causes birth defects in laboratory animals. Exposure to triphenyltin hydroxide during pregnancy should be avoided.

EPA Reg No 37100-12
NET CONTENTS 2 LBS.

EPA Est No
(007 GRAMS)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT OPEN UNTIL READY TO USE,

DO NOT USE LESS THAN FULL 2LB. BAG.

IMPORTANT — How To Use This Package:

1. Lift bottom flap and remove booklet.
2. Follow bag opening instructions and allow water soluble inner bag to drop directly into spray tank.
3. Destroy outer paper barrier bag.

This product intended for large acreage use only.

ENVIRONMENT HAZARDS.

This product is toxic to fish and wildlife. Do not apply directly to water or wetlands. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate soils. Do not contaminate water by cleaning of equipment or disposal of wastes.

**SEE FOLDER IN BOTTOM FLAP FOR
USE INSTRUCTIONS**

A FUNGICIDE FOR CONTROL OF
• EARLY & LATE BLIGHT ON POTATOES
• LEAFSPOT ON SUGAR BEETS & PLANTS
• SCAB & CERTAIN OTHER DISEASES ON PECANS
• LEAFSPOT AND ALTERNARIA ON CARROTS

BEFORE USE READ DIRECTIONS, WARNING AND NOTICE STATEMENTS CAREFULLY. Consult agricultural extension or agricultural experiment station specialists regarding burning recommendations.

GENERAL INFORMATION

Full coverage is necessary for best results. Diluted spray should be directed to all parts of the plant uniformly, gallonage increased according to size of plants. Use the lowest application rates in protective schedules; higher rates later in the season or during high infection periods.

BEST AVAILABLE COPY

SEE FOLDER IN BOTTOM FLAP FOR
USE INSTRUCTIONS

A FUNGICIDE FOR CONTROLLING
EARLY & LATE BLIGHT IN POTATOES
LEAF SPOT ON SUGAR BEETS & PEANUTS
SCAB & CERTAIN OTHER DISEASES ON PELLARS
LEAF SPOT AND ALTERNARIA IN CARROTS

BEFORE USE READ DIRECTIONS, WARNING AND NOTICE STATEMENTS CAREFULLY. Consult agricultural extension or agricultural experiment station specialists regarding burning recommendations.

GENERAL INFORMATION

Full coverage is necessary for best results. Diluted spray should be directed to all parts of the plant uniformly, gallonage increased according to size of plants. Use the lowest application rates in protective schedules; higher rates later in the season or during high infection periods.

BEST AVAILABLE COPY

PROHIBITION:

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty the outer paper barrier bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

duphar

Crop Protection Division, Inc.
Amsterdam 181
1077 AN Amsterdam, Holland

