

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

N		TΙ	$\cap \sqsubset$	OF		ידי	\sim			
ľ	ıU	11	ᆫ	. UI	 \Box	3 I I	U	ı	⊏	Ì

_x Registration
___ Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

37256-1

Date of Issuance:

JUL 2 2 2010

Term of Issuance:

Unconditional

Name of Pesticide Product:

Protect'N Shield Antimicrobial

Name and Address of Registrant (include ZIP Code):

Tri-Chem Corporation

1495 Axtell

Troy, MI 48084

Note: Girenges in leveling disening in substraction that accepted in connection with this registration invisible submitted to and accepted by the Registration Division prior to use of the labellin commerce. In any correspondence on this product always refer to the above 142 Aired stration numbers.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
 - 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Symbol to read, "EPA Reg. No. "37256-1".

Signature of Approving Official:

Velma Noble

Product Manager Team-31 Regulatory Management Branch Antimicrobials Division (7510P) JUL 2 2 2000

Date:

Labeling Comments:

3. Under the Storage and Disposal the heading that reads "Small Packages" delete (1 gal or less) and replace with (5 gal or less).

Add the "PESTICIDE DISPOSAL heading above the "Container Handling" to read as follows:

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide of Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

4. The Directions for Use the heading the reads "Filters And Filter Material" the first sentence read as follows: (Aquarium filters, vacuum cleaner filters and air filters):

NOTE: This revised registration and label will supersede the registration dated 6/9/2010.

Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Should you have any questions regarding this letter, please contact Drusilla Copeland at (703) 308-6224 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble Product Manager (31) Regulatory Management Branch Antimicrobials Division (7510P)

Enclosure: Stamped Label, product chemistry 4/20/10

/ ACCEPTED with COMMENTS in EPA Letter Dated:

JUL 2 2 2010 Under the Federal Insecticide. Fungicide, and Rodenticide Act PROTECT N SHELD ANTIMICROBIAL registered under EPA Reg. No.

37256-1

A SILANE QUATERNARY AMMONIUM SALT

STORAGE AND DISPOSAL:

Do not contaminate water: food or feed by storage and disposal.

For household/residential use packages:

Use by:__

Storage and Disposal: Store in original, lightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep lightly closed until ready to use, Rectase tightly after each use. When stored in original, unspened containers at or below 25°C (77°F). Protect 'N Shield has a minimum shell life of 12 months from date of shipment. Nonrelitable container. Do not reuse or refe this container. Wrop container and put in trash or offer for recycling if available.

For industrial and commercial use packages:

Small Packages: (5 gal or less)

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use and away from food or feed. Keep tightly closed until ready to use, Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F). Protect N Shield has a minimum shelf life of 12 months from date of shipment.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved wasted disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the pearest EPA Regional Office for

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refil this container. Triple rinse container promptly after emptying, Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to trip. Fill the container 1/4 full with water and recap, Shake for 10 seconds. Pour rinsule into application equipment or a mix tank or store rinsule for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PAILS, DRUMS AND IBC's:

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unlamiliar with its use and away from food or feed. Keep tightly closed until ready to use. Reclose lightly after each use. When stored in original, unopened containers at or below 25°C (77°F), Protect 'N Shield has a minimum shelf life of 12 months from date of shipment.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved wasted disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for

CONTAINER HANDLING: REFILLABLE CONTAINER, Refill this container with 3-(hinydroxyskyl) propyldimathyloctadecyl ammonium chloride only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or dump rinsale into application equipment or misate collection system. Repeat this mising procedure two more times. Then offer for recycling, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE: Tri-Chem warrants that the product conforms to its chamical description and is reasonably fit for the purposes stated in the labeling when used in accordance with directions under normal conditions of use; but this warranty of fitness for a puriscular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes like risk of any such use. TRICHEM SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

ACTIVE INGREDIENTS:

3-(trihydroxysilyl) Propyldimethyloctadecyl Inert Ingredients......96.7% Total 100.00%

PRODUCT FEATURES AND BENEFITS

Protect 'N Shield Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates. Protect 'N Shield Antimicrobial is effective against mold, mildew and algae as a static agent.

- Increased efficiency through proper application, durable bacteriostatic, fundistatic and aldistatic surfaces can be attained with a minimum amount of Protect 'N Shield Antimicrobial
- Provides freshness and combats deterioration and discoloration caused by bacteria, fundi and algae.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice:

MADE IN USA

EPA REG. No. 37256-1 EPA EST. No. 11515-MI-01

Sold by

Tri-Chem Corporation 1495 Axtell Troy.MI 48084 (800) 456-6255

LOT	NO		
NET CC	ONTENTS	GALS	

CONSUMER USE PRODUCTS

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Causes moderate eye initation. Avoid contact with eyes or clothing. Wear projective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chowing gum, using tobacco or using the toilet.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its tabel. Wear safety glasses and nubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

WASHABLE LINENS, DRAPERIES, FABRIC, BEDDING & APPAREL:

Dipulno/Soaking: Use a wash hip or machine for scaking the terms you are treating. Always treat only clean items and use only fresh rinse water;

Wash Tub: Use washbasin or tub big enough to completely soak the item you are treating. Add 1 ounce of Protect 'N Shield Antimicrobial to sufficient water to soak 4 lbs of tabric, 2 ounces for 5 hs. Completely submerge items in solution for 3 minutes. Remove gerns and dry. Test for staining and color-festness of fabrics by fresting and drying a small, concealed area prior to application. Do not reuse solution after dipping/spaking. The substrate can be dried at room temperature or in a clothes dryer at the appropriate setting for the items.

Washing Machine: Clean items first. Then run only rinse cycle. Add 2 ounces of Project N Shield Antimicrobial for small, 3 ounces for medium or 4 ounces for large foad setting on machine. Run the full rinse cycle to treat the fabrics, then allow to dry overeight or use a dryer under the appropriate heat setting for the fabrics being treated. Test for staining and color-fashess of fabrics by treating and drying a small, concenied area prior to application.

Spray, Clean items prior to application, Dilute one part of Protect N Shield Antimicrobial to three parts water and mix or shake well. Using bigger pump aprayer or pressure sprayer, apray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or dry under the appropriate hoat setting for the fabrics being treated. It spotting occurs, wipe with moist cloth or sponge. Tost for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. If necessary, reapply every three months of when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains

CARPET AND UPHOLSTERY/FURNITURE:

Spray: Always apply only to clean surfaces. Disula one part of Protect 'N Shield Antimicrobial to three parts of water and mix or shake well. Apply to carpet and furniture using a trigger pump sprayer or a pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. The amount needed for treatment will depend on the coarsoners and absorbency of the material being treated. Allow to dry thoroughly before reentry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely tried. If sporting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to pacteria, mold stains, or

FOR BATHROOM AND NON-FOOD CONTACT BUILDING SURFACES (including twiss and showers, tiles, vandy tops, shower custains, grout, sinks, washeble wells, will paper, floors, window sills, concrete or stone surfaces and garbage cane).

Spray: Always apply only to clean surfaces. Dilute one part of Protect N Shield Antimicrotical to three parts of water and mix or shake well. Apply to carpet and furniture using a trigger pump sprayer or a pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. Allow to dry thoroughly before use: If spotting occurs, wipe with most cloth or sponge.

GROUT AND CEMENT MIX ADDITIVE: For use as a grout or cement additive, add Protect 'N Shield Animicrobial directly to the dry mix during the grout or cement preparation: Uso 25 fluid ounces of Protect 'N Shield per 5 pound of dry grout mixture. Follow directions for grout or coment. using Protect 'N Shalid as part of the added water, Additional Protect 'N Shield inhibits the growth of oder causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and aloae on the surface of the cured grout.

FILTERS AND FILTER MATERIAL (Aquarium filters, vacuum cleaner filters and our filters): Spray: Always apply only to clean surfaces. When treating filters, remove filter from unit Dilute one part of the Protect 'N Shield Antimicrobial to three parts of water and mix or shake well. Apply to surface using a trigger pump sprayer or a pressure sprayer. Spray entire surface from 4-6 inches distance until completely covered. Allow to dry thoroughly before use: