



CLEANER - DISINFECTANT - DEODORIZER - FUNGICIDE For Hospital and Institutional Use

DIRECTIONS FOR USE:

Apply LENOX MYRA-CYN to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

For Hospitals & Nursing Homes: Add two ounces per gallon of water.

At two ounces per gallon use-level, LENOX MYRA-CYN is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis. Escherichia coli, and pathogenic fungi, Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against T. interdigitale by the AOAC Fungicidal Test.

For Schools, Institutional and Industrial Uses: Add one ounce per gallon of water.

At one ounce per gallon use-level, LENOX MYRA-CYN delivers excellent cleaning and is germicidal. It is effective against Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, and Trichophyton interdigitale, the athlete's foot fungus. The same AOAC tests used above to confirm suitable performance for hospitals were used. Rinse empty container with water before dis-

carding. Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. LENOX MYRA-CYN is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

Two ounces of LENOX MYRA-CYN per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal odors.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.



WARNING: KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Staph, aureus	
(ATCC No. 6538)	100
Salmonella typhosa	
(ATCC No. 6539)	50

ACTIVE INGREDIENTS

Didecyl dimethyl	4.5°u
ammonium chloride	
Tetrasodium ethylenediami	ne
tetraaceiate	2.0°°
Sodium carbonate	1.0º o
Sodium metasilicate,	
anhydrous	0.5°

INERT INGREDIENTS 92.0°5 100.00° o

EPA REGISTRATION NO.

84153 AA

MAINTENANCE

MATERIALS

Ser 24, 1972 POT NO NO NO POISON RIGESTER. PD UNDER NO. 8415-3 Transferred to 37265-10