

37265-10

MYRA-CYN

CLEANER-DISINFECTANT-DEODORIZER FUNGICIDAL-GERMICIDAL

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride.....4.5%

INERT INGREDIENTS:..... 95.5%

TOTAL INGREDIENTS:..... 100.00%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. "This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection."

Apply MYRA-CYN to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required. For Hospitals & Nursing Homes: add two ounces per gallon of water.

WARNING: KEEP OUT OF REACH OF CHILDREN.

(See back panel for additional precautions)

FOR PROFESSIONAL, INSTITUTIONAL AND INDUSTRIAL USE ONLY

NET 1 GALLON (3.78 LITERS)

EPA REG. NO. 37265-10

EPA EST. NO. 37265-CA-01

Distributed By: GENLABS

5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

DIRECTIONS FOR USE CONTINUED

At two ounces per gallon use-level, MYRA-CYN is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, and pathogenic fungi. Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against T. interdigital by the AOAC Fungicidal Test.

For Schools, Institutional and Industrial Users: Add one ounce per gallon of water.

At one ounce per gallon use-level, MYRA-CYN delivers excellent cleaning and is germicidal. It is effective against Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, and Trichophyton mentagrophytes, the athlete's foot fungus. The same AOAC test used above to confirm suitable performance for hospitals were used.

Cross-Contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. MYRA-CYN is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination.

Two ounces of MYRA-CYN per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal odors.

DISINFECTING: Before disinfecting, preclean surfaces as directed above. Then prepare 2 oz. of MYRA-CYN per gallon of water and thoroughly wet surface to be disinfected. The disinfecting solution must contact the surface for 10 minutes for proper disinfection. If desired, the surfaces may then be rinsed with clear water or wiped with a clean, damp cloth.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. If leaked or spilled, soak up material separate and away from other pesticides, fertilizer, food and feed.

ACCEPTED
FEB 12 2001
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-10

2/12/2001

1/2

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to Federal or approved State procedures under subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay away from smoke.

FIRST AID	
Dermal exposure, Skin irritation	If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Inhalation:	If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	

ACCEPTED
FEB 12 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-10